

Data Path : Z:\HPCHEM1\BNA F\DATA\BF100616\
 Data File : BF090434.D
 Acq On : 6 Oct 2016 22:37
 Operator : UM/SJ
 Sample : H5121-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 T-1

Quant Time: Oct 07 00:34:07 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF100516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 05 14:57:00 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.00	152	204156	20.00	ng	0.00
21) Naphthalene-d8	8.28	136	879286	20.00	ng	-0.01
38) Acenaphthene-d10	10.04	164	426742	20.00	ng	-0.01
63) Phenanthrene-d10	11.54	188	701280	20.00	ng	-0.01
75) Chrysene-d12	14.18	240	408471	20.00	ng	-0.02
86) Perylene-d12	15.69	264	380299	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	1777116	129.91	ng	0.00
7) Phenol-d6	6.62	99	2572458	143.58	ng	0.00
23) Nitrobenzene-d5	7.56	82	1706908	94.43	ng	-0.01
41) 2,4,6-Tribromophenol	10.84	330	619488	178.53	ng	-0.01
44) 2-Fluorobiphenyl	9.37	172	2616486	102.16	ng	-0.01
78) Terphenyl-d14	13.13	244	2032303	111.86	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.75	163	726281	26.57	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF100616\
Data File : BF090434.D
Acq On : 6 Oct 2016 22:37
Operator : UM/SJ
Sample : H5121-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T-1

Quant Time: Oct 07 00:34:07 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF100516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 05 14:57:00 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.00 min Scan# 408
Delta R.T. -0.00 min
Lab File: BF090434.D
Acq: 6 Oct 2016 22:37

Instrument :
BNA_F
ClientSampleId :
T-1

Tot Ion:152 Resp: 204156
Ion Ratio Lower Upper
152 100
150 153.0 124.6 186.8
115 53.6 46.2 69.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 129.91 ng
RT: 5.61 min Scan# 286
Delta R.T. 0.00 min
Lab File: BF090434.D
Acq: 6 Oct 2016 22:37

Tgt Ion:112 Resp: 1777116
Ion Ratio Lower Upper
112 100
64 70.3 57.9 86.9
63 33.7 29.6 44.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 143.58 ng

RT: 6.62 min Scan# 375

Delta R.T. -0.00 min

Lab File: BF090434.D

Acq: 6 Oct 2016 22:37

Instrument :





BNA_F

ClientSampleId :

T-1

Tot Ion: 99 Resp: 2572458

Ion	Ratio	Lower	Upper
99	100		
42	16.3	20.0	30.0#
71	33.5	27.9	41.9



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.28 min Scan# 520




Delta R.T. -0.01 min


Lab File: BF090434.D

Acq: 6 Oct 2016 22:37

Tgt Ion: 136 Resp: 879286

Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.0	13.6
54	10.7	6.6	10.0#
68	9.4	5.0	7.6#









#23
 Nitrobenzene-d5
 Concen: 94.43 ng
 RT: 7.56 min Scan# 457
 Delta R.T. -0.01 min
 Lab File: BF090434.D
 Acq: 6 Oct 2016 22:37




Instrument :
 BNA_F
 ClientSampleId :
 T-1


Tot Ion: 82 Resp: 1706908
 Ion Ratio Lower Upper
 82 100
 128 46.1 40.0 60.0
 54 46.1 42.6 64.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.04 min Scan# 674
 Delta R.T. -0.01 min
 Lab File: BF090434.D
 Acq: 6 Oct 2016 22:37

Tgt Ion: 164 Resp: 426742
 Ion Ratio Lower Upper
 164 100
 162 105.1 80.1 120.1
 160 46.6 36.3 54.5









#41
 2,4,6-Tribromophenol
 Concen: 178.53 ng
 RT: 10.84 min Scan# 744
 Delta R.T. -0.01 min
 Lab File: BF090434.D
 Acq: 6 Oct 2016 22:37

Instrument :
 BNA_F
 ClientSampleId :
 T-1

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.7	75.4	113.0
141	31.8	26.9	40.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 102.16 ng
 RT: 9.37 min Scan# 615
 Delta R.T. -0.01 min
 Lab File: BF090434.D
 Acq: 6 Oct 2016 22:37

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.6	31.8	47.8
170	26.2	21.7	32.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 26.57 ng

RT: 9.75 min Scan# 649

Delta R.T. -0.02 min

Lab File: BF090434.D

Acq: 6 Oct 2016 22:37

Instrument :

BNA_F

ClientSampleId :

T-1


Tot Ion:163 Resp: 726281

Ion Ratio Lower Upper

163 100

194 3.3 2.8 4.2




164 10.5 9.0 13.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.54 min Scan# 805

Delta R.T. -0.01 min

Lab File: BF090434.D

Acq: 6 Oct 2016 22:37


Tgt Ion:188 Resp: 701280

Ion Ratio Lower Upper

188 100

94 8.6 8.2 12.2



80 9.7 8.8 13.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.18 min Scan# 1036

Delta R.T. -0.02 min

Lab File: BF090434.D

Acq: 6 Oct 2016 22:37

Instrument :

BNA_F

ClientSampleId :

T-1


Tot Ion:240 Resp: 408471

Ion Ratio Lower Upper

240 100

120 17.9 8.6 13.0#




236 27.2 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 111.86 ng

RT: 13.13 min Scan# 944

Delta R.T. -0.01 min

Lab File: BF090434.D

Acq: 6 Oct 2016 22:37


Tgt Ion:244 Resp: 2032303

Ion Ratio Lower Upper

244 100

212 7.9 6.8 10.2



122 15.8 13.3 19.9




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.69 min Scan# 1168
Delta R.T. -0.01 min
Lab File: BF090434.D
Acq: 6 Oct 2016 22:37

Instrument :
BNA_F
ClientSampleId :
T-1

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.6	19.3	28.9
265	20.9	17.4	26.0

