

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF100617\
 Data File : BF099146.D
 Acq On : 6 Oct 2017 13:58
 Operator : SJ/JU
 Sample : I5647-03
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OK-02-100317

Quant Time: Oct 06 14:50:00 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 05 17:20:48 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	123797	20.00	ng	0.00
21) Naphthalene-d8	8.15	136	523069	20.00	ng	0.00
38) Acenaphthene-d10	9.90	164	235413	20.00	ng	0.00
63) Phenanthrene-d10	11.39	188	426901	20.00	ng	0.00
75) Chrysene-d12	14.02	240	338293	20.00	ng	-0.01
86) Perylene-d12	15.50	264	237792	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	935427	120.29	ng	0.02
7) Phenol-d6	6.50	99	998943	104.13	ng	0.00
23) Nitrobenzene-d5	7.43	82	770529	94.47	ng	0.00
41) 2,4,6-Tribromophenol	10.69	330	275914	143.23	ng	0.00
44) 2-Fluorobiphenyl	9.22	172	1359820	96.43	ng	0.00
78) Terphenyl-d14	12.97	244	1260386	84.73	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF100617\
Data File : BF099146.D
Acq On : 6 Oct 2017 13:58
Operator : SJ/JU
Sample : I5647-03
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OK-02-100317

Quant Time: Oct 06 14:50:00 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 05 17:20:48 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.86 min Scan# 812
 Delta R.T. -0.01 min
 Lab File: BF099146.D
 Acq: 6 Oct 2017 13:58

Instrument :
 BNA_F
 ClientSampleId :
 OK-02-100317




Tgt Ion	Ratio	Lower	Upper
152	100		
150	159.3	124.6	186.8
115	62.2	50.1	75.1




#5

2-Fluorophenol
 Concen: 120.29 ng
 RT: 5.50 min Scan# 580
 Delta R.T. 0.02 min
 Lab File: BF099146.D
 Acq: 6 Oct 2017 13:58

Tgt Ion	Ratio	Lower	Upper
112	100		
64	55.4	47.9	71.9
63	27.5	23.7	35.5





#7

Phenol-d6

Concen: 104.13 ng

RT: 6.50 min Scan# 750

Delta R.T. -0.00 min

Lab File: BF099146.D

Acq: 6 Oct 2017 13:58

Instrument :

BNA_F

ClientSampleId :

OK-02-100317


Tgt Ion: 99 Resp: 998943

Ion Ratio Lower Upper

99 100

42 15.5 14.5 21.7




71 30.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.15 min Scan# 1030

Delta R.T. -0.01 min

Lab File: BF099146.D

Acq: 6 Oct 2017 13:58

Tgt Ion: 136 Resp: 523069


Ion Ratio Lower Upper

136 100

137 10.9 8.9 13.3

54 7.1 6.6 9.8

68 5.7 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 94.47 ng
 RT: 7.43 min Scan# 908
 Delta R.T. -0.01 min
 Lab File: BF099146.D
 Acq: 6 Oct 2017 13:58




Instrument :
 BNA_F
 ClientSampleId :
 OK-02-100317


Tgt Ion: 82 Resp: 770529
 Ion Ratio Lower Upper
 82 100
 128 48.2 36.1 54.1
 54 48.1 41.4 62.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.90 min Scan# 1328
 Delta R.T. -0.01 min
 Lab File: BF099146.D
 Acq: 6 Oct 2017 13:58

Tgt Ion: 164 Resp: 235413
 Ion Ratio Lower Upper
 164 100
 162 105.6 86.1 129.1
 160 46.3 38.3 57.5









#41
 2,4,6-Tribromophenol
 Concen: 143.23 ng
 RT: 10.69 min Scan# 1463
 Delta R.T. -0.01 min
 Lab File: BF099146.D
 Acq: 6 Oct 2017 13:58

Instrument :
 BNA_F
 ClientSampleId :
 OK-02-100317

Tgt Ion: 330 Resp: 275914
 Ion Ratio Lower Upper
 330 100
 332 96.0 77.0 115.6
 141 37.8 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 96.43 ng
 RT: 9.22 min Scan# 1213
 Delta R.T. -0.01 min
 Lab File: BF099146.D
 Acq: 6 Oct 2017 13:58

Tgt Ion: 172 Resp: 1359820
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.7 44.5
 170 24.2 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.39 min Scan# 1581
Delta R.T. -0.01 min
Lab File: BF099146.D
Acq: 6 Oct 2017 13:58




Instrument :
BNA_F
ClientSampleId :
OK-02-100317


Tgt Ion:188 Resp: 426901
Ion Ratio Lower Upper
188 100
94 10.4 8.5 12.7
80 11.0 9.2 13.8



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.02 min Scan# 2029
Delta R.T. -0.01 min
Lab File: BF099146.D
Acq: 6 Oct 2017 13:58

Tgt Ion:240 Resp: 338293
Ion Ratio Lower Upper
240 100
120 15.7 9.5 14.3#
236 25.9 20.7 31.1





#78

Terphenyl-d14

Concen: 84.73 ng

RT: 12.97 min Scan# 1851

Delta R.T. -0.00 min

Lab File: BF099146.D

Acq: 6 Oct 2017 13:58

Instrument :


BNA_F

ClientSampleId :

OK-02-100317

Tgt Ion:244 Resp: 1260386

Ion	Ratio	Lower	Upper
244	100		
212	7.1	5.4	8.0
122	13.3	11.0	16.4






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.50 min Scan# 2280


Delta R.T. -0.01 min

Lab File: BF099146.D

Acq: 6 Oct 2017 13:58

Tgt Ion:264 Resp: 237792

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.2	28.8
265	22.1	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

