

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF100716\
 Data File : BF090469.D
 Acq On : 8 Oct 2016 5:59
 Operator : UM/SJ
 Sample : H5120-05
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 RAV-GT-106

Quant Time: Oct 08 06:31:09 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF100516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 05 14:57:00 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.99	152	222643	20.00	ng	-0.01
21) Naphthalene-d8	8.27	136	907784	20.00	ng	-0.02
38) Acenaphthene-d10	10.04	164	497065	20.00	ng	-0.01
63) Phenanthrene-d10	11.53	188	859749	20.00	ng	-0.02
75) Chrysene-d12	14.18	240	533648	20.00	ng	-0.02
86) Perylene-d12	15.68	264	386192	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	739828	49.59	ng	-0.01
7) Phenol-d6	6.61	99	663067	33.94	ng	-0.01
23) Nitrobenzene-d5	7.55	82	1355435	72.63	ng	-0.02
41) 2,4,6-Tribromophenol	10.83	330	545959	135.08	ng	-0.02
44) 2-Fluorobiphenyl	9.35	172	2277927	76.36	ng	-0.02
78) Terphenyl-d14	13.13	244	2524412	106.35	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.55	70	189853	13.25	ng	Qvalue # 63
49) Dimethylphthalate	9.74	163	129447	4.07	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF100716\
Data File : BF090469.D
Acq On : 8 Oct 2016 5:59
Operator : UM/SJ
Sample : H5120-05
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
RAV-GT-106

Quant Time: Oct 08 06:31:09 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF100516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 05 14:57:00 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.99 min Scan# 407

Delta R.T. -0.01 min

Lab File: BF090469.D

Acq: 8 Oct 2016 5:59

Instrument :

BNA_F

ClientSampleId :

RAV-GT-106


Tgt Ion:152 Resp: 222643

Ion Ratio Lower Upper

152 100

150 153.6 124.6 186.8




115 56.4 46.2 69.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 49.59 ng

RT: 5.59 min Scan# 285

Delta R.T. -0.01 min

Lab File: BF090469.D

Acq: 8 Oct 2016 5:59


Tgt Ion:112 Resp: 739828

Ion Ratio Lower Upper

112 100

64 70.2 57.9 86.9



63 33.8 29.6 44.4






Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 33.94 ng

RT: 6.61 min Scan# 374

Delta R.T. -0.01 min

Lab File: BF090469.D

Acq: 8 Oct 2016 5:59

Instrument :

BNA_F

ClientSampleId :

RAV-GT-106





Tgt Ion: 99 Resp: 663067

Ion Ratio Lower Upper

99 100

42 16.6 20.0 30.0#

71 32.7 27.9 41.9



#19

n-Nitroso-di-n-propylamine

Concen: 13.25 ng

RT: 7.55 min Scan# 456

Delta R.T. 0.13 min

Lab File: BF090469.D

Acq: 8 Oct 2016 5:59

Tgt Ion: 70 Resp: 189853


Ion Ratio Lower Upper


70 100

42 38.8 55.4 83.2#

101 0.0 7.6 11.4#

130 2.1 16.5 24.7#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.27 min Scan# 519
Delta R.T. -0.02 min
Lab File: BF090469.D
Acq: 8 Oct 2016 5:59




Instrument :
BNA_F
ClientSampleId :
RAV-GT-106


Tgt Ion:	136	Resp:	907784
Ion	Ratio	Lower	Upper
136	100		
137	11.5	9.0	13.6
54	11.9	6.6	10.0#
68	10.2	5.0	7.6#



#23
Nitrobenzene-d5
Concen: 72.63 ng
RT: 7.55 min Scan# 456
Delta R.T. -0.02 min
Lab File: BF090469.D
Acq: 8 Oct 2016 5:59

Tgt Ion:	82	Resp:	1355435
Ion	Ratio	Lower	Upper
82	100		
128	41.5	40.0	60.0
54	48.7	42.6	64.0









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 10.04 min Scan# 674
Delta R.T. -0.01 min
Lab File: BF090469.D
Acq: 8 Oct 2016 5:59




Instrument :
BNA_F
ClientSampleId :
RAV-GT-106


Tgt Ion:164 Resp: 497065
Ion Ratio Lower Upper
164 100
162 104.0 80.1 120.1
160 46.4 36.3 54.5



#41
2,4,6-Tribromophenol
Concen: 135.08 ng
RT: 10.83 min Scan# 743
Delta R.T. -0.02 min
Lab File: BF090469.D
Acq: 8 Oct 2016 5:59

Tgt Ion:330 Resp: 545959
Ion Ratio Lower Upper
330 100
332 95.4 75.4 113.0
141 41.0 26.9 40.3#









#44
 2-Fluorobiphenyl
 Concen: 76.36 ng
 RT: 9.35 min Scan# 614
 Delta R.T. -0.02 min
 Lab File: BF090469.D
 Acq: 8 Oct 2016 5:59

Instrument :
 BNA_F
 ClientSampleId :
 RAV-GT-106

Tgt Ion:172 Resp: 2277927
 Ion Ratio Lower Upper
 172 100
 171 38.2 31.8 47.8
 170 25.9 21.7 32.5




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#49
 Dimethylphthalate
 Concen: 4.07 ng
 RT: 9.74 min Scan# 648
 Delta R.T. -0.03 min
 Lab File: BF090469.D
 Acq: 8 Oct 2016 5:59

Tgt Ion:163 Resp: 129447
 Ion Ratio Lower Upper
 163 100
 194 2.9 2.8 4.2
 164 10.2 9.0 13.4



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.53 min Scan# 804

Delta R.T. -0.02 min

Lab File: BF090469.D

Acq: 8 Oct 2016 5:59

Instrument :

BNA_F

ClientSampled :

RAV-GT-106


Tgt Ion:188 Resp: 859749

Ion Ratio Lower Upper

188 100

94 12.2 8.2 12.2




80 13.8 8.8 13.2#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.18 min Scan# 1036

Delta R.T. -0.02 min

Lab File: BF090469.D

Acq: 8 Oct 2016 5:59


Tgt Ion:240 Resp: 533648

Ion Ratio Lower Upper

240 100

120 8.5 8.6 13.0#



236 26.8 21.6 32.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 106.35 ng

RT: 13.13 min Scan# 944

Delta R.T. -0.01 min

Lab File: BF090469.D

Acq: 8 Oct 2016 5:59

Instrument :

BNA_F

ClientSampleId :

RAV-GT-106


Tgt Ion:244 Resp: 2524412

Ion Ratio Lower Upper

244 100

212 6.2 6.8 10.2#




122 6.4 13.3 19.9#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.68 min Scan# 1167

Delta R.T. -0.02 min

Lab File: BF090469.D

Acq: 8 Oct 2016 5:59


Tgt Ion:264 Resp: 386192

Ion Ratio Lower Upper

264 100

260 24.3 19.3 28.9

265 21.1 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

