

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100721\
 Data File : BF125770.D
 Acq On : 7 Oct 2021 15:04
 Operator : JU/CG
 Sample : SSTDICC060
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC060

Quant Time: Oct 07 16:23:07 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF100721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 07 15:23:37 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.845	152	238519	20.000	ng	0.00
21) Naphthalene-d8	8.128	136	895236	20.000	ng	# 0.00
39) Acenaphthene-d10	9.881	164	453306	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	667650	20.000	ng	0.00
76) Chrysene-d12	13.992	240	308380	20.000	ng	0.00
86) Perylene-d12	15.445	264	416652	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.463	112	1555279	107.431	ng	0.00
7) Phenol-d6	6.481	99	1992879	102.392	ng	0.00
23) Nitrobenzene-d5	7.416	82	1638391	127.651	ng	0.00
42) 2,4,6-Tribromophenol	10.669	330	486357	115.074	ng	0.00
45) 2-Fluorobiphenyl	9.204	172	2780881	99.122	ng	0.00
79) Terphenyl-d14	12.945	244	2091121	117.430	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.587	88	345927	56.146	ng	# 100
3) Pyridine	3.340	79	926705	56.866	ng	# 71
4) n-Nitrosodimethylamine	3.299	42	329272	54.454	ng	# 1
6) Aniline	6.516	93	1191104	53.002	ng	94
8) 2-Chlorophenol	6.634	128	859673	52.350	ng	97
9) Benzaldehyde	6.398	77	540537	53.468	ng	93
10) Phenol	6.493	94	1032580	52.484	ng	92
11) bis(2-Chloroethyl)ether	6.587	93	803143	52.529	ng	97
12) 1,3-Dichlorobenzene	6.793	146	935811	51.608	ng	95
13) 1,4-Dichlorobenzene	6.863	146	949582	51.472	ng	97
14) 1,2-Dichlorobenzene	7.022	146	875199	50.281	ng	100
15) Benzyl Alcohol	6.987	79	683519	50.629	ng	94
16) 2,2'-oxybis(1-Chloropr...	7.122	45	1019162	52.367	ng	88
17) 2-Methylphenol	7.098	107	698955	51.904	ng	97
18) Hexachloroethane	7.363	117	331700	55.392	ng	89
19) n-Nitroso-di-n-propyla...	7.269	70	523998	47.285	ng	# 69
20) 3+4-Methylphenols	7.251	107	801634	47.350	ng	93
22) Acetophenone	7.263	105	1040524	51.222	ng	# 89
24) Nitrobenzene	7.434	77	796442	61.003	ng	97
25) Isophorone	7.675	82	1434404	49.902	ng	94
26) 2-Nitrophenol	7.745	139	444882	79.911	ng	93
27) 2,4-Dimethylphenol	7.781	122	660655	51.680	ng	96
28) bis(2-Chloroethoxy)met...	7.881	93	967606	59.681	ng	98
29) 2,4-Dichlorophenol	7.987	162	719810	56.684	ng	99
30) 1,2,4-Trichlorobenzene	8.069	180	760510	55.015	ng	98
31) Naphthalene	8.151	128	2302297	50.087	ng	99
32) Benzoic acid	7.910	122	543664	67.171	ng	99
33) 4-Chloroaniline	8.198	127	978792	50.764	ng	99
34) Hexachlorobutadiene	8.269	225	428555	56.225	ng	99
35) Caprolactam	8.581	113	209675	50.598	ng	# 77
36) 4-Chloro-3-methylphenol	8.675	107	693286	52.102	ng	99
37) 2-Methylnaphthalene	8.839	142	1505178	48.280	ng	99
38) 1-Methylnaphthalene	8.939	142	1458706	49.510	ng	98
40) 1,2,4,5-Tetrachloroben...	9.010	216	664101	56.330	ng	98
41) Hexachlorocyclopentadiene	8.998	237	366659	73.506	ng	98
43) 2,4,6-Trichlorophenol	9.116	196	503085	60.851	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100721\
 Data File : BF125770.D
 Acq On : 7 Oct 2021 15:04
 Operator : JU/CG
 Sample : SSTDICC060
 Misc :
 ALS Vial : 7 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC060


Quant Time: Oct 07 16:23:07 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF100721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 07 15:23:37 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.151	196	532335	59.639	ng	92
46) 1,1'-Biphenyl	9.304	154	1769153	52.928	ng	96
47) 2-Chloronaphthalene	9.328	162	1459525	52.740	ng	100
48) 2-Nitroaniline	9.422	65	384600	69.291	ng	91
49) Acenaphthylene	9.745	152	2125229	51.014	ng	97
50) Dimethylphthalate	9.610	163	1589357	52.045	ng	# 99
51) 2,6-Dinitrotoluene	9.663	165	352858	66.815	ng	94
52) Acenaphthene	9.916	154	1344457	51.472	ng	98
53) 3-Nitroaniline	9.834	138	406090	65.169	ng	92
54) 2,4-Dinitrophenol	9.934	184	170895	79.495	ng	# 75
55) Dibenzofuran	10.086	168	1959544	50.004	ng	98
56) 4-Nitrophenol	9.981	139	315514	56.088	ng	87
57) 2,4-Dinitrotoluene	10.063	165	448035	69.723	ng	# 88
58) Fluorene	10.428	166	1398247	45.841	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.204	232	392762	57.173	ng	# 90
60) Diethylphthalate	10.304	149	1529228	51.942	ng	99
61) 4-Chlorophenyl-phenyle...	10.422	204	666431	49.153	ng	90
62) 4-Nitroaniline	10.445	138	371557	58.586	ng	# 77
63) Azobenzene	10.581	77	1422017	50.024	ng	86
65) 4,6-Dinitro-2-methylph...	10.475	198	229939	83.066	ng	# 72
66) n-Nitrosodiphenylamine	10.539	169	1299008	56.677	ng	95
67) 4-Bromophenyl-phenylether	10.910	248	422700	60.328	ng	98
68) Hexachlorobenzene	10.975	284	484901	58.965	ng	# 88
69) Atrazine	11.063	200	363193	59.764	ng	94
70) Pentachlorophenol	11.163	266	279790	64.374	ng	96
71) Phenanthrene	11.386	178	1922789	51.357	ng	96
72) Anthracene	11.439	178	1954814	52.839	ng	98
73) Carbazole	11.592	167	1771060	48.643	ng	99
74) Di-n-butylphthalate	11.922	149	1920385	52.318	ng	100
75) Fluoranthene	12.575	202	1652787	41.306	ng	99
77) Benzidine	12.686	184	619487	76.468	ng	97
78) Pyrene	12.798	202	1637686	58.763	ng	96
80) Butylbenzylphthalate	13.416	149	551729	59.782	ng	96
81) Benzo(a)anthracene	13.986	228	1135438	54.204	ng	100
82) 3,3'-Dichlorobenzidine	13.945	252	417530	69.078	ng	98
83) Chrysene	14.022	228	1141218	54.288	ng	97
84) Bis(2-ethylhexyl)phtha...	13.980	149	648210	61.354	ng	# 100
85) Di-n-octyl phthalate	14.586	149	1300375	83.919	ng	# 90
87) Indeno(1,2,3-cd)pyrene	16.904	276	1811022	64.033	ng	97
88) Benzo(b)fluoranthene	15.027	252	1322515	45.305	ng	98
89) Benzo(k)fluoranthene	15.027	252	1322515	47.286	ng	97
90) Benzo(a)pyrene	15.392	252	1210978	46.603	ng	97
91) Dibenzo(a,h)anthracene	16.927	278	1470413	62.202	ng	97
92) Benzo(g,h,i)perylene	17.351	276	1541308	63.842	ng	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Oct 07 16:23:07 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF100721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 07 15:23:37 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.845 min Scan# 809
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:152 Resp: 238519
Ion Ratio Lower Upper
152 100
150 158.8 117.6 176.4
115 60.8 47.1 70.7



#2
1,4-Dioxane
Concen: 56.146 ng
RT: 2.587 min Scan# 85
Delta R.T. -0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion: 88 Resp: 345927
Ion Ratio Lower Upper
88 100
58 69.0 0.0 0.0#
43 23.5 0.0 0.0#









#3
Pyridine
Concen: 56.866 ng
RT: 3.340 min Scan# 213
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion: 79 Resp: 926705
Ion Ratio Lower Upper
79 100
52 64.5 70.3 105.5#
51 30.6 44.1 66.1#



#4
n-Nitrosodimethylamine
Concen: 54.454 ng
RT: 3.299 min Scan# 206
Delta R.T. 0.012 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion: 42 Resp: 329272
Ion Ratio Lower Upper
42 100
74 165.6 59.0 88.6#
44 6.5 0.0 0.0#









#5
2-Fluorophenol
Concen: 107.431 ng
RT: 5.463 min Scan# 574
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:112 Resp: 1555279
Ion Ratio Lower Upper
112 100
64 51.7 44.2 66.2
63 25.6 26.2 39.2#



#6
Aniline
Concen: 53.002 ng
RT: 6.516 min Scan# 753
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion: 93 Resp: 1191104
Ion Ratio Lower Upper
93 100
66 35.3 32.7 49.1
65 17.9 14.2 21.4









#7
Phenol-d6
Concen: 102.392 ng
RT: 6.481 min Scan# 747
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion: 99 Resp: 1992879
Ion Ratio Lower Upper
99 100
42 14.2 23.5 35.3#
71 30.5 25.6 38.4



#8
2-Chlorophenol
Concen: 52.350 ng
RT: 6.634 min Scan# 773
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:128 Resp: 859673
Ion Ratio Lower Upper
128 100
130 32.2 10.5 50.5
64 42.3 20.3 60.3









#9
Benzaldehyde
Concen: 53.468 ng
RT: 6.398 min Scan# 733
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion: 77 Resp: 540537
Ion Ratio Lower Upper
77 100
105 107.0 75.9 115.9
106 101.9 84.0 124.0



#10
Phenol
Concen: 52.484 ng
RT: 6.493 min Scan# 749
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion: 94 Resp: 1032580
Ion Ratio Lower Upper
94 100
65 26.3 9.3 49.3
66 34.2 20.3 60.3









#11
bis(2-Chloroethyl)ether
Concen: 52.529 ng
RT: 6.587 min Scan# 765
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion: 93 Resp: 803143
Ion Ratio Lower Upper
93 100
63 70.8 54.4 94.4
95 32.2 11.4 51.4



#12
1,3-Dichlorobenzene
Concen: 51.608 ng
RT: 6.793 min Scan# 800
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion: 146 Resp: 935811
Ion Ratio Lower Upper
146 100
148 63.6 49.7 74.5
75 25.6 25.2 37.8





#13

1,4-Dichlorobenzene

Concen: 51.472 ng

RT: 6.863 min Scan# 812

Delta R.T. 0.000 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04

Instrument :





BNA_F

ClientSampleId :

SSTDIC060

Tgt Ion:146 Resp: 949582

Ion	Ratio	Lower	Upper
146	100		
148	62.6	51.9	77.9
111	41.4	31.8	47.6



#14

1,2-Dichlorobenzene

Concen: 50.281 ng

RT: 7.022 min Scan# 839




Delta R.T. 0.006 min


Lab File: BF125770.D

Acq: 7 Oct 2021 15:04

Tgt Ion:146 Resp: 875199

Ion	Ratio	Lower	Upper
146	100		
148	63.5	50.6	75.8
111	42.3	33.5	50.3









#15
Benzyl Alcohol
Concen: 50.629 ng
RT: 6.987 min Scan# 833
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion: 79 Resp: 683519
Ion Ratio Lower Upper
79 100
108 83.9 60.4 90.6
77 62.6 51.5 77.3



#16
2,2'-oxybis(1-Chloropropane)
Concen: 52.367 ng
RT: 7.122 min Scan# 856
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion: 45 Resp: 1019162
Ion Ratio Lower Upper
45 100
77 15.3 0.0 30.6
79 11.3 0.0 27.5









#17
2-Methylphenol
Concen: 51.904 ng
RT: 7.098 min Scan# 852
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:	107	Resp:	698955
Ion	Ratio	Lower	Upper
107	100		
108	114.6	90.6	135.8
77	39.7	35.7	53.5
79	39.8	34.0	51.0



#18
Hexachloroethane
Concen: 55.392 ng
RT: 7.363 min Scan# 897
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04


Tgt Ion:	117	Resp:	331700
Ion	Ratio	Lower	Upper
117	100		
119	95.9	73.4	110.2
201	97.2	64.9	97.3








#19
n-Nitroso-di-n-propylamine
Concen: 47.285 ng
RT: 7.269 min Scan# 881
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Instrument :
BNA_F
ClientSampleId :
SSTDIC060







Tgt Ion: 70 Resp: 523998
Ion Ratio Lower Upper
70 100
42 50.3 72.2 108.2#
101 10.1 7.8 11.8
130 24.4 21.8 32.6



#20
3+4-Methylphenols
Concen: 47.350 ng
RT: 7.251 min Scan# 878
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04


Tgt Ion: 107 Resp: 801634
Ion Ratio Lower Upper
107 100
108 89.2 76.6 116.6
77 78.5 53.3 93.3
79 26.6 8.7 48.7








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.128 min Scan# 1027
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04


Instrument :
BNA_F
ClientSampleId :
SSTDICC060





Tgt Ion:136 Resp: 895236
Ion Ratio Lower Upper
136 100
137 10.8 9.8 14.6
54 6.9 6.4 9.6
68 5.9 3.3 4.9#




#22
Acetophenone
Concen: 51.222 ng
RT: 7.263 min Scan# 880
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04



Tgt Ion:105 Resp: 1040524
Ion Ratio Lower Upper
105 100
71 6.8 5.5 8.3
51 20.4 26.0 39.0#
120 23.0 18.5 27.7





#23

Nitrobenzene-d5

Concen: 127.651 ng

RT: 7.416 min Scan# 906

Delta R.T. 0.006 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion: 82 Resp: 1638391

Ion Ratio Lower Upper

82 100

128 49.8 40.6 60.8

54 44.3 49.6 74.4#



#24

Nitrobenzene

Concen: 61.003 ng

RT: 7.434 min Scan# 909

Delta R.T. 0.006 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04




Tgt Ion: 77 Resp: 796442


Ion Ratio Lower Upper

77 100

123 54.2 42.3 63.5

65 13.0 12.4 18.6









#25
Isophorone
Concen: 49.902 ng
RT: 7.675 min Scan# 950
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion: 82 Resp: 1434404
Ion Ratio Lower Upper
82 100
95 6.9 6.5 9.7
138 19.8 18.4 27.6



#26
2-Nitrophenol
Concen: 79.911 ng
RT: 7.745 min Scan# 962
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:139 Resp: 444882
Ion Ratio Lower Upper
139 100
109 26.5 26.0 39.0
65 41.2 31.0 46.4





#27

2,4-Dimethylphenol

Concen: 51.680 ng

RT: 7.781 min Scan# 968

Delta R.T. 0.006 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04





Tgt Ion:122 Resp: 660655

Ion Ratio Lower Upper

122 100

107 109.7 85.0 127.6

121 58.4 43.3 64.9



#28

bis(2-Chloroethoxy)methane

Concen: 59.681 ng

RT: 7.881 min Scan# 985

Delta R.T. 0.006 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04




Tgt Ion: 93 Resp: 967606


Ion Ratio Lower Upper

93 100

95 33.2 26.1 39.1

123 12.4 11.7 17.5









#29
2,4-Dichlorophenol
Concen: 56.684 ng
RT: 7.987 min Scan# 1003
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:162 Resp: 719810
Ion Ratio Lower Upper
162 100
164 63.1 44.5 84.5
98 32.9 13.0 53.0



#30
1,2,4-Trichlorobenzene
Concen: 55.015 ng
RT: 8.069 min Scan# 1017
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:180 Resp: 760510
Ion Ratio Lower Upper
180 100
182 94.8 76.8 115.2
145 31.4 26.7 40.1









#31
Naphthalene
Concen: 50.087 ng
RT: 8.151 min Scan# 1031
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:128 Resp: 2302297
Ion Ratio Lower Upper
128 100
129 11.8 9.4 14.0
127 14.2 10.9 16.3



#32
Benzoic acid
Concen: 67.171 ng
RT: 7.910 min Scan# 990
Delta R.T. 0.024 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:122 Resp: 543664
Ion Ratio Lower Upper
122 100
105 117.0 97.6 137.6
77 81.7 59.6 99.6









#33
4-Chloroaniline
Concen: 50.764 ng
RT: 8.198 min Scan# 1039
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt	Ion:127	Resp:	978792
Ion	Ratio	Lower	Upper
127	100		
129	31.9	25.7	38.5
65	25.4	21.2	31.8
92	17.4	14.0	21.0



#34
Hexachlorobutadiene
Concen: 56.225 ng
RT: 8.269 min Scan# 1051
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt	Ion:225	Resp:	428555
Ion	Ratio	Lower	Upper
225	100		
223	62.1	50.6	76.0
227	63.0	50.6	75.8









#35
Caprolactam
Concen: 50.598 ng
RT: 8.581 min Scan# 1104
Delta R.T. 0.018 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:113 Resp: 209675
Ion Ratio Lower Upper
113 100
55 142.7 154.1 194.1#
56 102.4 108.7 148.7#



#36
4-Chloro-3-methylphenol
Concen: 52.102 ng
RT: 8.675 min Scan# 1120
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:107 Resp: 693286
Ion Ratio Lower Upper
107 100
144 26.3 21.9 32.9
142 83.1 67.1 100.7









#37
2-Methylnaphthalene
Concen: 48.280 ng
RT: 8.839 min Scan# 1148
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:142 Resp: 1505178
Ion Ratio Lower Upper
142 100
141 89.9 71.2 106.8



#38
1-Methylnaphthalene
Concen: 49.510 ng
RT: 8.939 min Scan# 1165
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:142 Resp: 1458706
Ion Ratio Lower Upper
142 100
141 92.7 76.0 114.0





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.881 min Scan# 1325

Delta R.T. 0.000 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04

Instrument :

BNA_F

ClientSampleId :

SSTDIC060





Tgt Ion:164 Resp: 453306

Ion Ratio Lower Upper

164 100

162 100.9 81.3 121.9

160 43.3 38.0 57.0



#40

1,2,4,5-Tetrachlorobenzene

Concen: 56.330 ng

RT: 9.010 min Scan# 1177

Delta R.T. 0.006 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04

Tgt Ion:216 Resp: 664101




Ion Ratio Lower Upper


216 100

214 79.3 64.9 97.3

179 21.9 17.4 26.2

108 18.9 16.5 24.7









#41
Hexachlorocyclopentadiene
Concen: 73.506 ng
RT: 8.998 min Scan# 1175
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:237 Resp: 366659
Ion Ratio Lower Upper
237 100
235 63.9 44.7 84.7
272 13.7 0.0 31.6



#42
2,4,6-Tribromophenol
Concen: 115.074 ng
RT: 10.669 min Scan# 1459
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:330 Resp: 486357
Ion Ratio Lower Upper
330 100
332 94.3 76.2 114.4
141 31.3 44.6 66.8#









#43
2,4,6-Trichlorophenol
Concen: 60.851 ng
RT: 9.116 min Scan# 1195
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:196 Resp: 503085
Ion Ratio Lower Upper
196 100
198 92.9 74.9 112.3
200 29.0 27.0 40.4



#44
2,4,5-Trichlorophenol
Concen: 59.639 ng
RT: 9.151 min Scan# 1201
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:196 Resp: 532335
Ion Ratio Lower Upper
196 100
198 93.6 80.2 120.2
97 47.4 44.0 66.0
132 28.9 25.4 38.0









#45
2-Fluorobiphenyl
Concen: 99.122 ng
RT: 9.204 min Scan# 1210
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:172 Resp: 2780881
Ion Ratio Lower Upper
172 100
171 38.0 26.5 39.7
170 26.1 18.8 28.2



#46
1,1'-Biphenyl
Concen: 52.928 ng
RT: 9.304 min Scan# 1227
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:154 Resp: 1769153
Ion Ratio Lower Upper
154 100
153 41.7 20.0 60.0
76 13.3 0.0 30.3









#47
2-Chloronaphthalene
Concen: 52.740 ng
RT: 9.328 min Scan# 1231
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:162 Resp: 1459525
Ion Ratio Lower Upper
162 100
127 41.0 33.0 49.4
164 32.1 25.8 38.8



#48
2-Nitroaniline
Concen: 69.291 ng
RT: 9.422 min Scan# 1247
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion: 65 Resp: 384600
Ion Ratio Lower Upper
65 100
92 74.2 55.5 83.3
138 128.9 93.5 140.3





#49

Acenaphthylene

Concen: 51.014 ng

RT: 9.745 min Scan# 1302

Delta R.T. 0.000 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04

Tgt Ion:152 Resp: 2125229

Ion Ratio Lower Upper

152 100

151 21.2 15.7 23.5





153 13.6 9.8 14.8

Instrument :

BNA_F

ClientSampleId :

SSTDIC060



#50

Dimethylphthalate

Concen: 52.045 ng

RT: 9.610 min Scan# 1279

Delta R.T. 0.006 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04




Tgt Ion:163 Resp: 1589357


Ion Ratio Lower Upper

163 100

194 3.9 2.6 3.8#

164 9.5 7.4 11.0









#51
2,6-Dinitrotoluene
Concen: 66.815 ng
RT: 9.663 min Scan# 1288
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:165 Resp: 352858
Ion Ratio Lower Upper
165 100
63 46.8 42.6 63.8
89 49.4 40.6 60.8



#52
Acenaphthene
Concen: 51.472 ng
RT: 9.916 min Scan# 1331
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:154 Resp: 1344457
Ion Ratio Lower Upper
154 100
153 112.1 89.4 134.2
152 54.7 40.5 60.7









#53
3-Nitroaniline
Concen: 65.169 ng
RT: 9.834 min Scan# 1317
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:138 Resp: 406090
Ion Ratio Lower Upper
138 100
108 10.0 9.3 13.9
92 104.3 76.5 114.7



#54
2,4-Dinitrophenol
Concen: 79.495 ng
RT: 9.934 min Scan# 1334
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:184 Resp: 170895
Ion Ratio Lower Upper
184 100
63 56.0 59.3 88.9#
154 59.8 68.6 102.8#









#55
Dibenzenofuran
Concen: 50.004 ng
RT: 10.086 min Scan# 1360
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:168 Resp: 1959544
Ion Ratio Lower Upper
168 100
139 39.7 32.7 49.1
169 13.7 11.2 16.8



#56
4-Nitrophenol
Concen: 56.088 ng
RT: 9.981 min Scan# 1342
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:139 Resp: 315514
Ion Ratio Lower Upper
139 100
109 63.0 60.4 100.4
65 84.3 58.4 98.4









#57
2,4-Dinitrotoluene
Concen: 69.723 ng
RT: 10.063 min Scan# 1356
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:165 Resp: 448035
Ion Ratio Lower Upper
165 100
63 38.5 40.9 61.3#
89 67.3 59.7 89.5
182 2.2 0.0 0.0#



#58
Fluorene
Concen: 45.841 ng
RT: 10.428 min Scan# 1418
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:166 Resp: 1398247
Ion Ratio Lower Upper
166 100
165 98.9 78.1 117.1
167 13.5 11.1 16.7









#59
2,3,4,6-Tetrachlorophenol
Concen: 57.173 ng
RT: 10.204 min Scan# 1380
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:232 Resp: 392762
Ion Ratio Lower Upper
232 100
131 46.9 45.4 68.0
130 2.3 0.0 0.0#
166 32.7 28.5 42.7



#60
Diethylphthalate
Concen: 51.942 ng
RT: 10.304 min Scan# 1397
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:149 Resp: 1529228
Ion Ratio Lower Upper
149 100
177 21.3 16.5 24.7
150 12.2 10.1 15.1









#61
4-Chlorophenyl-phenylether
Concen: 49.153 ng
RT: 10.422 min Scan# 1417
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:204 Resp: 666431
Ion Ratio Lower Upper
204 100
206 32.2 27.6 41.4
141 63.1 58.6 88.0



#62
4-Nitroaniline
Concen: 58.586 ng
RT: 10.445 min Scan# 1421
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:138 Resp: 371557
Ion Ratio Lower Upper
138 100
92 48.9 29.6 69.6
108 64.8 78.1 118.1#









#63
Azobenzene
Concen: 50.024 ng
RT: 10.581 min Scan# 1444
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Instrument :
BNA_F
ClientSampleId :
SSTDIC060

Tgt Ion: 77 Resp: 1422017




Ion	Ratio	Lower	Upper
77	100		
182	26.9	6.3	46.3
105	23.9	2.9	42.9
51	25.6	24.1	64.1




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.363 min Scan# 1577
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion: 188 Resp: 667650

Ion	Ratio	Lower	Upper
188	100		
94	9.7	6.7	10.1
80	10.1	7.5	11.3









#65
4,6-Dinitro-2-methylphenol
Concen: 83.066 ng
RT: 10.475 min Scan# 1426
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:198 Resp: 229939
Ion Ratio Lower Upper
198 100
51 34.0 45.3 85.3#
105 42.0 30.6 70.6



#66
n-Nitrosodiphenylamine
Concen: 56.677 ng
RT: 10.539 min Scan# 1437
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:169 Resp: 1299008
Ion Ratio Lower Upper
169 100
168 67.9 50.8 76.2
167 37.9 28.8 43.2









#67
4-Bromophenyl-phenylether
Concen: 60.328 ng
RT: 10.910 min Scan# 1500
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:248 Resp: 422700
Ion Ratio Lower Upper
248 100
250 94.6 74.2 111.4
141 77.4 60.4 90.6



#68
Hexachlorobenzene
Concen: 58.965 ng
RT: 10.975 min Scan# 1511
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:284 Resp: 484901
Ion Ratio Lower Upper
284 100
142 34.7 36.4 54.6#
249 28.4 25.6 38.4





#69

Atrazine

Concen: 59.764 ng

RT: 11.063 min Scan# 1526

Delta R.T. 0.000 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04

Tgt Ion:200 Resp: 363193

Ion Ratio Lower Upper

200 100

173 28.0 11.1 51.1





215 46.8 22.7 62.7

Instrument :

BNA_F

ClientSampleId :

SSTDIC060



#70

Pentachlorophenol

Concen: 64.374 ng

RT: 11.163 min Scan# 1543

Delta R.T. 0.000 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04




Tgt Ion:266 Resp: 279790


Ion Ratio Lower Upper

266 100

268 61.0 48.9 73.3

264 64.1 55.9 83.9









#71
Phenanthrene
Concen: 51.357 ng
RT: 11.386 min Scan# 1581
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:178 Resp: 1922789
Ion Ratio Lower Upper
178 100
176 20.2 14.7 22.1
179 15.7 11.5 17.3



#72
Anthracene
Concen: 52.839 ng
RT: 11.439 min Scan# 1590
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:178 Resp: 1954814
Ion Ratio Lower Upper
178 100
176 19.5 14.3 21.5
179 15.7 12.2 18.4









#73
 Carbazole
 Concen: 48.643 ng
 RT: 11.592 min Scan# 1616
 Delta R.T. 0.000 min
 Lab File: BF125770.D
 Acq: 7 Oct 2021 15:04




Instrument :
 BNA_F
 ClientSampleId :
 SSTDIC060


Tgt Ion:167 Resp: 1771060
 Ion Ratio Lower Upper
 167 100
 166 21.7 17.4 26.0
 139 12.9 11.0 16.4



#74
 Di-n-butylphthalate
 Concen: 52.318 ng
 RT: 11.922 min Scan# 1672
 Delta R.T. 0.000 min
 Lab File: BF125770.D
 Acq: 7 Oct 2021 15:04

Tgt Ion:149 Resp: 1920385
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.4 11.2
 104 4.8 4.1 6.1









#75
Fluoranthene
Concen: 41.306 ng
RT: 12.575 min Scan# 1783
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:202 Resp: 1652787
Ion Ratio Lower Upper
202 100
101 11.0 0.0 30.7
203 16.8 0.0 36.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.992 min Scan# 2024
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:240 Resp: 308380
Ion Ratio Lower Upper
240 100
120 14.3 10.8 16.2
236 25.8 21.6 32.4









#77
Benzidine
Concen: 76.468 ng
RT: 12.686 min Scan# 1802
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:184 Resp: 619487
Ion Ratio Lower Upper
184 100
185 14.6 10.8 16.2
183 11.2 8.1 12.1



#78
Pyrene
Concen: 58.763 ng
RT: 12.798 min Scan# 1821
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04


Tgt Ion:202 Resp: 1637686
Ion Ratio Lower Upper
202 100
200 21.6 15.3 22.9
203 17.6 13.4 20.0








#79
 Terphenyl-d14
 Concen: 117.430 ng
 RT: 12.945 min Scan# 1846
 Delta R.T. 0.000 min
 Lab File: BF125770.D
 Acq: 7 Oct 2021 15:04

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC060




Tgt Ion:244 Resp: 2091121

Ion	Ratio	Lower	Upper
244	100		
212	6.8	5.9	8.9
122	11.9	9.0	13.4






#80
 Butylbenzylphthalate
 Concen: 59.782 ng
 RT: 13.416 min Scan# 1926
 Delta R.T. 0.000 min
 Lab File: BF125770.D
 Acq: 7 Oct 2021 15:04



Tgt Ion:149 Resp: 551729

Ion	Ratio	Lower	Upper
149	100		
91	68.4	51.8	77.8
206	18.3	14.5	21.7









#81
Benzo(a)anthracene
Concen: 54.204 ng
RT: 13.986 min Scan# 2023
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:228 Resp: 1135438
Ion Ratio Lower Upper
228 100
226 26.9 21.6 32.4
229 19.3 15.6 23.4



#82
3,3'-Dichlorobenzidine
Concen: 69.078 ng
RT: 13.945 min Scan# 2016
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:252 Resp: 417530
Ion Ratio Lower Upper
252 100
254 62.2 51.4 77.0
126 12.1 9.5 14.3





#83

Chrysene

Concen: 54.288 ng

RT: 14.022 min Scan# 2029

Delta R.T. 0.000 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04

Instrument :

BNA_F

ClientSampleId :

SSTDIC060





Tgt Ion:228 Resp: 1141218

Ion Ratio Lower Upper

228 100

226 30.5 22.6 34.0

229 19.7 15.9 23.9



#84

Bis(2-ethylhexyl)phthalate

Concen: 61.354 ng

RT: 13.980 min Scan# 2022

Delta R.T. 0.000 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04




Tgt Ion:149 Resp: 648210


Ion Ratio Lower Upper

149 100

167 26.8 21.4 32.0

279 4.0 2.6 4.0#









#85
Di-n-octyl phthalate
Concen: 83.919 ng
RT: 14.586 min Scan# 2125
Delta R.T. -0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:149 Resp: 1300375
Ion Ratio Lower Upper
149 100
167 1.5 1.0 1.6
43 8.0 9.9 14.9#



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.445 min Scan# 2271
Delta R.T. 0.000 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:264 Resp: 416652
Ion Ratio Lower Upper
264 100
260 24.3 19.6 29.4
265 21.4 17.2 25.8





#87

Indeno(1,2,3-cd)pyrene

Concen: 64.033 ng

RT: 16.904 min Scan# 2519

Delta R.T. 0.006 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04

Instrument :

BNA_F

ClientSampleId :

SSTDIC060





Tgt Ion:276 Resp: 1811022

Ion Ratio Lower Upper

276 100

138 28.3 24.1 36.1

277 25.0 18.8 28.2



#88

Benzo(b)fluoranthene

Concen: 45.305 ng

RT: 15.027 min Scan# 2200

Delta R.T. 0.000 min

Lab File: BF125770.D

Acq: 7 Oct 2021 15:04




Tgt Ion:252 Resp: 1322515


Ion Ratio Lower Upper

252 100

253 21.0 16.8 25.2

125 10.5 9.8 14.8









#89
Benzo(k)fluoranthene
Concen: 47.286 ng
RT: 15.027 min Scan# 2200
Delta R.T. -0.029 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:252 Resp: 1322515
Ion Ratio Lower Upper
252 100
253 21.0 17.8 26.8
125 10.5 7.2 10.8



#90
Benzo(a)pyrene
Concen: 46.603 ng
RT: 15.392 min Scan# 2262
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:252 Resp: 1210978
Ion Ratio Lower Upper
252 100
253 21.3 18.4 27.6
125 11.3 9.9 14.9









#91
Dibenzo(a,h)anthracene
Concen: 62.202 ng
RT: 16.927 min Scan# 2523
Delta R.T. 0.006 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Instrument :
BNA_F
ClientSampleId :
SSTDIC060

Tgt Ion:278 Resp: 1470413
Ion Ratio Lower Upper
278 100
139 17.6 14.9 22.3
279 23.2 19.7 29.5



#92
Benzo(g,h,i)perylene
Concen: 63.842 ng
RT: 17.351 min Scan# 2595
Delta R.T. 0.012 min
Lab File: BF125770.D
Acq: 7 Oct 2021 15:04

Tgt Ion:276 Resp: 1541308
Ion Ratio Lower Upper
276 100
277 23.2 22.0 33.0
138 24.2 22.2 33.4

