

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100722\
 Data File : BF130588.D
 Acq On : 07 Oct 2022 22:30
 Operator : CG\JU
 Sample : N5046-12
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 R-12

Quant Time: Oct 10 01:46:51 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 07 02:06:46 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.610	152	65360	20.000	ng	0.00
21) Naphthalene-d8	7.893	136	235001	20.000	ng	-0.01
39) Acenaphthene-d10	9.639	164	106616	20.000	ng	-0.01
64) Phenanthrene-d10	11.122	188	169599	20.000	ng	-0.01
76) Chrysene-d12	13.751	240	179479	20.000	ng	-0.01
86) Perylene-d12	15.133	264	159969	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.210	112	336077	89.185	ng	0.00
7) Phenol-d6	6.257	99	392842	83.317	ng	-0.01
23) Nitrobenzene-d5	7.181	82	243519	52.940	ng	-0.01
42) 2,4,6-Tribromophenol	10.428	330	84008	82.233	ng	-0.01
45) 2-Fluorobiphenyl	8.969	172	409898	55.985	ng	-0.01
79) Terphenyl-d14	12.704	244	433874	40.044	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100722\
Data File : BF130588.D
Acq On : 07 Oct 2022 22:30
Operator : CG\JU
Sample : N5046-12
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
R-12

Quant Time: Oct 10 01:46:51 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 07 02:06:46 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.610 min Scan# 747
 Delta R.T. -0.006 min
 Lab File: BF130588.D
 Acq: 07 Oct 2022 22:30




Instrument :
 BNA_F
 ClientSampleId :
 R-12

Tgt Ion:152 Resp: 65360
 Ion Ratio Lower Upper
 152 100
 150 158.4 122.8 184.2
 115 68.3 53.8 80.8



#5
 2-Fluorophenol
 Concen: 89.185 ng
 RT: 5.210 min Scan# 531
 Delta R.T. -0.006 min
 Lab File: BF130588.D
 Acq: 07 Oct 2022 22:30

Tgt Ion:112 Resp: 336077
 Ion Ratio Lower Upper
 112 100
 64 59.3 51.4 77.0
 63 32.4 28.8 43.2









#7
Phenol-d6
Concen: 83.317 ng
RT: 6.257 min Scan# 709
Delta R.T. -0.012 min
Lab File: BF130588.D
Acq: 07 Oct 2022 22:30

Instrument :
BNA_F
ClientSampleId :
R-12

Tgt Ion: 99 Resp: 392842




Ion	Ratio	Lower	Upper
99	100		
42	16.7	17.0	25.6
71	35.6	32.3	48.5




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.893 min Scan# 987
Delta R.T. -0.012 min
Lab File: BF130588.D
Acq: 07 Oct 2022 22:30

Tgt Ion: 136 Resp: 235001

Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.1	13.7
54	7.6	7.1	10.7
68	5.0	4.5	6.7









#23
 Nitrobenzene-d5
 Concen: 52.940 ng
 RT: 7.181 min Scan# 80
 Delta R.T. -0.012 min
 Lab File: BF130588.D
 Acq: 07 Oct 2022 22:30




Instrument :
 BNA_F
 ClientSampleId :
 R-12


Tgt Ion: 82 Resp: 243519
 Ion Ratio Lower Upper
 82 100
 128 46.1 32.6 49.0
 54 47.2 43.8 65.6



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.639 min Scan# 1284
 Delta R.T. -0.012 min
 Lab File: BF130588.D
 Acq: 07 Oct 2022 22:30

Tgt Ion:164 Resp: 106616
 Ion Ratio Lower Upper
 164 100
 162 99.2 81.4 122.0
 160 44.8 36.2 54.4





#42

2,4,6-Tribromophenol

Concen: 82.233 ng

RT: 10.428 min Scan# 1418

Delta R.T. -0.012 min

Lab File: BF130588.D

Acq: 07 Oct 2022 22:30

Instrument :

BNA_F

ClientSampleId :

R-12





Tgt Ion:330 Resp: 84008

Ion Ratio Lower Upper

330 100

332 103.9 83.4 125.2

141 35.7 34.0 51.0



#45

2-Fluorobiphenyl

Concen: 55.985 ng

RT: 8.969 min Scan# 1170

Delta R.T. -0.012 min

Lab File: BF130588.D

Acq: 07 Oct 2022 22:30




Tgt Ion:172 Resp: 409898


Ion Ratio Lower Upper

172 100

171 35.1 28.3 42.5

170 23.0 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.122 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF130588.D
Acq: 07 Oct 2022 22:30




Instrument :
BNA_F
ClientSampleId :
R-12


Tgt Ion:188 Resp: 169599
Ion Ratio Lower Upper
188 100
94 8.7 7.4 11.2
80 9.7 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.751 min Scan# 1983
Delta R.T. -0.012 min
Lab File: BF130588.D
Acq: 07 Oct 2022 22:30

Tgt Ion:240 Resp: 179479
Ion Ratio Lower Upper
240 100
120 10.8 8.7 13.1
236 24.4 20.9 31.3









#79
 Terphenyl-d14
 Concen: 40.044 ng
 RT: 12.704 min Scan# 11
 Delta R.T. -0.012 min
 Lab File: BF130588.D
 Acq: 07 Oct 2022 22:30

Instrument :
 BNA_F
 ClientSampleId :
 R-12

Tgt Ion:244 Resp: 433874
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.9 8.9
 122 11.9 8.5 12.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.133 min Scan# 2218
 Delta R.T. -0.012 min
 Lab File: BF130588.D
 Acq: 07 Oct 2022 22:30

Tgt Ion:264 Resp: 159969
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.3 28.9
 265 21.2 17.0 25.4

