

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100722\
 Data File : BF130594.D
 Acq On : 08 Oct 2022 01:43
 Operator : CG\JU
 Sample : N5020-01DL 50X
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TR-5-100522DL

Quant Time: Oct 10 01:48:15 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 07 02:06:46 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.616	152	68783	20.000	ng	0.00
21) Naphthalene-d8	7.892	136	234860	20.000	ng	-0.01
39) Acenaphthene-d10	9.645	164	117414	20.000	ng	0.00
64) Phenanthrene-d10	11.122	188	218697	20.000	ng	-0.01
76) Chrysene-d12	13.757	240	200683	20.000	ng	0.00
86) Perylene-d12	15.139	264	136767	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.222	112	9973	2.515	ng	0.00
7) Phenol-d6	6.269	99	12151	2.449	ng	0.00
23) Nitrobenzene-d5	7.181	82	7090	1.542	ng	-0.01
42) 2,4,6-Tribromophenol	10.433	330	2633	2.340	ng	0.00
45) 2-Fluorobiphenyl	8.969	172	14026	1.740	ng	-0.01
79) Terphenyl-d14	12.704	244	17344	1.432	ng	-0.01
Target Compounds						
80) Butylbenzylphthalate	13.192	149	348633	53.605	ng	Qvalue 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100722\
Data File : BF130594.D
Acq On : 08 Oct 2022 01:43
Operator : CG\JU
Sample : N5020-01DL 50X
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TR-5-100522DL

Quant Time: Oct 10 01:48:15 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 07 02:06:46 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.616 min Scan# 71
 Delta R.T. 0.000 min
 Lab File: BF130594.D
 Acq: 08 Oct 2022 01:43




Instrument :
 BNA_F
 ClientSampleId :
 TR-5-100522DL


Tgt Ion:152 Resp: 68783
 Ion Ratio Lower Upper
 152 100
 150 151.4 122.8 184.2
 115 59.7 53.8 80.8



#5
 2-Fluorophenol
 Concen: 2.515 ng
 RT: 5.222 min Scan# 533
 Delta R.T. 0.006 min
 Lab File: BF130594.D
 Acq: 08 Oct 2022 01:43

Tgt Ion:112 Resp: 9973
 Ion Ratio Lower Upper
 112 100
 64 61.8 51.4 77.0
 63 27.1 28.8 43.2#









#7
Phenol-d6
Concen: 2.449 ng
RT: 6.269 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF130594.D
Acq: 08 Oct 2022 01:43




Instrument :
BNA_F
ClientSampleId :
TR-5-100522DL


Tgt Ion: 99 Resp: 12151
Ion Ratio Lower Upper
99 100
42 14.5 17.0 25.6#
71 33.5 32.3 48.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.892 min Scan# 987
Delta R.T. -0.012 min
Lab File: BF130594.D
Acq: 08 Oct 2022 01:43

Tgt Ion: 136 Resp: 234860
Ion Ratio Lower Upper
136 100
137 11.8 9.1 13.7
54 7.9 7.1 10.7
68 5.5 4.5 6.7









#23
Nitrobenzene-d5
Concen: 1.542 ng
RT: 7.181 min Scan# 80
Delta R.T. -0.012 min
Lab File: BF130594.D
Acq: 08 Oct 2022 01:43




Instrument :
BNA_F
ClientSampleId :
TR-5-100522DL


Tgt Ion: 82 Resp: 7090
Ion Ratio Lower Upper
82 100
128 40.7 32.6 49.0
54 50.0 43.8 65.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.645 min Scan# 1285
Delta R.T. -0.006 min
Lab File: BF130594.D
Acq: 08 Oct 2022 01:43

Tgt Ion:164 Resp: 117414
Ion Ratio Lower Upper
164 100
162 102.9 81.4 122.0
160 43.7 36.2 54.4









#42
2,4,6-Tribromophenol
Concen: 2.340 ng
RT: 10.433 min Scan# 141
Delta R.T. -0.006 min
Lab File: BF130594.D
Acq: 08 Oct 2022 01:43




Instrument :
BNA_F
ClientSampleId :
TR-5-100522DL


Tgt Ion: 330 Resp: 2633
Ion Ratio Lower Upper
330 100
332 105.6 83.4 125.2
141 35.9 34.0 51.0



#45
2-Fluorobiphenyl
Concen: 1.740 ng
RT: 8.969 min Scan# 1170
Delta R.T. -0.012 min
Lab File: BF130594.D
Acq: 08 Oct 2022 01:43

Tgt Ion: 172 Resp: 14026
Ion Ratio Lower Upper
172 100
171 31.9 28.3 42.5
170 24.0 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.122 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF130594.D
Acq: 08 Oct 2022 01:43




Instrument :
BNA_F
ClientSampleId :
TR-5-100522DL


Tgt Ion:188 Resp: 218697
Ion Ratio Lower Upper
188 100
94 9.7 7.4 11.2
80 10.3 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.757 min Scan# 1984
Delta R.T. -0.006 min
Lab File: BF130594.D
Acq: 08 Oct 2022 01:43

Tgt Ion:240 Resp: 200683
Ion Ratio Lower Upper
240 100
120 9.5 8.7 13.1
236 25.4 20.9 31.3









#79
 Terphenyl-d14
 Concen: 1.432 ng
 RT: 12.704 min Scan# 1783
 Delta R.T. -0.012 min
 Lab File: BF130594.D
 Acq: 08 Oct 2022 01:43




Instrument :
 BNA_F
 ClientSampleId :
 TR-5-100522DL


Tgt Ion:244 Resp: 17344
 Ion Ratio Lower Upper
 244 100
 212 6.1 5.9 8.9
 122 10.0 8.5 12.7



#80
 Butylbenzylphthalate
 Concen: 53.605 ng
 RT: 13.192 min Scan# 1888
 Delta R.T. 0.000 min
 Lab File: BF130594.D
 Acq: 08 Oct 2022 01:43

Tgt Ion:149 Resp: 348633
 Ion Ratio Lower Upper
 149 100
 91 66.6 59.8 89.8
 206 19.4 13.9 20.9





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.139 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF130594.D


Acq: 08 Oct 2022 01:43

Instrument :

BNA_F

ClientSampleId :

TR-5-100522DL



Tgt Ion:264 Resp: 136767

Ion Ratio Lower Upper

264 100

260 24.2 19.3 28.9

265 20.9 17.0 25.4

