

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100724\
 Data File : BF139687.D
 Acq On : 07 Oct 2024 15:33
 Operator : RC/JU
 Sample : PB163902BL
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB163902BL

Quant Time: Oct 07 15:55:32 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 02 04:58:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	89954	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	344839	20.000	ng	0.00
39) Acenaphthene-d10	9.904	164	195984	20.000	ng	0.00
64) Phenanthrene-d10	11.386	188	402197	20.000	ng	0.00
76) Chrysene-d12	14.027	240	291108	20.000	ng	0.00
86) Perylene-d12	15.498	264	222477	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.499	112	536394	103.353	ng	0.01
7) Phenol-d6	6.498	99	720169	103.186	ng	0.00
23) Nitrobenzene-d5	7.428	82	664322	97.538	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	184092	97.305	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	1208928	94.698	ng	0.00
79) Terphenyl-d14	12.980	244	1573522	88.692	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.428	70	89906	20.037	ng	# 76
25) Isophorone	7.428	82	660766	54.622	ng	# 66
51) 2,6-Dinitrotoluene	9.904	165	25081	8.654	ng	# 17
57) 2,4-Dinitrotoluene	9.904	165	25081	6.621	ng	# 17
67) 4-Bromophenyl-phenylether	10.692	248	12507	3.033	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100724\
Data File : BF139687.D
Acq On : 07 Oct 2024 15:33
Operator : RC/JU
Sample : PB163902BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB163902BL


Quant Time: Oct 07 15:55:32 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 02 04:58:47 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 812
Delta R.T. 0.000 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33

Instrument :
BNA_F
ClientSampleId :
PB163902BL







Tgt Ion:152 Resp: 89954
Ion Ratio Lower Upper
152 100
150 154.7 127.2 190.8
115 57.7 49.0 73.4



#5
2-Fluorophenol
Concen: 103.353 ng
RT: 5.499 min Scan# 579
Delta R.T. 0.012 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33

Tgt Ion:112 Resp: 536394
Ion Ratio Lower Upper
112 100
64 66.6 54.2 81.4
63 35.8 29.4 44.2









#7
Phenol-d6
Concen: 103.186 ng
RT: 6.498 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33




Instrument :
BNA_F
ClientSampleId :
PB163902BL


Tgt Ion: 99 Resp: 720169
Ion Ratio Lower Upper
99 100
42 22.3 19.1 28.7
71 35.9 29.7 44.5



#19
n-Nitroso-di-n-propylamine
Concen: 20.037 ng
RT: 7.428 min Scan# 907
Delta R.T. 0.141 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33

Tgt Ion: 70 Resp: 89906
Ion Ratio Lower Upper
70 100
42 56.4 58.0 87.0#
101 0.0 7.8 11.8#
130 1.9 15.9 23.9#





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33





Instrument :

BNA_F

ClientSampleId :




PB163902BL


Tgt Ion:136 Resp: 344839
Ion Ratio Lower Upper
136 100
137 10.3 8.6 13.0
54 10.3 8.3 12.5
68 6.1 4.6 7.0



#23
Nitrobenzene-d5
Concen: 97.538 ng
RT: 7.428 min Scan# 907
Delta R.T. -0.006 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33


Tgt Ion: 82 Resp: 664322
Ion Ratio Lower Upper
82 100
128 41.1 32.4 48.6
54 60.1 49.1 73.7








#25
Isophorone
Concen: 54.622 ng
RT: 7.428 min Scan# 90
Delta R.T. -0.265 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33

Instrument :
BNA_F
ClientSampleId :
PB163902BL







Tgt Ion: 82 Resp: 660766
Ion Ratio Lower Upper
82 100
95 0.0 6.1 9.1#
138 0.0 13.4 20.2#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.904 min Scan# 1328
Delta R.T. -0.006 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33


Tgt Ion: 164 Resp: 195984
Ion Ratio Lower Upper
164 100
162 100.7 79.4 119.0
160 43.6 35.1 52.7








#42
2,4,6-Tribromophenol
Concen: 97.305 ng
RT: 10.692 min Scan# 1462
Delta R.T. -0.006 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33

Instrument :
BNA_F
ClientSampleId :
PB163902BL







Tgt Ion:330 Resp: 184092
Ion Ratio Lower Upper
330 100
332 96.0 76.5 114.7
141 35.5 29.3 43.9



#45
2-Fluorobiphenyl
Concen: 94.698 ng
RT: 9.222 min Scan# 1212
Delta R.T. -0.006 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33

Tgt Ion:172 Resp: 1208928
Ion Ratio Lower Upper
172 100
171 35.5 28.2 42.4
170 23.7 18.8 28.2









#51
2,6-Dinitrotoluene
Concen: 8.654 ng
RT: 9.904 min Scan# 11
Delta R.T. 0.212 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33




Instrument :
BNA_F
ClientSampleId :
PB163902BL


Tgt Ion:165 Resp: 25081
Ion Ratio Lower Upper
165 100
63 1.1 56.7 85.1#
89 1.2 51.6 77.4#



#57
2,4-Dinitrotoluene
Concen: 6.621 ng
RT: 9.904 min Scan# 1328
Delta R.T. -0.194 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33

Tgt Ion:165 Resp: 25081
Ion Ratio Lower Upper
165 100
63 1.1 46.9 70.3#
89 1.2 64.4 96.6#
182 0.0 2.2 3.2#





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.386 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF139687.D

Acq: 07 Oct 2024 15:33

Instrument :

BNA_F

ClientSampleId :

PB163902BL





Tgt Ion:188 Resp: 402197

Ion Ratio Lower Upper

188 100

94 9.3 7.4 11.2

80 10.3 8.2 12.2



#67

4-Bromophenyl-phenylether

Concen: 3.033 ng

RT: 10.692 min Scan# 1462

Delta R.T. -0.247 min

Lab File: BF139687.D

Acq: 07 Oct 2024 15:33




Tgt Ion:248 Resp: 12507


Ion Ratio Lower Upper

248 100

250 201.8 77.1 115.7#

141 505.9 60.4 90.6#





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.027 min Scan# 2030

Delta R.T. -0.006 min

Lab File: BF139687.D

Acq: 07 Oct 2024 15:33

Instrument :

BNA_F

ClientSampleId :

PB163902BL





Tgt Ion:240 Resp: 291108

Ion Ratio Lower Upper

240 100

120 10.8 8.4 12.6

236 25.9 20.3 30.5



#79

Terphenyl-d14

Concen: 88.692 ng

RT: 12.980 min Scan# 1851

Delta R.T. 0.000 min

Lab File: BF139687.D

Acq: 07 Oct 2024 15:33




Tgt Ion:244 Resp: 1573522


Ion Ratio Lower Upper

244 100

212 7.2 5.8 8.6


122 10.7 8.6 12.8





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.498 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF139687.D
Acq: 07 Oct 2024 15:33

Instrument :
BNA_F
ClientSampleId :
PB163902BL



Tgt Ion:264 Resp: 222477

Ion	Ratio	Lower	Upper
264	100		
260	23.5	18.7	28.1
265	21.3	16.9	25.3

