

Data Path : Z:\HPCHEM1\BNA F\DATA\BF100817\
 Data File : BF099243.D
 Acq On : 8 Oct 2017 20:24
 Operator : SJ/JU
 Sample : I5715-06
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PL-02-100517-B

Quant Time: Oct 09 02:45:27 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 05 17:20:48 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	131185	20.00	ng	0.00
21) Naphthalene-d8	8.15	136	546483	20.00	ng	0.00
38) Acenaphthene-d10	9.90	164	252140	20.00	ng	0.00
63) Phenanthrene-d10	11.39	188	465726	20.00	ng	0.00
75) Chrysene-d12	14.03	240	338628	20.00	ng	0.00
86) Perylene-d12	15.50	264	239706	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	957976	116.25	ng	0.02
7) Phenol-d6	6.50	99	1061974	104.46	ng	0.00
23) Nitrobenzene-d5	7.43	82	773088	90.72	ng	0.00
41) 2,4,6-Tribromophenol	10.69	330	287655	139.42	ng	0.00
44) 2-Fluorobiphenyl	9.22	172	1397222	92.51	ng	0.00
78) Terphenyl-d14	12.97	244	1285078	86.30	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF100817\
Data File : BF099243.D
Acq On : 8 Oct 2017 20:24
Operator : SJ/JU
Sample : I5715-06
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PL-02-100517-B

Quant Time: Oct 09 02:45:27 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 05 17:20:48 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.86 min Scan# 812
 Delta R.T. -0.01 min
 Lab File: BF099243.D
 Acq: 8 Oct 2017 20:24

Instrument :
 BNA_F
 ClientSampleId :
 PL-02-100517-B

Tot Ion:152 Resp: 131185
 Ion Ratio Lower Upper
 152 100
 150 155.0 124.6 186.8
 115 59.4 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 116.248 ng
 RT: 5.50 min Scan# 581
 Delta R.T. 0.02 min
 Lab File: BF099243.D
 Acq: 8 Oct 2017 20:24

Tgt Ion:112 Resp: 957976
 Ion Ratio Lower Upper
 112 100
 64 56.3 47.9 71.9
 63 27.4 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 104.464 ng

RT: 6.50 min Scan# 751

Delta R.T. 0.01 min

Lab File: BF099243.D

Acq: 8 Oct 2017 20:24

Instrument :

BNA_F

ClientSampleId :

PL-02-100517-B


Tot Ion: 99 Resp: 1061974

Ion Ratio Lower Upper

99 100

42 14.5 14.5 21.7




71 30.0 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.15 min Scan# 1030

Delta R.T. -0.01 min

Lab File: BF099243.D

Acq: 8 Oct 2017 20:24

Tgt Ion: 136 Resp: 546483


Ion Ratio Lower Upper

136 100

137 10.9 8.9 13.3

54 7.2 6.6 9.8

68 6.1 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 90.722 ng
 RT: 7.43 min Scan# 909
 Delta R.T. -0.00 min
 Lab File: BF099243.D
 Acq: 8 Oct 2017 20:24




Instrument :
 BNA_F
 ClientSampleId :
 PL-02-100517-B


Tot Ion:	82	Resp:	773088
Ion	Ratio	Lower	Upper
82	100		
128	50.5	36.1	54.1
54	45.7	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.90 min Scan# 1328
 Delta R.T. -0.01 min
 Lab File: BF099243.D
 Acq: 8 Oct 2017 20:24

Tgt Ion:	164	Resp:	252140
Ion	Ratio	Lower	Upper
164	100		
162	105.1	86.1	129.1
160	44.7	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 139.423 ng
 RT: 10.69 min Scan# 1463
 Delta R.T. -0.01 min
 Lab File: BF099243.D
 Acq: 8 Oct 2017 20:24




Instrument :
 BNA_F
 ClientSampleId :
 PL-02-100517-B


Tot Ion	Ratio	Lower	Upper
330	100		
332	97.4	77.0	115.6
141	37.2	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 92.510 ng
 RT: 9.22 min Scan# 1213
 Delta R.T. -0.01 min
 Lab File: BF099243.D
 Acq: 8 Oct 2017 20:24

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.4	29.7	44.5
170	23.6	19.6	29.4









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.39 min Scan# 1581
Delta R.T. -0.01 min
Lab File: BF099243.D
Acq: 8 Oct 2017 20:24

Instrument :
BNA_F
ClientSampleId :
PL-02-100517-B

Tot Ion:188 Resp: 465726
Ion Ratio Lower Upper
188 100
94 10.6 8.5 12.7
80 11.4 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.03 min Scan# 2030
Delta R.T. -0.01 min
Lab File: BF099243.D
Acq: 8 Oct 2017 20:24

Tgt Ion:240 Resp: 338628
Ion Ratio Lower Upper
240 100
120 13.3 9.5 14.3
236 25.6 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 86.305 ng

RT: 12.97 min Scan# 1851

Delta R.T. -0.00 min

Lab File: BF099243.D

Acq: 8 Oct 2017 20:24

Instrument :

BNA_F

ClientSampleId :

PL-02-100517-B


Tot Ion:244 Resp: 1285078

Ion Ratio Lower Upper

244 100

212 7.3 5.4 8.0




122 13.6 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.50 min Scan# 2281

Delta R.T. -0.00 min

Lab File: BF099243.D

Acq: 8 Oct 2017 20:24


Tgt Ion:264 Resp: 239706

Ion Ratio Lower Upper

264 100

260 23.2 19.2 28.8

265 20.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

