

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100818\
 Data File : BF109655.D
 Acq On : 8 Oct 2018 18:41
 Operator : JU/SJ
 Sample : PB113588BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB113588BL

Quant Time: Oct 09 04:13:23 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 08 16:02:11 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	105869	20.00	ng	0.00
21) Naphthalene-d8	7.97	136	434546	20.00	ng	0.00
38) Acenaphthene-d10	9.72	164	214358	20.00	ng	0.00
63) Phenanthrene-d10	11.20	188	433533	20.00	ng	0.00
75) Chrysene-d12	13.83	240	321864	20.00	ng	0.00
86) Perylene-d12	15.22	264	229029	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	545791	91.51	ng	0.00
7) Phenol-d6	6.35	99	788814	99.00	ng	0.00
23) Nitrobenzene-d5	7.26	82	501007	63.55	ng	-0.01
41) 2,4,6-Tribromophenol	10.51	330	186941	80.04	ng	0.00
44) 2-Fluorobiphenyl	9.05	172	969463	62.29	ng	0.00
78) Terphenyl-d14	12.78	244	980463	58.97	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100818\
Data File : BF109655.D
Acq On : 8 Oct 2018 18:41
Operator : JU/SJ
Sample : PB113588BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB113588BL

Quant Time: Oct 09 04:13:23 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 08 16:02:11 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.70 min Scan# 784
 Delta R.T. -0.00 min
 Lab File: BF109655.D
 Acq: 8 Oct 2018 18:41

Instrument :
 BNA_F
 ClientSampleId :
 PB113588BL

Tot Ion:152 Resp: 105869
 Ion Ratio Lower Upper
 152 100
 150 154.6 122.7 184.1
 115 61.3 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 91.509 ng
 RT: 5.33 min Scan# 551
 Delta R.T. 0.01 min
 Lab File: BF109655.D
 Acq: 8 Oct 2018 18:41

Tgt Ion:112 Resp: 545791
 Ion Ratio Lower Upper
 112 100
 64 59.7 44.1 66.1
 63 31.8 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 99.002 ng

RT: 6.35 min Scan# 725

Delta R.T. -0.01 min

Lab File: BF109655.D

Acq: 8 Oct 2018 18:41

Instrument :

BNA_F

ClientSampleId :

PB113588BL


Tot Ion: 99 Resp: 788814

Ion Ratio Lower Upper

99 100

42 18.5 15.8 23.6




71 35.0 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.97 min Scan# 1001

Delta R.T. -0.01 min

Lab File: BF109655.D

Acq: 8 Oct 2018 18:41

Tgt Ion: 136 Resp: 434546


Ion Ratio Lower Upper

136 100

137 11.2 8.8 13.2

54 6.9 5.4 8.2

68 5.7 4.2 6.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 63.554 ng
 RT: 7.26 min Scan# 879
 Delta R.T. -0.01 min
 Lab File: BF109655.D
 Acq: 8 Oct 2018 18:41

Instrument :
 BNA_F
 ClientSampleId :
 PB113588BL

Tot Ion	82	Resp	501007
Ion Ratio	100	Lower	Upper
128	42.0	34.2	51.2
54	48.4	38.6	58.0




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.72 min Scan# 1298
 Delta R.T. -0.01 min
 Lab File: BF109655.D
 Acq: 8 Oct 2018 18:41

Tgt Ion	164	Resp	214358
Ion Ratio	100	Lower	Upper
162	102.8	83.0	124.6
160	46.8	37.0	55.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 80.038 ng
 RT: 10.51 min Scan# 1432
 Delta R.T. -0.01 min
 Lab File: BF109655.D
 Acq: 8 Oct 2018 18:41

Instrument :
 BNA_F
 ClientSampleId :
 PB113588BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.9	77.1	115.7
141	34.4	27.0	40.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 62.288 ng
 RT: 9.05 min Scan# 1184
 Delta R.T. -0.01 min
 Lab File: BF109655.D
 Acq: 8 Oct 2018 18:41

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.6	28.6	43.0
170	23.9	19.7	29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.20 min Scan# 1550
Delta R.T. -0.00 min
Lab File: BF109655.D
Acq: 8 Oct 2018 18:41




Instrument :
BNA_F
ClientSampleId :
PB113588BL


Tot Ion:188 Resp: 433533
Ion Ratio Lower Upper
188 100
94 8.2 7.2 10.8
80 8.7 7.9 11.9



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.83 min Scan# 1996
Delta R.T. -0.01 min
Lab File: BF109655.D
Acq: 8 Oct 2018 18:41

Tgt Ion:240 Resp: 321864
Ion Ratio Lower Upper
240 100
120 9.8 8.3 12.5
236 25.8 21.2 31.8





#78

Terphenyl-d14

Concen: 58.970 ng

RT: 12.78 min Scan# 1818

Delta R.T. -0.01 min

Lab File: BF109655.D

Acq: 8 Oct 2018 18:41

Instrument :

BNA_F

ClientSampleId :

PB113588BL


Tot Ion:244 Resp: 980463

Ion Ratio Lower Upper

244 100

212 7.3 5.8 8.8




122 12.3 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.22 min Scan# 2233

Delta R.T. -0.01 min

Lab File: BF109655.D

Acq: 8 Oct 2018 18:41


Tgt Ion:264 Resp: 229029

Ion Ratio Lower Upper

264 100

260 23.6 18.7 28.1

265 21.6 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

