

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100820\
 Data File : BF121885.D
 Acq On : 8 Oct 2020 13:01
 Operator : JU/CG
 Sample : PB132200BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB132200BL

Quant Time: Oct 08 14:31:34 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 01 14:29:14 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.76	152	141945	20.00	ng	-0.01
21) Naphthalene-d8	8.05	136	574786	20.00	ng	-0.01
39) Acenaphthene-d10	9.80	164	303517	20.00	ng	-0.01
64) Phenanthrene-d10	11.28	188	586849	20.00	ng	-0.01
76) Chrysene-d12	13.92	240	502482	20.00	ng	-0.01
86) Perylene-d12	15.37	264	427506	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.39	112	878213	91.95	ng	0.00
7) Phenol-d6	6.40	99	1154189	92.11	ng	-0.01
23) Nitrobenzene-d5	7.33	82	795422	74.30	ng	-0.01
42) 2,4,6-Tribromophenol	10.59	330	349241	92.58	ng	-0.01
45) 2-Fluorobiphenyl	9.12	172	1362659	68.00	ng	-0.01
79) Terphenyl-d14	12.87	244	1555494	62.71	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100820\
Data File : BF121885.D
Acq On : 8 Oct 2020 13:01
Operator : JU/CG
Sample : PB132200BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB132200BL

Quant Time: Oct 08 14:31:34 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 01 14:29:14 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.76 min Scan# 794
Delta R.T. -0.01 min
Lab File: BF121885.D
Acq: 8 Oct 2020 13:01

Instrument :
BNA_F
ClientSampleId :
PB132200BL

Tot Ion:152 Resp: 141945
Ion Ratio Lower Upper
152 100
150 158.8 125.3 187.9
115 63.8 51.9 77.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 91.947 ng
RT: 5.39 min Scan# 562
Delta R.T. 0.01 min
Lab File: BF121885.D
Acq: 8 Oct 2020 13:01

Tgt Ion:112 Resp: 878213
Ion Ratio Lower Upper
112 100
64 63.9 50.4 75.6
63 32.7 25.8 38.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 92.108 ng

RT: 6.40 min Scan# 734

Delta R.T. -0.01 min

Lab File: BF121885.D

Acq: 8 Oct 2020 13:01

Instrument :

BNA_F

ClientSampleId :

PB132200BL





Tot Ion: 99 Resp: 1154189

Ion Ratio Lower Upper

99 100

42 21.0 15.9 23.9

71 35.0 27.1 40.7



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.05 min Scan# 1013

Delta R.T. -0.01 min

Lab File: BF121885.D

Acq: 8 Oct 2020 13:01

Tgt Ion: 136 Resp: 574786




Ion Ratio Lower Upper


136 100

137 10.5 8.6 13.0

54 8.8 7.1 10.7

68 6.6 5.0 7.4









#23
Nitrobenzene-d5
Concen: 74.302 ng
RT: 7.33 min Scan# 891
Delta R.T. -0.01 min
Lab File: BF121885.D
Acq: 8 Oct 2020 13:01

Instrument :
BNA_F
ClientSampleId :
PB132200BL

Tot Ion: 82 Resp: 795422
Ion Ratio Lower Upper
82 100
128 44.1 35.0 52.4
54 53.9 43.9 65.9




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.80 min Scan# 1311
Delta R.T. -0.01 min
Lab File: BF121885.D
Acq: 8 Oct 2020 13:01

Tgt Ion: 164 Resp: 303517
Ion Ratio Lower Upper
164 100
162 101.7 83.2 124.8
160 45.2 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 92.580 ng

RT: 10.59 min Scan# 1446

Delta R.T. -0.01 min

Lab File: BF121885.D

Acq: 8 Oct 2020 13:01

Instrument :

BNA_F

ClientSampleId :

PB132200BL


Tot Ion:330 Resp: 349241

Ion Ratio Lower Upper

330 100

332 95.9 77.3 115.9




141 27.8 22.3 33.5



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 67.996 ng

RT: 9.12 min Scan# 1196

Delta R.T. -0.01 min

Lab File: BF121885.D

Acq: 8 Oct 2020 13:01


Tgt Ion:172 Resp: 1362659

Ion Ratio Lower Upper

172 100

171 36.3 29.1 43.7



170 24.0 19.8 29.6




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.28 min Scan# 1563

Delta R.T. -0.01 min

Lab File: BF121885.D

Acq: 8 Oct 2020 13:01

Instrument :

BNA_F

ClientSampleId :

PB132200BL


Tot Ion:188 Resp: 586849

Ion Ratio Lower Upper

188 100

94 11.2 8.3 12.5




80 12.3 9.1 13.7



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.92 min Scan# 2012

Delta R.T. -0.01 min

Lab File: BF121885.D

Acq: 8 Oct 2020 13:01


Tgt Ion:240 Resp: 502482

Ion Ratio Lower Upper

240 100

120 12.9 9.2 13.8



236 25.7 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 62.714 ng

RT: 12.87 min Scan# 1834

Delta R.T. -0.01 min

Lab File: BF121885.D

Acq: 8 Oct 2020 13:01

Instrument :

BNA_F

ClientSampleId :

PB132200BL


Tot Ion:244 Resp: 1555494

Ion Ratio Lower Upper

244 100

212 6.8 5.4 8.2




122 9.4 8.1 12.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.37 min Scan# 2258

Delta R.T. 0.01 min

Lab File: BF121885.D

Acq: 8 Oct 2020 13:01


Tgt Ion:264 Resp: 427506

Ion Ratio Lower Upper

264 100

260 24.5 18.7 28.1

265 20.8 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

