

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100821\
 Data File : BF125793.D
 Acq On : 8 Oct 2021 20:53
 Operator : JU/CG
 Sample : M4145-06
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 IDW-SO-DRUM-5-100721

Quant Time: Oct 09 01:05:24 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF100721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 07 17:16:23 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.845	152	212733	20.000	ng	0.00
21) Naphthalene-d8	8.122	136	863333	20.000	ng	# 0.00
39) Acenaphthene-d10	9.875	164	446022	20.000	ng	0.00
64) Phenanthrene-d10	11.357	188	722979	20.000	ng	0.00
76) Chrysene-d12	13.986	240	416886	20.000	ng	0.00
86) Perylene-d12	15.439	264	436400	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.469	112	1655237	127.110	ng	0.01
7) Phenol-d6	6.469	99	1884301	112.403	ng	0.00
23) Nitrobenzene-d5	7.404	82	1254721	90.340	ng	0.00
42) 2,4,6-Tribromophenol	10.663	330	579592	131.617	ng	0.00
45) 2-Fluorobiphenyl	9.198	172	2388590	92.370	ng	0.00
79) Terphenyl-d14	12.945	244	2205205	80.576	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propyla...	7.404	70	158615	17.924	ng	# 50
25) Isophorone	7.404	82	1252273	50.893	ng	# 59
51) 2,6-Dinitrotoluene	9.875	165	56192	9.468	ng	# 27
57) 2,4-Dinitrotoluene	9.875	165	56192	7.488	ng	# 19
67) 4-Bromophenyl-phenylether	10.663	248	32850	4.103	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100821\
Data File : BF125793.D
Acq On : 8 Oct 2021 20:53
Operator : JU/CG
Sample : M4145-06
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
IDW-SO-DRUM-5-100721

Quant Time: Oct 09 01:05:24 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF100721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 07 17:16:23 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.845 min Scan# 809
Delta R.T. 0.000 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53




Instrument :
BNA_F
ClientSampleId :
IDW-SO-DRUM-5-100721


Tgt Ion:152 Resp: 212733
Ion Ratio Lower Upper
152 100
150 155.8 117.6 176.4
115 56.9 47.1 70.7



#5
2-Fluorophenol
Concen: 127.110 ng
RT: 5.469 min Scan# 575
Delta R.T. 0.012 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53

Tgt Ion:112 Resp: 1655237
Ion Ratio Lower Upper
112 100
64 54.5 44.2 66.2
63 27.1 26.2 39.2









#7
Phenol-d6
Concen: 112.403 ng
RT: 6.469 min Scan# 745
Delta R.T. -0.006 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53




Instrument :
BNA_F
ClientSampleId :
IDW-SO-DRUM-5-100721


Tgt Ion: 99 Resp: 1884301
Ion Ratio Lower Upper
99 100
42 14.5 23.5 35.3#
71 30.6 25.6 38.4



#19
n-Nitroso-di-n-propylamine
Concen: 17.924 ng
RT: 7.404 min Scan# 904
Delta R.T. 0.141 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53

Tgt Ion: 70 Resp: 158615
Ion Ratio Lower Upper
70 100
42 40.1 72.2 108.2#
101 0.0 7.8 11.8#
130 2.3 21.8 32.6#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.122 min Scan# 1026
Delta R.T. -0.006 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53




Instrument :
BNA_F
ClientSampleId :
IDW-SO-DRUM-5-100721


Tgt Ion:136 Resp: 863333
Ion Ratio Lower Upper
136 100
137 10.6 9.8 14.6
54 6.6 6.4 9.6
68 5.7 3.3 4.9#



#23
Nitrobenzene-d5
Concen: 90.340 ng
RT: 7.404 min Scan# 904
Delta R.T. -0.006 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53

Tgt Ion: 82 Resp: 1254721
Ion Ratio Lower Upper
82 100
128 49.4 40.6 60.8
54 43.3 49.6 74.4#









#25
Isophorone
Concen: 50.893 ng
RT: 7.404 min Scan# 904
Delta R.T. -0.265 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53




Instrument :
BNA_F
ClientSampleId :
IDW-SO-DRUM-5-100721


Tgt Ion: 82 Resp: 1252273
Ion Ratio Lower Upper
82 100
95 0.0 6.5 9.7#
138 0.0 18.4 27.6#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.875 min Scan# 1324
Delta R.T. -0.006 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53


Tgt Ion:164 Resp: 446022
Ion Ratio Lower Upper
164 100
162 100.9 81.3 121.9
160 43.8 38.0 57.0








#42
2,4,6-Tribromophenol
Concen: 131.617 ng
RT: 10.663 min Scan# 1458
Delta R.T. -0.006 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53


Instrument :
BNA_F
ClientSampleId :
IDW-SO-DRUM-5-100721





Tgt Ion: 330 Resp: 579592
Ion Ratio Lower Upper
330 100
332 94.3 76.2 114.4
141 30.4 44.6 66.8#




#45
2-Fluorobiphenyl
Concen: 92.370 ng
RT: 9.198 min Scan# 1209
Delta R.T. -0.006 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53



Tgt Ion: 172 Resp: 2388590
Ion Ratio Lower Upper
172 100
171 38.1 26.5 39.7
170 25.4 18.8 28.2









#51
2,6-Dinitrotoluene
Concen: 9.468 ng
RT: 9.875 min Scan# 1324
Delta R.T. 0.212 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53




Instrument :
BNA_F
ClientSampleId :
IDW-SO-DRUM-5-100721


Tgt Ion:165 Resp: 56192
Ion Ratio Lower Upper
165 100
63 0.9 42.6 63.8#
89 1.0 40.6 60.8#



#57
2,4-Dinitrotoluene
Concen: 7.488 ng
RT: 9.875 min Scan# 1324
Delta R.T. -0.188 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53

Tgt Ion:165 Resp: 56192
Ion Ratio Lower Upper
165 100
63 0.9 40.9 61.3#
89 1.0 59.7 89.5#
182 0.0 0.0 0.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.357 min Scan# 1576
Delta R.T. -0.006 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53




Instrument :
BNA_F
ClientSampleId :
IDW-SO-DRUM-5-100721


Tgt Ion:188 Resp: 722979
Ion Ratio Lower Upper
188 100
94 9.7 6.7 10.1
80 9.8 7.5 11.3



#67
4-Bromophenyl-phenylether
Concen: 4.103 ng
RT: 10.663 min Scan# 1458
Delta R.T. -0.247 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53

Tgt Ion:248 Resp: 32850
Ion Ratio Lower Upper
248 100
250 201.7 74.2 111.4#
141 491.5 60.4 90.6#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.986 min Scan# 2023
Delta R.T. -0.006 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53




Instrument :
BNA_F
ClientSampleId :
IDW-SO-DRUM-5-100721


Tgt Ion:240 Resp: 416886
Ion Ratio Lower Upper
240 100
120 13.5 10.8 16.2
236 25.7 21.6 32.4



#79
Terphenyl-d14
Concen: 80.576 ng
RT: 12.945 min Scan# 1846
Delta R.T. 0.000 min
Lab File: BF125793.D
Acq: 8 Oct 2021 20:53

Tgt Ion:244 Resp: 2205205
Ion Ratio Lower Upper
244 100
212 6.8 5.9 8.9
122 11.4 9.0 13.4





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.439 min Scan# 2270
 Delta R.T. -0.006 min
 Lab File: BF125793.D
 Acq: 8 Oct 2021 20:53

Instrument :
 BNA_F
 ClientSampleId :
 IDW-SO-DRUM-5-100721

Tgt Ion:264 Resp: 436400
 Ion Ratio Lower Upper
 264 100
 260 24.3 19.6 29.4
 265 21.2 17.2 25.8

