

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100824\
 Data File : BF139705.D
 Acq On : 08 Oct 2024 11:43
 Operator : RC/JU
 Sample : P4290-04
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 IB-4

Quant Time: Oct 08 12:06:33 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 02 04:58:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	89701	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	343039	20.000	ng	0.00
39) Acenaphthene-d10	9.898	164	194140	20.000	ng	-0.01
64) Phenanthrene-d10	11.386	188	373199	20.000	ng	0.00
76) Chrysene-d12	14.027	240	223398	20.000	ng	0.00
86) Perylene-d12	15.498	264	184671	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	712168	137.608	ng	0.02
7) Phenol-d6	6.504	99	883865	126.998	ng	0.00
23) Nitrobenzene-d5	7.428	82	662041	97.713	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	266778	142.349	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	1173812	92.820	ng	0.00
79) Terphenyl-d14	12.975	244	1317872	96.796	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.428	70	88529	19.785	ng	# 77
25) Isophorone	7.428	82	658337	54.707	ng	# 66
51) 2,6-Dinitrotoluene	9.898	165	24707	8.606	ng	# 17
57) 2,4-Dinitrotoluene	9.898	165	24707	6.584	ng	# 17
67) 4-Bromophenyl-phenylether	10.692	248	18243	4.768	ng	# 1
77) Benzydine	12.727	184	99517	25.255	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100824\
Data File : BF139705.D
Acq On : 08 Oct 2024 11:43
Operator : RC/JU
Sample : P4290-04
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
IB-4

Quant Time: Oct 08 12:06:33 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 02 04:58:47 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 812
Delta R.T. 0.000 min
Lab File: BF139705.D
Acq: 08 Oct 2024 11:43




Instrument :
BNA_F
ClientSampleId :
IB-4

Tgt Ion:152 Resp: 89701
Ion Ratio Lower Upper
152 100
150 157.6 127.2 190.8
115 59.1 49.0 73.4



#5
2-Fluorophenol
Concen: 137.608 ng
RT: 5.504 min Scan# 580
Delta R.T. 0.017 min
Lab File: BF139705.D
Acq: 08 Oct 2024 11:43

Tgt Ion:112 Resp: 712168
Ion Ratio Lower Upper
112 100
64 67.1 54.2 81.4
63 36.6 29.4 44.2





#7
Phenol-d6
Concen: 126.998 ng
RT: 6.504 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF139705.D
Acq: 08 Oct 2024 11:43





Instrument :

BNA_F

ClientSampleId :




IB-4

Tgt Ion: 99 Resp: 883865
Ion Ratio Lower Upper
99 100
42 22.5 19.1 28.7
71 36.2 29.7 44.5



#19
n-Nitroso-di-n-propylamine
Concen: 19.785 ng
RT: 7.428 min Scan# 907
Delta R.T. 0.141 min
Lab File: BF139705.D
Acq: 08 Oct 2024 11:43

Tgt Ion: 70 Resp: 88529
Ion Ratio Lower Upper
70 100
42 57.1 58.0 87.0#
101 0.0 7.8 11.8#
130 1.9 15.9 23.9#





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.145 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF139705.D

Acq: 08 Oct 2024 11:43

Instrument :

BNA_F

ClientSampleId :

IB-4

Tgt Ion:136 Resp: 343039





Ion Ratio Lower Upper

136 100

137 10.8 8.6 13.0

54 10.1 8.3 12.5

68 6.0 4.6 7.0



#23

Nitrobenzene-d5

Concen: 97.713 ng

RT: 7.428 min Scan# 907

Delta R.T. -0.006 min

Lab File: BF139705.D

Acq: 08 Oct 2024 11:43




Tgt Ion: 82 Resp: 662041

Ion Ratio Lower Upper

82 100

128 41.3 32.4 48.6

54 60.1 49.1 73.7









#25
Isophorone
Concen: 54.707 ng
RT: 7.428 min Scan# 90
Delta R.T. -0.265 min
Lab File: BF139705.D
Acq: 08 Oct 2024 11:43




Instrument :
BNA_F
ClientSampleId :
IB-4

Tgt Ion: 82 Resp: 658337
Ion Ratio Lower Upper
82 100
95 0.0 6.1 9.1#
138 0.0 13.4 20.2#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.898 min Scan# 1327
Delta R.T. -0.012 min
Lab File: BF139705.D
Acq: 08 Oct 2024 11:43

Tgt Ion:164 Resp: 194140
Ion Ratio Lower Upper
164 100
162 96.9 79.4 119.0
160 43.8 35.1 52.7





#42

2,4,6-Tribromophenol

Concen: 142.349 ng

RT: 10.692 min Scan# 1462

Delta R.T. -0.006 min

Lab File: BF139705.D

Acq: 08 Oct 2024 11:43

Instrument :

BNA_F

ClientSampleId :

IB-4





Tgt Ion:330 Resp: 266778

Ion Ratio Lower Upper

330 100

332 95.9 76.5 114.7

141 35.0 29.3 43.9



#45

2-Fluorobiphenyl

Concen: 92.820 ng

RT: 9.222 min Scan# 1212

Delta R.T. -0.006 min

Lab File: BF139705.D

Acq: 08 Oct 2024 11:43




Tgt Ion:172 Resp: 1173812

Ion Ratio Lower Upper

172 100

171 35.2 28.2 42.4

170 23.5 18.8 28.2








#51
2,6-Dinitrotoluene
Concen: 8.606 ng
RT: 9.898 min Scan# 11
Delta R.T. 0.206 min
Lab File: BF139705.D
Acq: 08 Oct 2024 11:43




Instrument :
BNA_F
ClientSampleId :
IB-4


Tgt Ion:165 Resp: 24707
Ion Ratio Lower Upper
165 100
63 1.1 56.7 85.1#
89 1.3 51.6 77.4#



#57
2,4-Dinitrotoluene
Concen: 6.584 ng
RT: 9.898 min Scan# 1327
Delta R.T. -0.200 min
Lab File: BF139705.D
Acq: 08 Oct 2024 11:43

Tgt Ion:165 Resp: 24707
Ion Ratio Lower Upper
165 100
63 1.1 46.9 70.3#
89 1.3 64.4 96.6#
182 0.0 2.2 3.2#





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.386 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF139705.D

Acq: 08 Oct 2024 11:43

Instrument :

BNA_F

ClientSampleId :

IB-4





Tgt Ion:188 Resp: 373199

Ion Ratio Lower Upper

188 100

94 9.3 7.4 11.2

80 10.0 8.2 12.2



#67

4-Bromophenyl-phenylether

Concen: 4.768 ng

RT: 10.692 min Scan# 1462

Delta R.T. -0.247 min

Lab File: BF139705.D

Acq: 08 Oct 2024 11:43




Tgt Ion:248 Resp: 18243


Ion Ratio Lower Upper

248 100

250 201.5 77.1 115.7#

141 498.8 60.4 90.6#





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.027 min Scan# 2030

Delta R.T. -0.006 min

Lab File: BF139705.D

Acq: 08 Oct 2024 11:43

Instrument :

BNA_F

ClientSampleId :

IB-4





Tgt Ion:240 Resp: 223398

Ion Ratio Lower Upper

240 100

120 10.3 8.4 12.6

236 25.2 20.3 30.5



#77

Benzdine

Concen: 25.255 ng

RT: 12.727 min Scan# 1808

Delta R.T. 0.000 min

Lab File: BF139705.D

Acq: 08 Oct 2024 11:43




Tgt Ion:184 Resp: 99517


Ion Ratio Lower Upper

184 100

185 14.7 11.4 17.0

183 10.5 8.8 13.2









#79
 Terphenyl-d14
 Concen: 96.796 ng
 RT: 12.975 min Scan# 11
 Delta R.T. -0.005 min
 Lab File: BF139705.D
 Acq: 08 Oct 2024 11:43

Instrument :
 BNA_F
 ClientSampleId :
 IB-4

Tgt Ion:244 Resp: 1317872
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.8 8.6
 122 11.1 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.498 min Scan# 2279
 Delta R.T. -0.006 min
 Lab File: BF139705.D
 Acq: 08 Oct 2024 11:43

Tgt Ion:264 Resp: 184671
 Ion Ratio Lower Upper
 264 100
 260 23.3 18.7 28.1
 265 21.7 16.9 25.3

