

Data Path : Z:\HPCHEM1\BNA F\DATA\BF100917\
 Data File : BF099279.D
 Acq On : 9 Oct 2017 23:07
 Operator : SJ/JU
 Sample : I5651-06
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ENV-115-2(30-40)

Quant Time: Oct 10 02:56:57 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 05 17:20:48 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	96168	20.00	ng	0.00
21) Naphthalene-d8	8.15	136	390334	20.00	ng	0.00
38) Acenaphthene-d10	9.90	164	168546	20.00	ng	0.00
63) Phenanthrene-d10	11.39	188	259143	20.00	ng	0.00
75) Chrysene-d12	14.03	240	177215	20.00	ng	0.00
86) Perylene-d12	15.50	264	179796	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	774929	128.28	ng	0.01
7) Phenol-d6	6.50	99	934685	125.42	ng	0.00
23) Nitrobenzene-d5	7.43	82	554670	91.13	ng	0.00
41) 2,4,6-Tribromophenol	10.69	330	171595	124.42	ng	0.00
44) 2-Fluorobiphenyl	9.22	172	967039	95.78	ng	0.00
78) Terphenyl-d14	12.97	244	595996	76.48	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.61	163	164576	12.937	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF100917\
Data File : BF099279.D
Acq On : 9 Oct 2017 23:07
Operator : SJ/JU
Sample : I5651-06
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ENV-115-2(30-40)

Quant Time: Oct 10 02:56:57 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 05 17:20:48 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.86 min Scan# 812
Delta R.T. -0.01 min
Lab File: BF099279.D
Acq: 9 Oct 2017 23:07

Instrument :
BNA_F
ClientSampleId :
ENV-115-2(30-40)

Tot Ion:152 Resp: 96168
Ion Ratio Lower Upper
152 100
150 157.8 124.6 186.8
115 61.3 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 128.277 ng
RT: 5.49 min Scan# 579
Delta R.T. 0.01 min
Lab File: BF099279.D
Acq: 9 Oct 2017 23:07

Tgt Ion:112 Resp: 774929
Ion Ratio Lower Upper
112 100
64 53.9 47.9 71.9
63 26.2 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 125.421 ng

RT: 6.50 min Scan# 750

Delta R.T. 0.00 min

Lab File: BF099279.D

Acq: 9 Oct 2017 23:07

Instrument :

BNA_F

ClientSampleId :

ENV-115-2(30-40)


Tot Ion: 99 Resp: 934685

Ion Ratio Lower Upper




99 100

42 15.8 14.5 21.7

71 31.8 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.15 min Scan# 1030

Delta R.T. -0.01 min

Lab File: BF099279.D

Acq: 9 Oct 2017 23:07

Tgt Ion:136 Resp: 390334


Ion Ratio Lower Upper

136 100



137 11.2 8.9 13.3

54 6.7 6.6 9.8

68 5.5 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 91.130 ng
 RT: 7.43 min Scan# 908
 Delta R.T. -0.01 min
 Lab File: BF099279.D
 Acq: 9 Oct 2017 23:07




Instrument :
 BNA_F
 ClientSampleId :
 ENV-115-2(30-40)

Tot Ion: 82 Resp: 554670
 Ion Ratio Lower Upper
 82 100
 128 47.7 36.1 54.1
 54 47.0 41.4 62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.90 min Scan# 1328
 Delta R.T. -0.01 min
 Lab File: BF099279.D
 Acq: 9 Oct 2017 23:07

Tgt Ion:164 Resp: 168546
 Ion Ratio Lower Upper
 164 100
 162 102.5 86.1 129.1
 160 45.0 38.3 57.5









#41
 2,4,6-Tribromophenol
 Concen: 124.420 ng
 RT: 10.69 min Scan# 1463
 Delta R.T. -0.01 min
 Lab File: BF099279.D
 Acq: 9 Oct 2017 23:07

Instrument :
 BNA_F
 ClientSampleId :
 ENV-115-2(30-40)

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.2	77.0	115.6
141	37.9	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 95.783 ng
 RT: 9.22 min Scan# 1213
 Delta R.T. -0.01 min
 Lab File: BF099279.D
 Acq: 9 Oct 2017 23:07

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.6	29.7	44.5
170	23.9	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 12.937 ng
RT: 9.61 min Scan# 1279
Delta R.T. -0.02 min
Lab File: BF099279.D
Acq: 9 Oct 2017 23:07




Instrument :
BNA_F
ClientSampleId :
ENV-115-2(30-40)


Tot Ion:163 Resp: 164576
Ion Ratio Lower Upper
163 100
194 3.4 2.7 4.1
164 10.0 8.2 12.2



#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.39 min Scan# 1581
Delta R.T. -0.01 min
Lab File: BF099279.D
Acq: 9 Oct 2017 23:07

Tgt Ion:188 Resp: 259143
Ion Ratio Lower Upper
188 100
94 10.9 8.5 12.7
80 10.8 9.2 13.8





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.03 min Scan# 2030

Delta R.T. -0.01 min

Lab File: BF099279.D

Acq: 9 Oct 2017 23:07

Instrument :

BNA_F

ClientSampleId :

ENV-115-2(30-40)





Tot Ion:240 Resp: 177215

Ion Ratio Lower Upper

240 100

120 12.4 9.5 14.3

236 25.8 20.7 31.1



#78

Terphenyl-d14

Concen: 76.484 ng

RT: 12.97 min Scan# 1850

Delta R.T. -0.01 min

Lab File: BF099279.D

Acq: 9 Oct 2017 23:07




Tgt Ion:244 Resp: 595996

Ion Ratio Lower Upper

244 100

212 6.6 5.4 8.0

122 14.0 11.0 16.4






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.50 min Scan# 2281
Delta R.T. 0.00 min
Lab File: BF099279.D
Acq: 9 Oct 2017 23:07

Instrument :
BNA_F
ClientSampleId :
ENV-115-2(30-40)

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.0	19.2	28.8
265	22.2	17.5	26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

