

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101015\
 Data File : BF082193.D
 Acq On : 10 Oct 2015 23:42
 Operator : UM/IZ
 Sample : G3979-22
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Oct 12 03:01:33 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF101015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 12 02:59:50 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.83	152	92299	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	361647	20.00	ng	0.00
38) Acenaphthene-d10	9.87	164	178222	20.00	ng	-0.01
63) Phenanthrene-d10	11.36	188	366127	20.00	ng	-0.01
75) Chrysene-d12	14.00	240	336438	20.00	ng	-0.01
86) Perylene-d12	15.44	264	267053	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	650599	142.26	ng	0.02
7) Phenol-d6	6.48	99	813799	136.74	ng	0.00
23) Nitrobenzene-d5	7.41	82	526063	97.69	ng	-0.01
41) 2,4,6-Tribromophenol	10.67	330	278221	166.46	ng	0.00
44) 2-Fluorobiphenyl	9.20	172	1067498	99.33	ng	-0.01
78) Terphenyl-d14	12.96	244	1267173	99.81	ng	0.00
Target Compounds						
15) Benzyl Alcohol	6.99	79	9156	2.23	ng	# 49
19) n-Nitroso-di-n-propylamine	7.41	70	67698	16.20	ng	# 79
25) Isophorone	7.41	82	421470	38.78	ng	# 66
50) 2,6-Dinitrotoluene	9.87	165	22422	8.47	ng	# 30
56) 2,4-Dinitrotoluene	9.87	165	22424	6.78	ng	# 21
66) 4-Bromophenyl-phenylether	10.67	248	18563	5.07	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101015\
Data File : BF082193.D
Acq On : 10 Oct 2015 23:42
Operator : UM/IZ
Sample : G3979-22
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Oct 12 03:01:33 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF101015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 12 02:59:50 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.83 min Scan# 411
Delta R.T. 0.00 min
Lab File: BF082193.D
Acq: 10 Oct 2015 23:42

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	162.5	129.0	193.4
115	62.1	52.1	78.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 142.26 ng
RT: 5.45 min Scan# 290
Delta R.T. 0.02 min
Lab File: BF082193.D
Acq: 10 Oct 2015 23:42

Tgt Ion	Ratio	Lower	Upper
112	100		
64	53.5	48.6	73.0
63	28.1	25.1	37.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 136.74 ng

RT: 6.48 min Scan# 380

Delta R.T. 0.00 min

Lab File: BF082193.D

Acq: 10 Oct 2015 23:42

Instrument :

BNA_F

ClientSampleId :





Tot Ion: 99 Resp: 813799

Ion Ratio Lower Upper

99 100

42 14.6 13.2 19.8

71 31.3 25.6 38.4



#15

Benzyl Alcohol

Concen: 2.23 ng

RT: 6.99 min Scan# 425

Delta R.T. 0.01 min

Lab File: BF082193.D

Acq: 10 Oct 2015 23:42




Tgt Ion: 79 Resp: 9156



Ion Ratio Lower Upper

79 100

108 30.7 58.4 87.6#

77 102.2 49.8 74.6#








#19
n-Nitroso-di-n-propylamine
Concen: 16.20 ng
RT: 7.41 min Scan# 461
Delta R.T. 0.15 min
Lab File: BF082193.D
Acq: 10 Oct 2015 23:42


Instrument :
BNA_F
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
70	100		
42	46.1	39.8	59.8
101	0.0	8.6	13.0#
130	1.9	20.5	30.7#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.13 min Scan# 524
Delta R.T. 0.00 min
Lab File: BF082193.D
Acq: 10 Oct 2015 23:42

Tgt Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.0	13.6
54	6.3	7.5	11.3#
68	4.0	4.6	7.0#









#23
 Nitrobenzene-d5
 Concen: 97.69 ng
 RT: 7.41 min Scan# 461
 Delta R.T. -0.01 min
 Lab File: BF082193.D
 Acq: 10 Oct 2015 23:42




Instrument :
 BNA_F
 ClientSampled :


Tot Ion: 82 Resp: 526063
 Ion Ratio Lower Upper
 82 100
 128 42.9 38.7 58.1
 54 54.4 40.1 60.1



#25
 Isophorone
 Concen: 38.78 ng
 RT: 7.41 min Scan# 461
 Delta R.T. -0.26 min
 Lab File: BF082193.D
 Acq: 10 Oct 2015 23:42

Tgt Ion: 82 Resp: 421470
 Ion Ratio Lower Upper
 82 100
 95 0.0 5.6 8.4#
 138 0.0 13.6 20.4#









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.87 min Scan# 677
Delta R.T. -0.01 min
Lab File: BF082193.D
Acq: 10 Oct 2015 23:42

Instrument :
BNA_F
ClientSampleId :

Tot Ion:164 Resp: 178222
Ion Ratio Lower Upper
164 100
162 103.0 81.6 122.4
160 45.1 36.4 54.6




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E





#41
2,4,6-Tribromophenol
Concen: 166.46 ng
RT: 10.67 min Scan# 747
Delta R.T. 0.00 min
Lab File: BF082193.D
Acq: 10 Oct 2015 23:42

Tgt Ion:330 Resp: 278221
Ion Ratio Lower Upper
330 100
332 95.9 77.1 115.7
141 34.3 29.8 44.8



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 99.33 ng
 RT: 9.20 min Scan# 618
 Delta R.T. -0.01 min
 Lab File: BF082193.D
 Acq: 10 Oct 2015 23:42




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:172 Resp: 1067498
 Ion Ratio Lower Upper
 172 100
 171 36.3 28.6 42.8
 170 24.2 19.7 29.5



#50
 2,6-Dinitrotoluene
 Concen: 8.47 ng
 RT: 9.87 min Scan# 677
 Delta R.T. 0.19 min
 Lab File: BF082193.D
 Acq: 10 Oct 2015 23:42

Tgt Ion:165 Resp: 22422
 Ion Ratio Lower Upper
 165 100
 63 0.0 36.7 55.1#
 89 0.0 37.8 56.6#









#56
 2,4-Dinitrotoluene
 Concen: 6.78 ng
 RT: 9.87 min Scan# 677
 Delta R.T. -0.21 min
 Lab File: BF082193.D
 Acq: 10 Oct 2015 23:42

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:165 Resp: 22424
 Ion Ratio Lower Upper
 165 100
 63 0.0 38.6 58.0#
 89 0.0 57.0 85.6#
 182 0.0 1.8 2.6#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0
 Ion 182.00 (181.70 to 182.70): E






#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.36 min Scan# 807
 Delta R.T. -0.01 min
 Lab File: BF082193.D
 Acq: 10 Oct 2015 23:42

Tgt Ion:188 Resp: 366127
 Ion Ratio Lower Upper
 188 100
 94 10.6 5.8 8.6#
 80 11.9 6.4 9.6#



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0





#66

4-Bromophenyl-phenylether

Concen: 5.07 ng

RT: 10.67 min Scan# 747

Delta R.T. -0.24 min

Lab File: BF082193.D

Acq: 10 Oct 2015 23:42

Instrument :

BNA_F

ClientSampleId :


Tot Ion:248 Resp: 18563

Ion Ratio Lower Upper

248 100

250 195.3 78.6 117.8#




141 406.2 63.3 94.9#



Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E



#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.00 min Scan# 1038

Delta R.T. -0.01 min

Lab File: BF082193.D

Acq: 10 Oct 2015 23:42


Tgt Ion:240 Resp: 336438

Ion Ratio Lower Upper

240 100

120 12.4 8.1 12.1#



236 26.2 21.3 31.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 99.81 ng

RT: 12.96 min Scan# 947

Delta R.T. 0.00 min

Lab File: BF082193.D

Acq: 10 Oct 2015 23:42

Instrument :

BNA_F

ClientSampleId :


Tot Ion:244 Resp: 1267173

Ion Ratio Lower Upper

244 100

212 7.5 5.8 8.6




122 8.2 5.9 8.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.44 min Scan# 1164

Delta R.T. 0.00 min

Lab File: BF082193.D

Acq: 10 Oct 2015 23:42


Tgt Ion:264 Resp: 267053

Ion Ratio Lower Upper

264 100

260 23.3 19.0 28.6

265 21.0 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

