


Data Path : Z:\HPCHEM1\BNA F\DATA\BF101015\
 Data File : BF082203.D
 Acq On : 11 Oct 2015 4:41
 Operator : UM/IZ
 Sample : G3979-06
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 A14COMP

Quant Time: Oct 12 03:05:05 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF101015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 12 02:59:50 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.83	152	99175	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	391938	20.00	ng	0.00
38) Acenaphthene-d10	9.87	164	186140	20.00	ng	-0.01
63) Phenanthrene-d10	11.36	188	358138	20.00	ng	-0.01
75) Chrysene-d12	14.00	240	294103	20.00	ng	-0.01
86) Perylene-d12	15.44	264	225460	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.44	112	555213	112.99	ng	0.01
7) Phenol-d6	6.47	99	705251	110.29	ng	-0.01
23) Nitrobenzene-d5	7.41	82	430028	73.68	ng	-0.01
41) 2,4,6-Tribromophenol	10.67	330	194880	111.64	ng	0.00
44) 2-Fluorobiphenyl	9.20	172	698302	62.21	ng	-0.01
78) Terphenyl-d14	12.95	244	628695	56.65	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.41	70	54745	12.19	ng	# 80
25) Isophorone	7.41	82	343693	29.18	ng	# 66
49) Dimethylphthalate	9.60	163	180594	13.78	ng	98
56) 2,4-Dinitrotoluene	9.87	165	23432	6.78	ng	# 22
66) 4-Bromophenyl-phenylether	10.67	248	12788	3.57	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed




#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.83 min Scan# 411
 Delta R.T. 0.00 min
 Lab File: BF082203.D
 Acq: 11 Oct 2015 4:41

Instrument :
 BNA_F
 ClientSampleId :
 A14COMP

Tot Ion:152 Resp: 99175
 Ion Ratio Lower Upper
 152 100
 150 155.4 129.0 193.4
 115 59.1 52.1 78.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 112.99 ng
 RT: 5.44 min Scan# 289
 Delta R.T. 0.01 min
 Lab File: BF082203.D
 Acq: 11 Oct 2015 4:41

Tgt Ion:112 Resp: 555213
 Ion Ratio Lower Upper
 112 100
 64 59.9 48.6 73.0
 63 31.6 25.1 37.7



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 110.29 ng

RT: 6.47 min Scan# 379

Delta R.T. -0.01 min

Lab File: BF082203.D

Acq: 11 Oct 2015 4:41

Instrument :

BNA_F

ClientSampleId :

A14COMP





Tot Ion: 99 Resp: 705251

Ion Ratio Lower Upper

99 100

42 19.0 13.2 19.8

71 35.3 25.6 38.4



#19

n-Nitroso-di-n-propylamine

Concen: 12.19 ng

RT: 7.41 min Scan# 461

Delta R.T. 0.15 min

Lab File: BF082203.D

Acq: 11 Oct 2015 4:41

Tgt Ion: 70 Resp: 54745




Ion Ratio Lower Upper


70 100

42 46.2 39.8 59.8

101 0.0 8.6 13.0#

130 2.4 20.5 30.7#





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.13 min Scan# 524

Delta R.T. 0.00 min

Lab File: BF082203.D

Acq: 11 Oct 2015 4:41

Instrument :

BNA_F

ClientSampleId :

A14COMP

Tot Ion:136 Resp: 391938


Ion Ratio Lower Upper

136 100

137 10.9 9.0 13.6

54 6.8 7.5 11.3#

68 4.6 4.6 7.0#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 73.68 ng

RT: 7.41 min Scan# 461

Delta R.T. -0.01 min

Lab File: BF082203.D

Acq: 11 Oct 2015 4:41


Tgt Ion: 82 Resp: 430028

Ion Ratio Lower Upper

82 100

128 43.3 38.7 58.1



54 53.2 40.1 60.1



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#25

Isophorone

Concen: 29.18 ng

RT: 7.41 min Scan# 461

Delta R.T. -0.26 min

Lab File: BF082203.D

Acq: 11 Oct 2015 4:41

Instrument :

BNA_F

ClientSampleId :

A14COMP


Tot Ion: 82 Resp: 343693

Ion Ratio Lower Upper




82 100

95 0.0 5.6 8.4#

138 0.0 13.6 20.4#



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 95.00 (94.70 to 95.70): BF0
Ion 138.00 (137.70 to 138.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.87 min Scan# 677

Delta R.T. -0.01 min

Lab File: BF082203.D

Acq: 11 Oct 2015 4:41


Tgt Ion: 164 Resp: 186140

Ion Ratio Lower Upper



164 100

162 102.9 81.6 122.4

160 45.2 36.4 54.6



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 111.64 ng
 RT: 10.67 min Scan# 747
 Delta R.T. 0.00 min
 Lab File: BF082203.D
 Acq: 11 Oct 2015 4:41

Instrument :
 BNA_F
 ClientSampleId :
 A14COMP

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.1	77.1	115.7
141	32.8	29.8	44.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 62.21 ng
 RT: 9.20 min Scan# 618
 Delta R.T. -0.01 min
 Lab File: BF082203.D
 Acq: 11 Oct 2015 4:41

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	28.6	42.8
170	24.4	19.7	29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.78 ng

RT: 9.60 min Scan# 653

Delta R.T. -0.01 min

Lab File: BF082203.D

Acq: 11 Oct 2015 4:41

Instrument :

BNA_F

ClientSampleId :

A14COMP


Tot Ion:163 Resp: 180594

Ion Ratio Lower Upper

163 100

194 3.7 2.6 4.0




164 9.8 8.5 12.7



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#56

2,4-Dinitrotoluene

Concen: 6.78 ng

RT: 9.87 min Scan# 677

Delta R.T. -0.21 min

Lab File: BF082203.D

Acq: 11 Oct 2015 4:41

Tgt Ion:165 Resp: 23432


Ion Ratio Lower Upper

165 100

63 1.8 38.6 58.0#

89 0.0 57.0 85.6#

182 0.0 1.8 2.6#





Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.36 min Scan# 807

Delta R.T. -0.01 min

Lab File: BF082203.D

Acq: 11 Oct 2015 4:41

Instrument :

BNA_F

ClientSampleId :

A14COMP


Tot Ion:188 Resp: 358138

Ion Ratio Lower Upper

188 100

94 10.7 5.8 8.6#




80 11.7 6.4 9.6#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#66

4-Bromophenyl-phenylether

Concen: 3.57 ng

RT: 10.67 min Scan# 747

Delta R.T. -0.24 min

Lab File: BF082203.D

Acq: 11 Oct 2015 4:41


Tgt Ion:248 Resp: 12788

Ion Ratio Lower Upper

248 100

250 201.5 78.6 117.8#



141 331.5 63.3 94.9#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.00 min Scan# 1038

Delta R.T. -0.01 min

Lab File: BF082203.D

Acq: 11 Oct 2015 4:41

Instrument :

BNA_F

ClientSampleId :

A14COMP


Tot Ion:240 Resp: 294103

Ion Ratio Lower Upper

240 100

120 12.3 8.1 12.1#




236 25.6 21.3 31.9



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 56.65 ng

RT: 12.95 min Scan# 946

Delta R.T. -0.01 min

Lab File: BF082203.D

Acq: 11 Oct 2015 4:41


Tgt Ion:244 Resp: 628695

Ion Ratio Lower Upper

244 100

212 7.8 5.8 8.6



122 12.2 5.9 8.9#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.44 min Scan# 1164
Delta R.T. 0.00 min
Lab File: BF082203.D
Acq: 11 Oct 2015 4:41

Instrument :
BNA_F
ClientSampleId :
A14COMP

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.0	28.6
265	21.6	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

