

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101015\
 Data File : BF082204.D
 Acq On : 11 Oct 2015 5:11
 Operator : UM/IZ
 Sample : G3979-07
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 A15COMP

Quant Time: Oct 12 03:05:18 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF101015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 12 02:59:50 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.83	152	96555	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	382011	20.00	ng	0.00
38) Acenaphthene-d10	9.87	164	179815	20.00	ng	-0.01
63) Phenanthrene-d10	11.36	188	331631	20.00	ng	-0.01
75) Chrysene-d12	14.00	240	251940	20.00	ng	-0.01
86) Perylene-d12	15.44	264	206594	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.44	112	553120	115.61	ng	0.01
7) Phenol-d6	6.48	99	720819	115.78	ng	0.00
23) Nitrobenzene-d5	7.41	82	422358	74.25	ng	-0.01
41) 2,4,6-Tribromophenol	10.67	330	187139	110.97	ng	0.00
44) 2-Fluorobiphenyl	9.20	172	697581	64.34	ng	-0.01
78) Terphenyl-d14	12.95	244	579263	60.93	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.41	70	54732	12.52	ng	# 81
25) Isophorone	7.41	82	353553	30.79	ng	# 66
49) Dimethylphthalate	9.60	163	266203	21.02	ng	99
56) 2,4-Dinitrotoluene	9.87	165	22429	6.72	ng	# 21
66) 4-Bromophenyl-phenylether	10.67	248	11747	3.54	ng	# 1
70) Phenanthrene	11.38	178	37454	2.30	ng	97
71) Anthracene	11.38	178	37454	2.24	ng	99
74) Fluoranthene	12.57	202	77068	4.41	ng	97
77) Pyrene	12.80	202	62122	4.15	ng	98
87) Benzo(b)fluoranthene	15.03	252	42854	3.41	ng	99
88) Benzo(k)fluoranthene	15.03	252	42854	4.06	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101015\
Data File : BF082204.D
Acq On : 11 Oct 2015 5:11
Operator : UM/IZ
Sample : G3979-07
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
A15COMP

Quant Time: Oct 12 03:05:18 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF101015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 12 02:59:50 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.83 min Scan# 411

Delta R.T. 0.00 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11

Instrument :

BNA_F

ClientSampleId :

A15COMP


Tot Ion:152 Resp: 96555

Ion Ratio Lower Upper

152 100

150 158.0 129.0 193.4




115 60.7 52.1 78.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 115.61 ng

RT: 5.44 min Scan# 289

Delta R.T. 0.01 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11


Tgt Ion:112 Resp: 553120

Ion Ratio Lower Upper

112 100

64 59.0 48.6 73.0



63 31.2 25.1 37.7






Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 115.78 ng

RT: 6.48 min Scan# 380

Delta R.T. 0.00 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11

Instrument :

BNA_F

ClientSampleId :

A15COMP





Tot Ion: 99 Resp: 720819

Ion Ratio Lower Upper

99 100

42 13.9 13.2 19.8

71 29.5 25.6 38.4



#19

n-Nitroso-di-n-propylamine

Concen: 12.52 ng

RT: 7.41 min Scan# 461

Delta R.T. 0.15 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11

Tgt Ion: 70 Resp: 54732


Ion Ratio Lower Upper


70 100

42 47.7 39.8 59.8

101 0.0 8.6 13.0#

130 1.9 20.5 30.7#





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.13 min Scan# 524

Delta R.T. 0.00 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11

Instrument :

BNA_F

ClientSampleId :

A15COMP

Tot Ion:136 Resp: 382011


Ion Ratio Lower Upper

136 100

137 10.9 9.0 13.6

54 6.7 7.5 11.3#

68 4.7 4.6 7.0




Abundance Ion 136.00 (135.70 to 136.70): E



Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



Time-->



#23

Nitrobenzene-d5

Concen: 74.25 ng

RT: 7.41 min Scan# 461

Delta R.T. -0.01 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11


Tgt Ion: 82 Resp: 422358

Ion Ratio Lower Upper

82 100

128 41.3 38.7 58.1


54 53.9 40.1 60.1




Abundance Ion 82.00 (81.70 to 82.70): BF0


Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



Time-->





#25

Isophorone

Concen: 30.79 ng

RT: 7.41 min Scan# 461

Delta R.T. -0.26 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11

Instrument :

BNA_F

ClientSampleId :

A15COMP


Tot Ion: 82 Resp: 353553

Ion Ratio Lower Upper




82 100

95 0.0 5.6 8.4#

138 0.0 13.6 20.4#



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 95.00 (94.70 to 95.70): BF0
Ion 138.00 (137.70 to 138.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.87 min Scan# 677

Delta R.T. -0.01 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11


Tgt Ion: 164 Resp: 179815

Ion Ratio Lower Upper



164 100

162 101.2 81.6 122.4

160 45.2 36.4 54.6



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 110.97 ng
 RT: 10.67 min Scan# 747
 Delta R.T. 0.00 min
 Lab File: BF082204.D
 Acq: 11 Oct 2015 5:11

Instrument :
 BNA_F
 ClientSampleId :
 A15COMP

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.5	77.1	115.7
141	32.0	29.8	44.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 64.34 ng
 RT: 9.20 min Scan# 618
 Delta R.T. -0.01 min
 Lab File: BF082204.D
 Acq: 11 Oct 2015 5:11

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.6	28.6	42.8
170	23.8	19.7	29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 21.02 ng

RT: 9.60 min Scan# 653

Delta R.T. -0.01 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11

Instrument :

BNA_F

ClientSampleId :

A15COMP


Tot Ion:163 Resp: 266203

Ion Ratio Lower Upper

163 100

194 3.4 2.6 4.0




164 10.0 8.5 12.7



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#56

2,4-Dinitrotoluene

Concen: 6.72 ng

RT: 9.87 min Scan# 677

Delta R.T. -0.21 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11

Tgt Ion:165 Resp: 22429


Ion Ratio Lower Upper

165 100

63 0.0 38.6 58.0#

89 0.0 57.0 85.6#

182 0.0 1.8 2.6#





Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.36 min Scan# 807

Delta R.T. -0.01 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11

Instrument :

BNA_F

ClientSampleId :

A15COMP


Tot Ion:188 Resp: 331631

Ion Ratio Lower Upper

188 100

94 10.9 5.8 8.6#




80 11.8 6.4 9.6#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#66

4-Bromophenyl-phenylether

Concen: 3.54 ng

RT: 10.67 min Scan# 747

Delta R.T. -0.24 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11


Tgt Ion:248 Resp: 11747

Ion Ratio Lower Upper

248 100

250 198.3 78.6 117.8#



141 327.0 63.3 94.9#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E









#70
Phenanthrene
Concen: 2.30 ng
RT: 11.38 min Scan# 809
Delta R.T. -0.01 min
Lab File: BF082204.D
Acq: 11 Oct 2015 5:11

Instrument :
BNA_F
ClientSampleId :
A15COMP

Tot Ion:178 Resp: 37454
Ion Ratio Lower Upper
178 100
176 18.2 16.0 24.0
179 15.4 12.6 19.0




Abundance Ion 178.00 (177.70 to 178.70): E
Ion 176.00 (175.70 to 176.70): E
Ion 179.00 (178.70 to 179.70): E






#71
Anthracene
Concen: 2.24 ng
RT: 11.38 min Scan# 809
Delta R.T. -0.07 min
Lab File: BF082204.D
Acq: 11 Oct 2015 5:11

Tgt Ion:178 Resp: 37454
Ion Ratio Lower Upper
178 100
176 18.2 15.4 23.0
179 15.4 12.5 18.7



Abundance Ion 178.00 (177.70 to 178.70): E
Ion 176.00 (175.70 to 176.70): E
Ion 179.00 (178.70 to 179.70): E









#74
Fluoranthene
Concen: 4.41 ng
RT: 12.57 min Scan# 913
Delta R.T. -0.01 min
Lab File: BF082204.D
Acq: 11 Oct 2015 5:11




Instrument :
BNA_F
ClientSampleId :
A15COMP


Tot Ion:202 Resp: 77068
Ion Ratio Lower Upper
202 100
101 12.4 0.0 29.3
203 17.8 0.0 37.8



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.00 min Scan# 1038
Delta R.T. -0.01 min
Lab File: BF082204.D
Acq: 11 Oct 2015 5:11

Tgt Ion:240 Resp: 251940
Ion Ratio Lower Upper
240 100
120 11.0 8.1 12.1
236 25.7 21.3 31.9





#77

Pvrene

Concen: 4.15 ng

RT: 12.80 min Scan# 933

Delta R.T. -0.01 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11

Instrument :

BNA_F

ClientSampleId :

A15COMP


Tot Ion:202 Resp: 62122

Ion Ratio Lower Upper

202 100

200 21.5 17.9 26.9




203 18.9 14.5 21.7



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#78

Terphenyl-d14

Concen: 60.93 ng

RT: 12.95 min Scan# 946

Delta R.T. -0.01 min

Lab File: BF082204.D

Acq: 11 Oct 2015 5:11


Tgt Ion:244 Resp: 579263

Ion Ratio Lower Upper

244 100

212 7.6 5.8 8.6



122 12.4 5.9 8.9#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.44 min Scan# 1164
Delta R.T. 0.00 min
Lab File: BF082204.D
Acq: 11 Oct 2015 5:11

Instrument :
BNA_F
ClientSampleId :
A15COMP

Tot Ion:264 Resp: 206594




Ion	Ratio	Lower	Upper
264	100		
260	23.9	19.0	28.6
265	21.1	17.3	25.9




#87
Benzo(b)fluoranthene
Concen: 3.41 ng
RT: 15.03 min Scan# 1128
Delta R.T. 0.00 min
Lab File: BF082204.D
Acq: 11 Oct 2015 5:11

Tgt Ion:252 Resp: 42854

Ion	Ratio	Lower	Upper
252	100		
253	22.6	18.0	27.0
125	9.6	8.6	12.8






#88
 Benzo(k)fluoranthene
 Concen: 4.06 ng
 RT: 15.03 min Scan# 1128
 Delta R.T. -0.03 min
 Lab File: BF082204.D
 Acq: 11 Oct 2015 5:11

Instrument :
 BNA_F
 ClientSampleId :
 A15COMP

Tot Ion	Ratio	Lower	Upper
252	100		
253	22.6	17.8	26.6
125	9.6	6.7	10.1



Abundance

Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E

