

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101017\
 Data File : BF099318.D
 Acq On : 10 Oct 2017 23:44
 Operator : SJ/JU
 Sample : I5691-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ENV-115-8(0-5)

Quant Time: Oct 11 02:03:41 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 05 17:20:48 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	92512	20.00	ng	0.00
21) Naphthalene-d8	8.15	136	355454	20.00	ng	0.00
38) Acenaphthene-d10	9.90	164	140447	20.00	ng	0.00
63) Phenanthrene-d10	11.39	188	207204	20.00	ng	0.00
75) Chrysene-d12	14.03	240	197703	20.00	ng	0.00
86) Perylene-d12	15.50	264	152457	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	506107	87.09	ng	0.00
7) Phenol-d6	6.49	99	606607	84.61	ng	0.00
23) Nitrobenzene-d5	7.43	82	341348	61.59	ng	0.00
41) 2,4,6-Tribromophenol	10.69	330	85029	73.99	ng	-0.01
44) 2-Fluorobiphenyl	9.22	172	636107	75.61	ng	-0.01
78) Terphenyl-d14	12.97	244	469225	53.98	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.61	163	111353	10.505	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101017\
Data File : BF099318.D
Acq On : 10 Oct 2017 23:44
Operator : SJ/JU
Sample : I5691-01
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ENV-115-8(0-5)

Quant Time: Oct 11 02:03:41 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 05 17:20:48 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.86 min Scan# 812
Delta R.T. -0.01 min
Lab File: BF099318.D
Acq: 10 Oct 2017 23:44

Instrument :
BNA_F
ClientSampleId :
ENV-115-8(0-5)

Tot Ion:152 Resp: 92512
Ion Ratio Lower Upper
152 100
150 157.3 124.6 186.8
115 60.1 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 87.088 ng
RT: 5.49 min Scan# 578
Delta R.T. 0.01 min
Lab File: BF099318.D
Acq: 10 Oct 2017 23:44

Tgt Ion:112 Resp: 506107
Ion Ratio Lower Upper
112 100
64 53.4 47.9 71.9
63 25.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 84.615 ng

RT: 6.49 min Scan# 749

Delta R.T. -0.01 min

Lab File: BF099318.D

Acq: 10 Oct 2017 23:44

Instrument :

BNA_F

ClientSampleId :

ENV-115-8(0-5)


Tot Ion: 99 Resp: 606607

Ion Ratio Lower Upper

99 100

42 15.6 14.5 21.7




71 31.0 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.15 min Scan# 1030

Delta R.T. -0.01 min

Lab File: BF099318.D

Acq: 10 Oct 2017 23:44

Tgt Ion: 136 Resp: 355454


Ion Ratio Lower Upper

136 100

137 11.2 8.9 13.3

54 7.0 6.6 9.8

68 5.9 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 61.585 ng
 RT: 7.43 min Scan# 908
 Delta R.T. -0.01 min
 Lab File: BF099318.D
 Acq: 10 Oct 2017 23:44




Instrument :
 BNA_F
 ClientSampleId :
 ENV-115-8(0-5)

Tot Ion: 82 Resp: 341348
 Ion Ratio Lower Upper
 82 100
 128 49.1 36.1 54.1
 54 46.8 41.4 62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.90 min Scan# 1328
 Delta R.T. -0.01 min
 Lab File: BF099318.D
 Acq: 10 Oct 2017 23:44

Tgt Ion:164 Resp: 140447
 Ion Ratio Lower Upper
 164 100
 162 104.6 86.1 129.1
 160 45.2 38.3 57.5









#41
 2,4,6-Tribromophenol
 Concen: 73.987 ng
 RT: 10.69 min Scan# 1462
 Delta R.T. -0.01 min
 Lab File: BF099318.D
 Acq: 10 Oct 2017 23:44

Instrument :
 BNA_F
 ClientSampleId :
 ENV-115-8(0-5)

Tot Ion:330 Resp: 85029
 Ion Ratio Lower Upper
 330 100
 332 95.6 77.0 115.6
 141 38.6 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 75.611 ng
 RT: 9.22 min Scan# 1212
 Delta R.T. -0.01 min
 Lab File: BF099318.D
 Acq: 10 Oct 2017 23:44

Tgt Ion:172 Resp: 636107
 Ion Ratio Lower Upper
 172 100
 171 35.8 29.7 44.5
 170 23.7 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 10.505 ng
RT: 9.61 min Scan# 1279
Delta R.T. -0.02 min
Lab File: BF099318.D
Acq: 10 Oct 2017 23:44

Instrument :
BNA_F
ClientSampleId :
ENV-115-8(0-5)

Tot Ion:163 Resp: 111353
Ion Ratio Lower Upper
163 100
194 3.4 2.7 4.1
164 10.2 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.39 min Scan# 1581
Delta R.T. -0.01 min
Lab File: BF099318.D
Acq: 10 Oct 2017 23:44

Tgt Ion:188 Resp: 207204
Ion Ratio Lower Upper
188 100
94 10.1 8.5 12.7
80 10.5 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.03 min Scan# 2030

Delta R.T. -0.01 min

Lab File: BF099318.D

Acq: 10 Oct 2017 23:44

Instrument :

BNA_F

ClientSampleId :

ENV-115-8(0-5)


Tot Ion:240 Resp: 197703

Ion Ratio Lower Upper

240 100

120 13.3 9.5 14.3



236 24.8 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 53.976 ng

RT: 12.97 min Scan# 1850

Delta R.T. -0.01 min

Lab File: BF099318.D

Acq: 10 Oct 2017 23:44


Tgt Ion:244 Resp: 469225

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0



122 12.8 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.50 min Scan# 2281
 Delta R.T. -0.00 min
 Lab File: BF099318.D
 Acq: 10 Oct 2017 23:44

Instrument :
 BNA_F
 ClientSampleId :
 ENV-115-8(0-5)

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.2	28.8
265	22.1	17.5	26.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

