

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101017\
 Data File : BF099319.D
 Acq On : 11 Oct 2017 00:12
 Operator : SJ/JU
 Sample : I5691-02
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ENV-115-8(5-10)

Quant Time: Oct 11 02:05:55 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 05 17:20:48 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	93153	20.00	ng	0.00
21) Naphthalene-d8	8.15	136	356246	20.00	ng	0.00
38) Acenaphthene-d10	9.90	164	135445	20.00	ng	0.00
63) Phenanthrene-d10	11.39	188	198586	20.00	ng	0.00
75) Chrysene-d12	14.03	240	190872	20.00	ng	0.00
86) Perylene-d12	15.50	264	148312	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	501887	85.77	ng	0.00
7) Phenol-d6	6.49	99	601094	83.27	ng	0.00
23) Nitrobenzene-d5	7.43	82	339023	61.03	ng	0.00
41) 2,4,6-Tribromophenol	10.69	330	93010	83.92	ng	0.00
44) 2-Fluorobiphenyl	9.22	172	638509	78.70	ng	-0.01
78) Terphenyl-d14	12.97	244	464405	55.33	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.61	163	111776	10.934	ng	100
83) Bis(2-ethylhexyl)phthalate	13.99	149	29496	3.132	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101017\
Data File : BF099319.D
Acq On : 11 Oct 2017 00:12
Operator : SJ/JU
Sample : I5691-02
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ENV-115-8(5-10)

Quant Time: Oct 11 02:05:55 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 05 17:20:48 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.86 min Scan# 812
 Delta R.T. -0.01 min
 Lab File: BF099319.D
 Acq: 11 Oct 2017 00:12

Instrument :
 BNA_F
 ClientSampleId :
 ENV-115-8(5-10)

Tot Ion:152 Resp: 93153
 Ion Ratio Lower Upper
 152 100
 150 158.6 124.6 186.8
 115 60.6 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 85.768 ng
 RT: 5.48 min Scan# 577
 Delta R.T. -0.00 min
 Lab File: BF099319.D
 Acq: 11 Oct 2017 00:12

Tgt Ion:112 Resp: 501887
 Ion Ratio Lower Upper
 112 100
 64 53.7 47.9 71.9
 63 25.6 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 83.269 ng

RT: 6.49 min Scan# 749

Delta R.T. -0.01 min

Lab File: BF099319.D

Acq: 11 Oct 2017 00:12

Instrument :

BNA_F

ClientSampleId :

ENV-115-8(5-10)


Tot Ion: 99 Resp: 601094

Ion Ratio Lower Upper

99 100

42 16.6 14.5 21.7




71 31.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.15 min Scan# 1030

Delta R.T. -0.01 min

Lab File: BF099319.D

Acq: 11 Oct 2017 00:12

Tgt Ion: 136 Resp: 356246


Ion Ratio Lower Upper

136 100

137 10.8 8.9 13.3

54 7.1 6.6 9.8

68 5.3 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 61.030 ng
RT: 7.43 min Scan# 908
Delta R.T. -0.01 min
Lab File: BF099319.D
Acq: 11 Oct 2017 00:12




Instrument :
BNA_F
ClientSampleId :
ENV-115-8(5-10)

Tot Ion: 82 Resp: 339023
Ion Ratio Lower Upper
82 100
128 49.1 36.1 54.1
54 47.3 41.4 62.2



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.90 min Scan# 1328
Delta R.T. -0.01 min
Lab File: BF099319.D
Acq: 11 Oct 2017 00:12

Tgt Ion:164 Resp: 135445
Ion Ratio Lower Upper
164 100
162 101.6 86.1 129.1
160 43.9 38.3 57.5









#41
 2,4,6-Tribromophenol
 Concen: 83.921 ng
 RT: 10.69 min Scan# 1463
 Delta R.T. -0.01 min
 Lab File: BF099319.D
 Acq: 11 Oct 2017 00:12

Instrument :
 BNA_F
 ClientSampleId :
 ENV-115-8(5-10)

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.3	77.0	115.6
141	35.5	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 78.699 ng
 RT: 9.22 min Scan# 1212
 Delta R.T. -0.01 min
 Lab File: BF099319.D
 Acq: 11 Oct 2017 00:12

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.5	29.7	44.5
170	23.1	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 10.934 ng
RT: 9.61 min Scan# 1279
Delta R.T. -0.02 min
Lab File: BF099319.D
Acq: 11 Oct 2017 00:12

Instrument :
BNA_F
ClientSampleId :
ENV-115-8(5-10)

Tot Ion:163 Resp: 111776
Ion Ratio Lower Upper
163 100
194 3.7 2.7 4.1
164 10.3 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.39 min Scan# 1581
Delta R.T. -0.01 min
Lab File: BF099319.D
Acq: 11 Oct 2017 00:12

Tgt Ion:188 Resp: 198586
Ion Ratio Lower Upper
188 100
94 11.3 8.5 12.7
80 12.1 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.03 min Scan# 2030

Delta R.T. -0.01 min

Lab File: BF099319.D

Acq: 11 Oct 2017 00:12

Instrument :

BNA_F

ClientSampleId :

ENV-115-8(5-10)


Tot Ion:240 Resp: 190872

Ion Ratio Lower Upper

240 100

120 15.0 9.5 14.3#




236 25.9 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 55.333 ng

RT: 12.97 min Scan# 1850

Delta R.T. -0.01 min

Lab File: BF099319.D

Acq: 11 Oct 2017 00:12


Tgt Ion:244 Resp: 464405

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0



122 15.0 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#83
Bis(2-ethylhexyl)phthalate
Concen: 3.132 ng
RT: 13.99 min Scan# 2024
Delta R.T. -0.01 min
Lab File: BF099319.D
Acq: 11 Oct 2017 00:12

Instrument :
BNA_F
ClientSampleId :
ENV-115-8(5-10)

Tot Ion	Ratio	Lower	Upper
149	100		
167	28.5	21.3	31.9
279	4.0	3.0	4.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.50 min Scan# 2281
Delta R.T. -0.00 min
Lab File: BF099319.D
Acq: 11 Oct 2017 00:12

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.3	19.2	28.8
265	21.2	17.5	26.3

