

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101024\
 Data File : BF139755.D
 Acq On : 10 Oct 2024 19:24
 Operator : RC/JU
 Sample : P4375-15
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CONCRETE-PADS-8

Quant Time: Oct 10 23:19:47 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 02 04:58:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	71307	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	269668	20.000	ng	0.00
39) Acenaphthene-d10	9.898	164	146785	20.000	ng	-0.01
64) Phenanthrene-d10	11.386	188	247241	20.000	ng	0.00
76) Chrysene-d12	14.027	240	141950	20.000	ng	0.00
86) Perylene-d12	15.498	264	151897	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	158152	38.442	ng	0.00
7) Phenol-d6	6.492	99	241156	43.589	ng	-0.01
23) Nitrobenzene-d5	7.428	82	164254	30.839	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	37888	26.739	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	332570	34.783	ng	0.00
79) Terphenyl-d14	12.968	244	270738	31.295	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propyla...	7.428	70	21293	5.986	ng	# 75
25) Isophorone	7.428	82	161867	17.111	ng	# 66
51) 2,6-Dinitrotoluene	9.898	165	18662	8.598	ng	# 17
57) 2,4-Dinitrotoluene	9.898	165	18662	6.578	ng	# 17


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101024\
Data File : BF139755.D
Acq On : 10 Oct 2024 19:24
Operator : RC/JU
Sample : P4375-15
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-8

Quant Time: Oct 10 23:19:47 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 02 04:58:47 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.863 min Scan# 812
Delta R.T. -0.006 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-8


Tgt Ion:152 Resp: 71307
Ion Ratio Lower Upper
152 100
150 154.9 127.2 190.8
115 61.0 49.0 73.4



#5
2-Fluorophenol
Concen: 38.442 ng
RT: 5.481 min Scan# 576
Delta R.T. -0.006 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24

Tgt Ion:112 Resp: 158152
Ion Ratio Lower Upper
112 100
64 67.1 54.2 81.4
63 35.5 29.4 44.2









#7
Phenol-d6
Concen: 43.589 ng
RT: 6.492 min Scan# 74
Delta R.T. -0.012 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-8


Tgt Ion: 99 Resp: 241156
Ion Ratio Lower Upper
99 100
42 21.7 19.1 28.7
71 35.2 29.7 44.5



#19
n-Nitroso-di-n-propylamine
Concen: 5.986 ng
RT: 7.428 min Scan# 907
Delta R.T. 0.141 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24

Tgt Ion: 70 Resp: 21293
Ion Ratio Lower Upper
70 100
42 54.7 58.0 87.0#
101 0.0 7.8 11.8#
130 2.0 15.9 23.9#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 1029
Delta R.T. -0.006 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-8


Tgt Ion:	136	Resp:	269668
Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.6	13.0
54	9.9	8.3	12.5
68	6.4	4.6	7.0



#23
Nitrobenzene-d5
Concen: 30.839 ng
RT: 7.428 min Scan# 907
Delta R.T. -0.006 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24

Tgt Ion:	82	Resp:	164254
Ion	Ratio	Lower	Upper
82	100		
128	43.8	32.4	48.6
54	57.9	49.1	73.7









#25
Isophorone
Concen: 17.111 ng
RT: 7.428 min Scan# 90
Delta R.T. -0.265 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-8


Tgt Ion: 82 Resp: 161867
Ion Ratio Lower Upper
82 100
95 0.0 6.1 9.1#
138 0.0 13.4 20.2#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.898 min Scan# 1327
Delta R.T. -0.012 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24


Tgt Ion:164 Resp: 146785
Ion Ratio Lower Upper
164 100
162 98.0 79.4 119.0
160 43.5 35.1 52.7








#42
2,4,6-Tribromophenol
Concen: 26.739 ng
RT: 10.692 min Scan# 1462
Delta R.T. -0.006 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24

Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-8







Tgt Ion: 330 Resp: 37888
Ion Ratio Lower Upper
330 100
332 93.5 76.5 114.7
141 35.6 29.3 43.9



#45
2-Fluorobiphenyl
Concen: 34.783 ng
RT: 9.222 min Scan# 1212
Delta R.T. -0.006 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24

Tgt Ion: 172 Resp: 332570
Ion Ratio Lower Upper
172 100
171 34.8 28.2 42.4
170 22.8 18.8 28.2









#51
2,6-Dinitrotoluene
Concen: 8.598 ng
RT: 9.898 min Scan# 11
Delta R.T. 0.206 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-8


Tgt Ion:165 Resp: 18662
Ion Ratio Lower Upper
165 100
63 1.3 56.7 85.1#
89 1.1 51.6 77.4#



#57
2,4-Dinitrotoluene
Concen: 6.578 ng
RT: 9.898 min Scan# 1327
Delta R.T. -0.200 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24

Tgt Ion:165 Resp: 18662
Ion Ratio Lower Upper
165 100
63 1.3 46.9 70.3#
89 1.1 64.4 96.6#
182 0.0 2.2 3.2#





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.386 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF139755.D

Acq: 10 Oct 2024 19:24

Instrument :

BNA_F

ClientSampleId :

CONCRETE-PADS-8





Tgt Ion:188 Resp: 247241

Ion Ratio Lower Upper

188 100

94 9.7 7.4 11.2

80 10.3 8.2 12.2



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.027 min Scan# 2029

Delta R.T. -0.006 min

Lab File: BF139755.D

Acq: 10 Oct 2024 19:24




Tgt Ion:240 Resp: 141950


Ion Ratio Lower Upper

240 100

120 10.4 8.4 12.6

236 25.8 20.3 30.5









#79
Terphenyl-d14
Concen: 31.295 ng
RT: 12.968 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24

Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-8

Tgt Ion:244 Resp: 270738
Ion Ratio Lower Upper
244 100
212 7.0 5.8 8.6
122 10.9 8.6 12.8



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.498 min Scan# 2279
Delta R.T. -0.006 min
Lab File: BF139755.D
Acq: 10 Oct 2024 19:24

Tgt Ion:264 Resp: 151897
Ion Ratio Lower Upper
264 100
260 24.0 18.7 28.1
265 21.0 16.9 25.3

