

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101024\
 Data File : BF139740.D
 Acq On : 10 Oct 2024 12:01
 Operator : RC/JU
 Sample : PB163981TB
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB163981TB

Quant Time: Oct 10 12:42:43 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 02 04:58:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	98706	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	376881	20.000	ng	0.00
39) Acenaphthene-d10	9.904	164	219818	20.000	ng	0.00
64) Phenanthrene-d10	11.392	188	455639	20.000	ng	0.00
76) Chrysene-d12	14.033	240	320536	20.000	ng	0.00
86) Perylene-d12	15.504	264	248487	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	813293	142.812	ng	0.02
7) Phenol-d6	6.504	99	1092074	142.599	ng	0.00
23) Nitrobenzene-d5	7.428	82	712467	95.713	ng	0.00
42) 2,4,6-Tribromophenol	10.698	330	311578	146.833	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	1323633	92.441	ng	0.00
79) Terphenyl-d14	12.980	244	1720614	88.079	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101024\
Data File : BF139740.D
Acq On : 10 Oct 2024 12:01
Operator : RC/JU
Sample : PB163981TB
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB163981TB

Quant Time: Oct 10 12:42:43 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 02 04:58:47 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF139740.D
Acq: 10 Oct 2024 12:01




Instrument :
BNA_F
ClientSampleId :
PB163981TB


Tgt Ion:152 Resp: 98706
Ion Ratio Lower Upper
152 100
150 154.7 127.2 190.8
115 57.9 49.0 73.4



#5
2-Fluorophenol
Concen: 142.812 ng
RT: 5.504 min Scan# 580
Delta R.T. 0.017 min
Lab File: BF139740.D
Acq: 10 Oct 2024 12:01

Tgt Ion:112 Resp: 813293
Ion Ratio Lower Upper
112 100
64 67.1 54.2 81.4
63 36.6 29.4 44.2









#7
Phenol-d6
Concen: 142.599 ng
RT: 6.504 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF139740.D
Acq: 10 Oct 2024 12:01

Instrument :
BNA_F
ClientSampleId :
PB163981TB

Tgt Ion: 99 Resp: 1092074




Ion	Ratio	Lower	Upper
99	100		
42	22.3	19.1	28.7
71	35.9	29.7	44.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 1029
Delta R.T. -0.006 min
Lab File: BF139740.D
Acq: 10 Oct 2024 12:01

Tgt Ion: 136 Resp: 376881

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	13.0
54	10.2	8.3	12.5
68	6.1	4.6	7.0





#23

Nitrobenzene-d5

Concen: 95.713 ng

RT: 7.428 min Scan# 908

Delta R.T. -0.006 min

Lab File: BF139740.D

Acq: 10 Oct 2024 12:01

Instrument :

BNA_F

ClientSampleId :

PB163981TB





Tgt Ion: 82 Resp: 712467

Ion Ratio Lower Upper

82 100

128 41.4 32.4 48.6

54 60.6 49.1 73.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.904 min Scan# 1328

Delta R.T. -0.006 min

Lab File: BF139740.D

Acq: 10 Oct 2024 12:01




Tgt Ion:164 Resp: 219818


Ion Ratio Lower Upper

164 100

162 100.2 79.4 119.0

160 44.4 35.1 52.7









#42
2,4,6-Tribromophenol
Concen: 146.833 ng
RT: 10.698 min Scan# 1463
Delta R.T. 0.000 min
Lab File: BF139740.D
Acq: 10 Oct 2024 12:01




Instrument :
BNA_F
ClientSampleId :
PB163981TB


Tgt Ion: 330 Resp: 311578
Ion Ratio Lower Upper
330 100
332 96.8 76.5 114.7
141 34.4 29.3 43.9



#45
2-Fluorobiphenyl
Concen: 92.441 ng
RT: 9.222 min Scan# 1212
Delta R.T. -0.006 min
Lab File: BF139740.D
Acq: 10 Oct 2024 12:01

Tgt Ion: 172 Resp: 1323633
Ion Ratio Lower Upper
172 100
171 35.5 28.2 42.4
170 23.6 18.8 28.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.392 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF139740.D

Acq: 10 Oct 2024 12:01

Instrument :

BNA_F

ClientSampleId :

PB163981TB





Tgt Ion:188 Resp: 455639

Ion Ratio Lower Upper

188 100

94 9.1 7.4 11.2

80 9.7 8.2 12.2



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.033 min Scan# 2030

Delta R.T. 0.000 min

Lab File: BF139740.D

Acq: 10 Oct 2024 12:01




Tgt Ion:240 Resp: 320536


Ion Ratio Lower Upper

240 100

120 10.1 8.4 12.6

236 25.7 20.3 30.5









#79
 Terphenyl-d14
 Concen: 88.079 ng
 RT: 12.980 min Scan# 1851
 Delta R.T. 0.000 min
 Lab File: BF139740.D
 Acq: 10 Oct 2024 12:01

Instrument :
 BNA_F
 ClientSampleId :
 PB163981TB

Tgt Ion:244 Resp: 1720614
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.8 8.6
 122 11.1 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.504 min Scan# 2280
 Delta R.T. 0.000 min
 Lab File: BF139740.D
 Acq: 10 Oct 2024 12:01

Tgt Ion:264 Resp: 248487
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.7 28.1
 265 21.3 16.9 25.3

