

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101024\
Data File : BF139749.D
Acq On : 10 Oct 2024 16:31
Operator : RC/JU
Sample : P4375-03
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-2

Quant Time: Oct 10 17:33:49 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 02 04:58:47 2024
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	80869	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	313323	20.000	ng	0.00
39) Acenaphthene-d10	9.898	164	172083	20.000	ng	-0.01
64) Phenanthrene-d10	11.386	188	294849	20.000	ng	0.00
76) Chrysene-d12	14.027	240	161709	20.000	ng	0.00
86) Perylene-d12	15.504	264	171938	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.487	112	371398	79.601	ng	0.00
7) Phenol-d6	6.498	99	517919	82.544	ng	0.00
23) Nitrobenzene-d5	7.428	82	368329	59.519	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	102253	61.554	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	705855	62.971	ng	0.00
79) Terphenyl-d14	12.975	244	572807	58.122	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101024\
Data File : BF139749.D
Acq On : 10 Oct 2024 16:31
Operator : RC/JU
Sample : P4375-03
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-2

Quant Time: Oct 10 17:33:49 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 02 04:58:47 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.863 min Scan# 812
Delta R.T. -0.006 min
Lab File: BF139749.D
Acq: 10 Oct 2024 16:31




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-2


Tgt Ion:152 Resp: 80869
Ion Ratio Lower Upper
152 100
150 158.4 127.2 190.8
115 62.9 49.0 73.4



#5
2-Fluorophenol
Concen: 79.601 ng
RT: 5.487 min Scan# 577
Delta R.T. -0.000 min
Lab File: BF139749.D
Acq: 10 Oct 2024 16:31

Tgt Ion:112 Resp: 371398
Ion Ratio Lower Upper
112 100
64 67.5 54.2 81.4
63 35.9 29.4 44.2









#7
Phenol-d6
Concen: 82.544 ng
RT: 6.498 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF139749.D
Acq: 10 Oct 2024 16:31




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-2


Tgt Ion: 99 Resp: 517919
Ion Ratio Lower Upper
99 100
42 22.1 19.1 28.7
71 35.4 29.7 44.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 1029
Delta R.T. -0.006 min
Lab File: BF139749.D
Acq: 10 Oct 2024 16:31

Tgt Ion: 136 Resp: 313323
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 10.2 8.3 12.5
68 6.1 4.6 7.0





#23

Nitrobenzene-d5

Concen: 59.519 ng

RT: 7.428 min Scan# 90

Delta R.T. -0.006 min

Lab File: BF139749.D

Acq: 10 Oct 2024 16:31

Instrument :

BNA_F

ClientSampleId :

CONCRETE-PADS-2





Tgt Ion: 82 Resp: 368329

Ion Ratio Lower Upper

82 100

128 42.0 32.4 48.6

54 58.3 49.1 73.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.898 min Scan# 1327

Delta R.T. -0.012 min

Lab File: BF139749.D

Acq: 10 Oct 2024 16:31




Tgt Ion:164 Resp: 172083


Ion Ratio Lower Upper

164 100

162 98.6 79.4 119.0

160 43.6 35.1 52.7









#42
2,4,6-Tribromophenol
Concen: 61.554 ng
RT: 10.692 min Scan# 1462
Delta R.T. -0.006 min
Lab File: BF139749.D
Acq: 10 Oct 2024 16:31




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-2


Tgt Ion: 330 Resp: 102253
Ion Ratio Lower Upper
330 100
332 96.8 76.5 114.7
141 37.9 29.3 43.9



#45
2-Fluorobiphenyl
Concen: 62.971 ng
RT: 9.222 min Scan# 1212
Delta R.T. -0.006 min
Lab File: BF139749.D
Acq: 10 Oct 2024 16:31

Tgt Ion: 172 Resp: 705855
Ion Ratio Lower Upper
172 100
171 35.0 28.2 42.4
170 23.2 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.386 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF139749.D
Acq: 10 Oct 2024 16:31




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PADS-2


Tgt Ion:188 Resp: 294849
Ion Ratio Lower Upper
188 100
94 9.6 7.4 11.2
80 10.1 8.2 12.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.027 min Scan# 2029
Delta R.T. -0.006 min
Lab File: BF139749.D
Acq: 10 Oct 2024 16:31

Tgt Ion:240 Resp: 161709
Ion Ratio Lower Upper
240 100
120 10.8 8.4 12.6
236 25.7 20.3 30.5









#79
 Terphenyl-d14
 Concen: 58.122 ng
 RT: 12.975 min Scan# 11
 Delta R.T. -0.005 min
 Lab File: BF139749.D
 Acq: 10 Oct 2024 16:31

Instrument :
 BNA_F
 ClientSampleId :
 CONCRETE-PADS-2

Tgt Ion:244 Resp: 572807
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.8 8.6
 122 10.8 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.504 min Scan# 2280
 Delta R.T. 0.000 min
 Lab File: BF139749.D
 Acq: 10 Oct 2024 16:31

Tgt Ion:264 Resp: 171938
 Ion Ratio Lower Upper
 264 100
 260 23.0 18.7 28.1
 265 21.3 16.9 25.3

