

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101024\
 Data File : BF139760.D
 Acq On : 10 Oct 2024 21:47
 Operator : RC/JU
 Sample : SP6638
 Misc : 8270 SURROGATES
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP6638

Quant Time: Oct 10 23:21:04 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 02 04:58:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	80871	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	315403	20.000	ng	0.00
39) Acenaphthene-d10	9.898	164	176404	20.000	ng	-0.01
64) Phenanthrene-d10	11.386	188	324448	20.000	ng	0.00
76) Chrysene-d12	14.027	240	174947	20.000	ng	0.00
86) Perylene-d12	15.504	264	176647	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	704334	150.954	ng	0.01
7) Phenol-d6	6.498	99	914065	145.677	ng	0.00
23) Nitrobenzene-d5	7.428	82	593609	95.289	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	226938	133.266	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	1103928	96.071	ng	0.00
79) Terphenyl-d14	12.974	244	1049620	98.444	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101024\
Data File : BF139760.D
Acq On : 10 Oct 2024 21:47
Operator : RC/JU
Sample : SP6638
Misc : 8270 SURROGATES
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP6638

Quant Time: Oct 10 23:21:04 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 02 04:58:47 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.863 min Scan# 812
Delta R.T. -0.006 min
Lab File: BF139760.D
Acq: 10 Oct 2024 21:47




Instrument :
BNA_F
ClientSampleId :
SP6638


Tgt Ion:152 Resp: 80871
Ion Ratio Lower Upper
152 100
150 158.5 127.2 190.8
115 61.0 49.0 73.4



#5
2-Fluorophenol
Concen: 150.954 ng
RT: 5.498 min Scan# 579
Delta R.T. 0.011 min
Lab File: BF139760.D
Acq: 10 Oct 2024 21:47

Tgt Ion:112 Resp: 704334
Ion Ratio Lower Upper
112 100
64 65.6 54.2 81.4
63 35.2 29.4 44.2









#7
Phenol-d6
Concen: 145.677 ng
RT: 6.498 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF139760.D
Acq: 10 Oct 2024 21:47




Instrument :
BNA_F
ClientSampleId :
SP6638


Tgt Ion: 99 Resp: 914065
Ion Ratio Lower Upper
99 100
42 22.4 19.1 28.7
71 35.8 29.7 44.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 1029
Delta R.T. -0.006 min
Lab File: BF139760.D
Acq: 10 Oct 2024 21:47

Tgt Ion: 136 Resp: 315403
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 9.7 8.3 12.5
68 6.1 4.6 7.0





#23

Nitrobenzene-d5

Concen: 95.289 ng

RT: 7.428 min Scan# 908

Delta R.T. -0.006 min

Lab File: BF139760.D

Acq: 10 Oct 2024 21:47

Instrument :

BNA_F

ClientSampleId :

SP6638





Tgt Ion: 82 Resp: 593609

Ion Ratio Lower Upper

82 100

128 42.4 32.4 48.6

54 59.2 49.1 73.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.898 min Scan# 1327

Delta R.T. -0.012 min

Lab File: BF139760.D

Acq: 10 Oct 2024 21:47




Tgt Ion:164 Resp: 176404


Ion Ratio Lower Upper

164 100

162 98.3 79.4 119.0

160 42.6 35.1 52.7





#42

2,4,6-Tribromophenol

Concen: 133.266 ng

RT: 10.692 min Scan# 1462

Delta R.T. -0.006 min

Lab File: BF139760.D

Acq: 10 Oct 2024 21:47

Instrument :

BNA_F

ClientSampleId :

SP6638





Tgt Ion:330 Resp: 226938

Ion Ratio Lower Upper

330 100

332 97.9 76.5 114.7

141 34.6 29.3 43.9



#45

2-Fluorobiphenyl

Concen: 96.071 ng

RT: 9.222 min Scan# 1212

Delta R.T. -0.006 min

Lab File: BF139760.D

Acq: 10 Oct 2024 21:47




Tgt Ion:172 Resp: 1103928


Ion Ratio Lower Upper

172 100

171 35.3 28.2 42.4

170 23.4 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.386 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF139760.D
Acq: 10 Oct 2024 21:47




Instrument :
BNA_F
ClientSampleId :
SP6638


Tgt Ion:188 Resp: 324448
Ion Ratio Lower Upper
188 100
94 9.4 7.4 11.2
80 10.0 8.2 12.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.027 min Scan# 2029
Delta R.T. -0.006 min
Lab File: BF139760.D
Acq: 10 Oct 2024 21:47

Tgt Ion:240 Resp: 174947
Ion Ratio Lower Upper
240 100
120 10.8 8.4 12.6
236 26.3 20.3 30.5









#79
 Terphenyl-d14
 Concen: 98.444 ng
 RT: 12.974 min Scan# 1850
 Delta R.T. -0.006 min
 Lab File: BF139760.D
 Acq: 10 Oct 2024 21:47

Instrument :
 BNA_F
 ClientSampleId :
 SP6638

Tgt Ion:244 Resp: 1049620
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.8 8.6
 122 11.1 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.504 min Scan# 2280
 Delta R.T. -0.000 min
 Lab File: BF139760.D
 Acq: 10 Oct 2024 21:47

Tgt Ion:264 Resp: 176647
 Ion Ratio Lower Upper
 264 100
 260 24.0 18.7 28.1
 265 21.7 16.9 25.3

