

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101117\
 Data File : BF099340.D
 Acq On : 11 Oct 2017 12:27
 Operator : SJ/JU
 Sample : I5749-02
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP-COMP

Quant Time: Oct 11 16:28:25 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 11 16:25:21 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	99616	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	410327	20.00	ng	0.00
38) Acenaphthene-d10	9.89	164	188793	20.00	ng	0.00
63) Phenanthrene-d10	11.37	188	329626	20.00	ng	0.00
75) Chrysene-d12	14.01	240	196413	20.00	ng	0.00
86) Perylene-d12	15.47	264	180580	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	711231	113.66	ng	0.02
7) Phenol-d6	6.49	99	736347	95.39	ng	0.00
23) Nitrobenzene-d5	7.42	82	591709	92.48	ng	0.00
41) 2,4,6-Tribromophenol	10.68	330	216156	139.92	ng	0.00
44) 2-Fluorobiphenyl	9.21	172	1110602	98.21	ng	0.00
78) Terphenyl-d14	12.96	244	915524	106.01	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101117\
Data File : BF099340.D
Acq On : 11 Oct 2017 12:27
Operator : SJ/JU
Sample : I5749-02
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP-COMP

Quant Time: Oct 11 16:28:25 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 11 16:25:21 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.85 min Scan# 810
 Delta R.T. -0.00 min
 Lab File: BF099340.D
 Acq: 11 Oct 2017 12:27

Instrument :
 BNA_F
 ClientSampleId :
 SP-COMP

Tot Ion:152 Resp: 99616
 Ion Ratio Lower Upper
 152 100
 150 156.2 124.6 186.8
 115 59.5 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 113.657 ng
 RT: 5.49 min Scan# 578
 Delta R.T. 0.02 min
 Lab File: BF099340.D
 Acq: 11 Oct 2017 12:27

Tgt Ion:112 Resp: 711231
 Ion Ratio Lower Upper
 112 100
 64 54.9 47.9 71.9
 63 26.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 95.387 ng

RT: 6.49 min Scan# 748

Delta R.T. -0.00 min

Lab File: BF099340.D

Acq: 11 Oct 2017 12:27

Instrument :

BNA_F

ClientSampled :

SP-COMP


Tot Ion: 99 Resp: 736347

Ion Ratio Lower Upper

99 100

42 15.7 14.5 21.7




71 30.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1028

Delta R.T. -0.00 min

Lab File: BF099340.D

Acq: 11 Oct 2017 12:27

Tgt Ion: 136 Resp: 410327


Ion Ratio Lower Upper

136 100

137 10.7 8.9 13.3

54 6.4 6.6 9.8#

68 5.6 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 92.478 ng
 RT: 7.42 min Scan# 906
 Delta R.T. -0.01 min
 Lab File: BF099340.D
 Acq: 11 Oct 2017 12:27

Instrument :
 BNA_F
 ClientSampleId :
 SP-COMP

Tot Ion	82	Resp	591709
Ion Ratio	100	Lower	Upper
128	47.7	36.1	54.1
54	46.5	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.89 min Scan# 1326
 Delta R.T. -0.01 min
 Lab File: BF099340.D
 Acq: 11 Oct 2017 12:27

Tgt Ion	164	Resp	188793
Ion Ratio	100	Lower	Upper
162	107.2	86.1	129.1
160	45.3	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 139.921 ng
 RT: 10.68 min Scan# 1461
 Delta R.T. -0.00 min
 Lab File: BF099340.D
 Acq: 11 Oct 2017 12:27

Instrument :
 BNA_F
 ClientSampleId :
 SP-COMP

Tot Ion:330 Resp: 216156
 Ion Ratio Lower Upper
 330 100
 332 96.0 77.0 115.6
 141 36.6 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 98.206 ng
 RT: 9.21 min Scan# 1211
 Delta R.T. -0.00 min
 Lab File: BF099340.D
 Acq: 11 Oct 2017 12:27

Tgt Ion:172 Resp: 1110602
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.7 44.5
 170 24.0 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.37 min Scan# 1579

Delta R.T. -0.00 min

Lab File: BF099340.D

Acq: 11 Oct 2017 12:27

Instrument :

BNA_F

ClientSampleId :

SP-COMP


Tot Ion:188 Resp: 329626

Ion Ratio Lower Upper

188 100

94 9.2 8.5 12.7




80 10.2 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.01 min Scan# 2027

Delta R.T. -0.01 min

Lab File: BF099340.D

Acq: 11 Oct 2017 12:27


Tgt Ion:240 Resp: 196413

Ion Ratio Lower Upper

240 100

120 13.6 9.5 14.3



236 25.1 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 106.006 ng

RT: 12.96 min Scan# 1848

Delta R.T. -0.00 min

Lab File: BF099340.D

Acq: 11 Oct 2017 12:27

Instrument :

BNA_F

ClientSampleId :

SP-COMP


Tot Ion:244 Resp: 915524

Ion Ratio Lower Upper

244 100

212 7.2 5.4 8.0




122 13.2 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.47 min Scan# 2276

Delta R.T. -0.01 min

Lab File: BF099340.D

Acq: 11 Oct 2017 12:27


Tgt Ion:264 Resp: 180580

Ion Ratio Lower Upper

264 100

260 23.3 19.2 28.8

265 21.7 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

