

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101117\
 Data File : BF099365.D
 Acq On : 12 Oct 2017 00:56
 Operator : SJ/JU
 Sample : I5710-08
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B-2(4-4.5)

Quant Time: Oct 12 01:43:46 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 11 16:25:21 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	102892	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	423802	20.00	ng	0.00
38) Acenaphthene-d10	9.89	164	188375	20.00	ng	0.00
63) Phenanthrene-d10	11.37	188	314873	20.00	ng	0.00
75) Chrysene-d12	14.01	240	157946	20.00	ng	0.00
86) Perylene-d12	15.48	264	171712	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	573904	88.79	ng	0.01
7) Phenol-d6	6.49	99	693815	87.02	ng	0.00
23) Nitrobenzene-d5	7.42	82	408011	61.74	ng	0.00
41) 2,4,6-Tribromophenol	10.67	330	130111	84.41	ng	0.00
44) 2-Fluorobiphenyl	9.20	172	776570	68.82	ng	0.00
78) Terphenyl-d14	12.96	244	530383	76.37	ng	0.00
Target Compounds						
10) Phenol	6.50	94	20503	2.299	ng	94
49) Dimethylphthalate	9.60	163	94326	6.634	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101117\
Data File : BF099365.D
Acq On : 12 Oct 2017 00:56
Operator : SJ/JU
Sample : I5710-08
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
B-2(4-4.5)

Quant Time: Oct 12 01:43:46 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 11 16:25:21 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.85 min Scan# 810
 Delta R.T. 0.00 min
 Lab File: BF099365.D
 Acq: 12 Oct 2017 00:56

Instrument :
 BNA_F
 ClientSampled :
 B-2(4-4.5)

Tot Ion:152 Resp: 102892
 Ion Ratio Lower Upper
 152 100
 150 158.2 124.6 186.8
 115 58.9 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 88.792 ng
 RT: 5.48 min Scan# 577
 Delta R.T. 0.01 min
 Lab File: BF099365.D
 Acq: 12 Oct 2017 00:56

Tgt Ion:112 Resp: 573904
 Ion Ratio Lower Upper
 112 100
 64 53.5 47.9 71.9
 63 25.8 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 87.016 ng

RT: 6.49 min Scan# 748

Delta R.T. 0.00 min

Lab File: BF099365.D

Acq: 12 Oct 2017 00:56

Instrument :

BNA_F

ClientSampleId :

B-2(4-4.5)


Tot Ion: 99 Resp: 693815

Ion Ratio Lower Upper




99 100

42 15.5 14.5 21.7

71 30.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 2.299 ng

RT: 6.50 min Scan# 750

Delta R.T. 0.00 min

Lab File: BF099365.D

Acq: 12 Oct 2017 00:56


Tgt Ion: 94 Resp: 20503

Ion Ratio Lower Upper



94 100


65 24.3 7.9 47.9

66 32.8 16.2 56.2



Abundance Ion 94.00 (93.70 to 94.70): BF0
Ion 65.00 (64.70 to 65.70): BF0
Ion 66.00 (65.70 to 66.70): BF0









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.13 min Scan# 1028
Delta R.T. 0.00 min
Lab File: BF099365.D
Acq: 12 Oct 2017 00:56

Instrument :
BNA_F
ClientSampleId :
B-2(4-4.5)

Tot Ion:	136	Resp:	423802
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.9	13.3
54	6.9	6.6	9.8
68	5.7	5.0	7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 61.741 ng
RT: 7.42 min Scan# 906
Delta R.T. -0.01 min
Lab File: BF099365.D
Acq: 12 Oct 2017 00:56

Tgt Ion:	82	Resp:	408011
Ion	Ratio	Lower	Upper
82	100		
128	48.1	36.1	54.1
54	45.9	41.4	62.2



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0









#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.89 min Scan# 1326
Delta R.T. -0.01 min
Lab File: BF099365.D
Acq: 12 Oct 2017 00:56




Instrument :
BNA_F
ClientSampleId :
B-2(4-4.5)


Tot Ion:164 Resp: 188375
Ion Ratio Lower Upper
164 100
162 104.7 86.1 129.1
160 45.2 38.3 57.5



#41
2,4,6-Tribromophenol
Concen: 84.410 ng
RT: 10.67 min Scan# 1460
Delta R.T. -0.01 min
Lab File: BF099365.D
Acq: 12 Oct 2017 00:56

Tgt Ion:330 Resp: 130111
Ion Ratio Lower Upper
330 100
332 97.2 77.0 115.6
141 38.6 29.9 44.9









#44
 2-Fluorobiphenyl
 Concen: 68.821 ng
 RT: 9.20 min Scan# 1210
 Delta R.T. -0.01 min
 Lab File: BF099365.D
 Acq: 12 Oct 2017 00:56

Instrument :
 BNA_F
 ClientSampleId :
 B-2(4-4.5)

Tot Ion:172 Resp: 776570




Ion	Ratio	Lower	Upper
172	100		
171	35.9	29.7	44.5
170	23.6	19.6	29.4




#49
 Dimethylphthalate
 Concen: 6.634 ng
 RT: 9.60 min Scan# 1277
 Delta R.T. -0.01 min
 Lab File: BF099365.D
 Acq: 12 Oct 2017 00:56

Tgt Ion:163 Resp: 94326

Ion	Ratio	Lower	Upper
163	100		
194	3.3	2.7	4.1
164	10.1	8.2	12.2









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.37 min Scan# 1579
Delta R.T. 0.00 min
Lab File: BF099365.D
Acq: 12 Oct 2017 00:56




Instrument :
BNA_F
ClientSampleId :
B-2(4-4.5)


Tot Ion:188 Resp: 314873
Ion Ratio Lower Upper
188 100
94 10.3 8.5 12.7
80 10.3 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.01 min Scan# 2027
Delta R.T. -0.01 min
Lab File: BF099365.D
Acq: 12 Oct 2017 00:56

Tgt Ion:240 Resp: 157946
Ion Ratio Lower Upper
240 100
120 15.0 9.5 14.3#
236 26.2 20.7 31.1





#78

Terphenyl-d14

Concen: 76.368 ng

RT: 12.96 min Scan# 1848

Delta R.T. 0.00 min

Lab File: BF099365.D

Acq: 12 Oct 2017 00:56

Instrument :

BNA_F

ClientSampleId :

B-2(4-4.5)


Tot Ion:244 Resp: 530383

Ion Ratio Lower Upper




244 100

212 6.8 5.4 8.0

122 12.3 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.48 min Scan# 2277

Delta R.T. 0.00 min

Lab File: BF099365.D

Acq: 12 Oct 2017 00:56


Tgt Ion:264 Resp: 171712

Ion Ratio Lower Upper

264 100

260 24.0 19.2 28.8

265 21.3 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

