

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF101118\
 Data File : BF109824.D
 Acq On : 12 Oct 2018 9:28
 Operator : JU/SJ
 Sample : J5296-16
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Oct 12 10:36:59 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 08 16:02:11 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	74616	20.00	ng	0.00
21) Naphthalene-d8	7.97	136	283678	20.00	ng	0.00
38) Acenaphthene-d10	9.72	164	109076	20.00	ng	0.00
63) Phenanthrene-d10	11.20	188	207816	20.00	ng	0.00
75) Chrysene-d12	13.83	240	241235	20.00	ng	0.00
86) Perylene-d12	15.23	264	166126	20.00	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
5) 2-Fluorophenol	5.31	112	139215	33.12	ng	-0.01
7) Phenol-d6	6.35	99	132683	23.63	ng	-0.01
23) Nitrobenzene-d5	7.26	82	485570	94.35	ng	-0.01
41) 2,4,6-Tribromophenol	10.51	330	95978	80.76	ng	0.00
44) 2-Fluorobiphenyl	9.05	172	796843	100.61	ng	0.00
78) Terphenyl-d14	12.78	244	854144	68.54	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
9) Benzaldehyde	6.46	77	7462	2.065	ng	# 70
19) n-Nitroso-di-n-propylamine	7.26	70	60641	15.399	ng	# 79
25) Isophorone	7.26	82	490405	57.387	ng	# 67
49) Dimethylphthalate	9.45	163	49652	6.207	ng	# 99
50) 2,6-Dinitrotoluene	9.72	165	13849	7.986	ng	# 21
56) 2,4-Dinitrotoluene	9.72	165	13849	6.400	ng	# 17
66) 4-Bromophenyl-phenylether	10.51	248	5477	2.294	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF101118\
Data File : BF109824.D
Acq On : 12 Oct 2018 9:28
Operator : JU/SJ
Sample : J5296-16
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Oct 12 10:36:59 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 08 16:02:11 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.70 min Scan# 784
Delta R.T. -0.00 min
Lab File: BF109824.D
Acq: 12 Oct 2018 9:28

Instrument :
BNA_F
ClientSampled :

Tot Ion:152 Resp: 74616
Ion Ratio Lower Upper
152 100
150 156.9 122.7 184.1
115 61.9 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 33.118 ng
RT: 5.31 min Scan# 548
Delta R.T. -0.01 min
Lab File: BF109824.D
Acq: 12 Oct 2018 9:28

Tgt Ion:112 Resp: 139215
Ion Ratio Lower Upper
112 100
64 60.3 44.1 66.1
63 32.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 23.628 ng

RT: 6.35 min Scan# 724

Delta R.T. -0.01 min

Lab File: BF109824.D

Acq: 12 Oct 2018 9:28

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 132683

Ion Ratio Lower Upper

99 100

42 19.4 15.8 23.6




71 35.3 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#9

Benzaldehyde

Concen: 2.065 ng

RT: 6.46 min Scan# 744

Delta R.T. 0.22 min

Lab File: BF109824.D

Acq: 12 Oct 2018 9:28


Tgt Ion: 77 Resp: 7462

Ion Ratio Lower Upper

77 100

105 77.1 78.6 118.6#



106 57.4 74.8 114.8#




Abundance Ion 77.00 (76.70 to 77.70): BF1

Ion 105.00 (104.70 to 105.70): E

Ion 106.00 (105.70 to 106.70): E









#19
n-Nitroso-di-n-propylamine
Concen: 15.399 ng
RT: 7.26 min Scan# 879
Delta R.T. 0.14 min
Lab File: BF109824.D
Acq: 12 Oct 2018 9:28




Instrument :
BNA_F
ClientSampleId :


Tot Ion: 70 Resp: 60641
Ion Ratio Lower Upper
70 100
42 48.3 47.4 71.2
101 0.0 7.3 10.9#
130 2.6 16.2 24.2#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.97 min Scan# 1001
Delta R.T. -0.01 min
Lab File: BF109824.D
Acq: 12 Oct 2018 9:28

Tgt Ion: 136 Resp: 283678
Ion Ratio Lower Upper
136 100
137 10.5 8.8 13.2
54 6.7 5.4 8.2
68 5.1 4.2 6.2









#23
Nitrobenzene-d5
Concen: 94.354 ng
RT: 7.26 min Scan# 879
Delta R.T. -0.01 min
Lab File: BF109824.D
Acq: 12 Oct 2018 9:28




Instrument :
BNA_F
ClientSampleId :


Tot Ion	82	Resp	485570
Ion Ratio	Lower	Upper	
82	100		
128	41.3	34.2	51.2
54	48.3	38.6	58.0



#25
Isophorone
Concen: 57.387 ng
RT: 7.26 min Scan# 879
Delta R.T. -0.26 min
Lab File: BF109824.D
Acq: 12 Oct 2018 9:28

Tgt Ion	82	Resp	490405
Ion Ratio	Lower	Upper	
82	100		
95	0.0	5.7	8.5#
138	0.0	13.2	19.8#






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.72 min Scan# 1298
 Delta R.T. -0.01 min
 Lab File: BF109824.D
 Acq: 12 Oct 2018 9:28

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
164	100		
162	105.3	83.0	124.6
160	47.2	37.0	55.6






Abundance

Ion 164.00 (163.70 to 164.70): E


Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41
 2,4,6-Tribromophenol
 Concen: 80.756 ng
 RT: 10.51 min Scan# 1432
 Delta R.T. -0.01 min
 Lab File: BF109824.D
 Acq: 12 Oct 2018 9:28

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.9	77.1	115.7
141	34.8	27.0	40.4






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 100.614 ng
RT: 9.05 min Scan# 1184
Delta R.T. -0.01 min
Lab File: BF109824.D
Acq: 12 Oct 2018 9:28




Instrument :
BNA_F
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.6	43.0
170	23.4	19.7	29.5



#49
Dimethylphthalate
Concen: 6.207 ng
RT: 9.45 min Scan# 1251
Delta R.T. -0.02 min
Lab File: BF109824.D
Acq: 12 Oct 2018 9:28

Tgt Ion	Ratio	Lower	Upper
163	100		
194	3.7	3.2	4.8
164	9.8	8.1	12.1









#50
 2,6-Dinitrotoluene
 Concen: 7.986 ng
 RT: 9.72 min Scan# 1298
 Delta R.T. 0.20 min
 Lab File: BF109824.D
 Acq: 12 Oct 2018 9:28




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	48.9	73.3#
89	0.0	46.6	69.8#



#56
 2,4-Dinitrotoluene
 Concen: 6.400 ng
 RT: 9.72 min Scan# 1298
 Delta R.T. -0.21 min
 Lab File: BF109824.D
 Acq: 12 Oct 2018 9:28

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	44.8	67.2#
89	0.0	62.2	93.4#
182	0.0	2.1	3.1#









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.20 min Scan# 1549
Delta R.T. -0.01 min
Lab File: BF109824.D
Acq: 12 Oct 2018 9:28




Instrument :
BNA_F
ClientSampleId :


Tot Ion:188 Resp: 207816
Ion Ratio Lower Upper
188 100
94 9.3 7.2 10.8
80 9.4 7.9 11.9



#66
4-Bromophenyl-phenylether
Concen: 2.294 ng
RT: 10.51 min Scan# 1432
Delta R.T. -0.25 min
Lab File: BF109824.D
Acq: 12 Oct 2018 9:28

Tgt Ion:248 Resp: 5477
Ion Ratio Lower Upper
248 100
250 202.1 79.4 119.2#
141 547.8 55.9 83.9#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.83 min Scan# 1996

Delta R.T. -0.01 min

Lab File: BF109824.D

Acq: 12 Oct 2018 9:28

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 241235

Ion Ratio Lower Upper

240 100

120 10.7 8.3 12.5




236 25.3 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 68.542 ng

RT: 12.78 min Scan# 1818

Delta R.T. -0.01 min

Lab File: BF109824.D

Acq: 12 Oct 2018 9:28


Tgt Ion:244 Resp: 854144

Ion Ratio Lower Upper

244 100

212 7.3 5.8 8.8



122 11.1 8.7 13.1




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.23 min Scan# 2234
 Delta R.T. -0.00 min
 Lab File: BF109824.D
 Acq: 12 Oct 2018 9:28

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.5	18.7	28.1
265	20.5	16.7	25.1



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

