

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF101217\
 Data File : BF099432.D
 Acq On : 13 Oct 2017 10:11
 Operator : SJ/JU
 Sample : I5780-08
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DUCT-BANK-1-8-COMP

Quant Time: Oct 13 14:49:26 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 11 16:25:21 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	108802	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	423037	20.00	ng	0.00
38) Acenaphthene-d10	9.89	164	158585	20.00	ng	0.00
63) Phenanthrene-d10	11.37	188	240960	20.00	ng	0.00
75) Chrysene-d12	14.02	240	209215	20.00	ng	0.00
86) Perylene-d12	15.49	264	149208	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	766824	112.20	ng	0.02
7) Phenol-d6	6.49	99	792322	93.97	ng	0.00
23) Nitrobenzene-d5	7.42	82	597006	90.50	ng	0.00
41) 2,4,6-Tribromophenol	10.68	330	157083	121.05	ng	0.00
44) 2-Fluorobiphenyl	9.21	172	1032525	108.69	ng	0.00
78) Terphenyl-d14	12.96	244	777520	84.52	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF101217\
Data File : BF099432.D
Acq On : 13 Oct 2017 10:11
Operator : SJ/JU
Sample : I5780-08
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DUCT-BANK-1-8-COMP

Quant Time: Oct 13 14:49:26 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 11 16:25:21 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 810
Delta R.T. -0.00 min
Lab File: BF099432.D
Acq: 13 Oct 2017 10:11

Instrument :
BNA_F
ClientSampleId :
DUCT-BANK-1-8-COMP

Tot Ion:152 Resp: 108802
Ion Ratio Lower Upper
152 100
150 157.9 124.6 186.8
115 64.5 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 112.195 ng
RT: 5.49 min Scan# 578
Delta R.T. 0.02 min
Lab File: BF099432.D
Acq: 13 Oct 2017 10:11

Tgt Ion:112 Resp: 766824
Ion Ratio Lower Upper
112 100
64 55.9 47.9 71.9
63 26.8 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 93.973 ng

RT: 6.49 min Scan# 749

Delta R.T. 0.01 min

Lab File: BF099432.D

Acq: 13 Oct 2017 10:11

Instrument :

BNA_F

ClientSampleId :

DUCT-BANK-1-8-COMP


Tot Ion: 99 Resp: 792322

Ion Ratio Lower Upper




99 100

42 14.5 14.5 21.7

71 29.8 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1028

Delta R.T. -0.00 min

Lab File: BF099432.D

Acq: 13 Oct 2017 10:11

Tgt Ion: 136 Resp: 423037


Ion Ratio Lower Upper

136 100



137 10.8 8.9 13.3


54 7.1 6.6 9.8

68 5.6 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 90.503 ng
 RT: 7.42 min Scan# 907
 Delta R.T. -0.00 min
 Lab File: BF099432.D
 Acq: 13 Oct 2017 10:11

Instrument :
 BNA_F
 ClientSampleId :
 DUCT-BANK-1-8-COMP

Tot Ion	82	Resp	597006
Ion Ratio	100		
Lower	36.1		
Upper	54.1		
54	46.0	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.89 min Scan# 1326
 Delta R.T. -0.01 min
 Lab File: BF099432.D
 Acq: 13 Oct 2017 10:11

Tgt Ion	164	Resp	158585
Ion Ratio	100		
Lower	86.1		
Upper	129.1		
162	106.1	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 121.051 ng
 RT: 10.68 min Scan# 1461
 Delta R.T. -0.00 min
 Lab File: BF099432.D
 Acq: 13 Oct 2017 10:11

Instrument :
 BNA_F
 ClientSampleId :
 DUCT-BANK-1-8-COMP

Tot Ion:330 Resp: 157083
 Ion Ratio Lower Upper
 330 100
 332 96.4 77.0 115.6
 141 38.5 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 108.693 ng
 RT: 9.21 min Scan# 1211
 Delta R.T. -0.00 min
 Lab File: BF099432.D
 Acq: 13 Oct 2017 10:11

Tgt Ion:172 Resp: 1032525
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.7 44.5
 170 24.0 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.37 min Scan# 1579
Delta R.T. -0.00 min
Lab File: BF099432.D
Acq: 13 Oct 2017 10:11

Instrument :
BNA_F
ClientSampleId :
DUCT-BANK-1-8-COMP

Tot Ion:188 Resp: 240960
Ion Ratio Lower Upper
188 100
94 11.1 8.5 12.7
80 11.4 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2028
Delta R.T. -0.00 min
Lab File: BF099432.D
Acq: 13 Oct 2017 10:11

Tgt Ion:240 Resp: 209215
Ion Ratio Lower Upper
240 100
120 13.7 9.5 14.3
236 25.6 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 84.518 ng

RT: 12.96 min Scan# 1848

Delta R.T. -0.00 min

Lab File: BF099432.D

Acq: 13 Oct 2017 10:11

Instrument :

BNA_F

ClientSampleId :

DUCT-BANK-1-8-COMP


Tot Ion:244 Resp: 777520

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0




122 14.7 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.49 min Scan# 2278

Delta R.T. 0.01 min

Lab File: BF099432.D

Acq: 13 Oct 2017 10:11


Tgt Ion:264 Resp: 149208

Ion Ratio Lower Upper

264 100

260 22.4 19.2 28.8

265 20.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

