

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF101218\
 Data File : BF109876.D
 Acq On : 13 Oct 2018 10:59
 Operator : JU/SJ
 Sample : PB113650BL
 Misc :
 ALS Vial : 50 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Oct 15 01:22:38 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 08 16:02:11 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.69	152	87397	20.00	ng	0.00
21) Naphthalene-d8	7.97	136	357170	20.00	ng	0.00
38) Acenaphthene-d10	9.72	164	151516	20.00	ng	0.00
63) Phenanthrene-d10	11.20	188	239096	20.00	ng	0.00
75) Chrysene-d12	13.83	240	185664	20.00	ng	0.00
86) Perylene-d12	15.23	264	139725	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	405603	82.38	ng	0.00
7) Phenol-d6	6.34	99	575745	87.53	ng	-0.02
23) Nitrobenzene-d5	7.26	82	533911	82.40	ng	-0.01
41) 2,4,6-Tribromophenol	10.51	330	97758	59.21	ng	0.00
44) 2-Fluorobiphenyl	9.05	172	971119	88.27	ng	0.00
78) Terphenyl-d14	12.78	244	668425	69.69	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.26	70	69085	14.977	ng	# 78
25) Isophorone	7.26	82	533947	49.625	ng	# 67
49) Dimethylphthalate	9.72	163	34829	3.134	ng	# 1
50) 2,6-Dinitrotoluene	9.72	165	18662	7.748	ng	# 21
56) 2,4-Dinitrotoluene	9.72	165	18771	6.244	ng	# 17
66) 4-Bromophenyl-phenylether	10.50	248	5703	2.076	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF101218\
Data File : BF109876.D
Acq On : 13 Oct 2018 10:59
Operator : JU/SJ
Sample : PB113650BL
Misc :
ALS Vial : 50 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Oct 15 01:22:38 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 08 16:02:11 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.69 min Scan# 783
 Delta R.T. -0.01 min
 Lab File: BF109876.D
 Acq: 13 Oct 2018 10:59

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:152 Resp: 87397
 Ion Ratio Lower Upper
 152 100
 150 159.5 122.7 184.1
 115 61.7 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 82.378 ng
 RT: 5.32 min Scan# 550
 Delta R.T. 0.00 min
 Lab File: BF109876.D
 Acq: 13 Oct 2018 10:59

Tgt Ion:112 Resp: 405603
 Ion Ratio Lower Upper
 112 100
 64 57.0 44.1 66.1
 63 30.6 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 87.533 ng

RT: 6.34 min Scan# 723

Delta R.T. -0.02 min

Lab File: BF109876.D

Acq: 13 Oct 2018 10:59

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 575745

Ion Ratio Lower Upper

99 100

42 19.3 15.8 23.6




71 36.7 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 14.977 ng

RT: 7.26 min Scan# 879

Delta R.T. 0.14 min

Lab File: BF109876.D

Acq: 13 Oct 2018 10:59

Tgt Ion: 70 Resp: 69085


Ion Ratio Lower Upper

70 100

42 47.0 47.4 71.2#

101 0.0 7.3 10.9#

130 2.1 16.2 24.2#






Abundance Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.97 min Scan# 1001

Delta R.T. -0.01 min

Lab File: BF109876.D

Acq: 13 Oct 2018 10:59

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 357170


Ion Ratio Lower Upper

136 100

137 10.4 8.8 13.2

54 6.3 5.4 8.2

68 5.0 4.2 6.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 82.401 ng

RT: 7.26 min Scan# 879

Delta R.T. -0.01 min

Lab File: BF109876.D

Acq: 13 Oct 2018 10:59


Tgt Ion: 82 Resp: 533911

Ion Ratio Lower Upper

82 100

128 41.3 34.2 51.2



54 47.1 38.6 58.0




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1









#25
Isophorone
Concen: 49.625 ng
RT: 7.26 min Scan# 879
Delta R.T. -0.26 min
Lab File: BF109876.D
Acq: 13 Oct 2018 10:59




Instrument :
BNA_F
ClientSampled :


Tot Ion: 82 Resp: 533947
Ion Ratio Lower Upper
82 100
95 0.0 5.7 8.5#
138 0.0 13.2 19.8#



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.72 min Scan# 1298
Delta R.T. -0.01 min
Lab File: BF109876.D
Acq: 13 Oct 2018 10:59

Tgt Ion:164 Resp: 151516
Ion Ratio Lower Upper
164 100
162 103.3 83.0 124.6
160 46.9 37.0 55.6






#41
 2,4,6-Tribromophenol
 Concen: 59.214 ng
 RT: 10.51 min Scan# 1432
 Delta R.T. -0.01 min
 Lab File: BF109876.D
 Acq: 13 Oct 2018 10:59

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.4	77.1	115.7
141	36.5	27.0	40.4






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 88.273 ng
 RT: 9.05 min Scan# 1184
 Delta R.T. -0.01 min
 Lab File: BF109876.D
 Acq: 13 Oct 2018 10:59

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.0	28.6	43.0
170	23.4	19.7	29.5






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 3.134 ng
RT: 9.72 min Scan# 1298
Delta R.T. 0.26 min
Lab File: BF109876.D
Acq: 13 Oct 2018 10:59

Instrument :
BNA_F
ClientSampleId :

Tot Ion:163 Resp: 34829
Ion Ratio Lower Upper
163 100
194 0.0 3.2 4.8#
164 363.0 8.1 12.1#




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#50
2,6-Dinitrotoluene
Concen: 7.748 ng
RT: 9.72 min Scan# 1298
Delta R.T. 0.20 min
Lab File: BF109876.D
Acq: 13 Oct 2018 10:59

Tgt Ion:165 Resp: 18662
Ion Ratio Lower Upper
165 100
63 0.0 48.9 73.3#
89 0.0 46.6 69.8#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF1
Ion 89.00 (88.70 to 89.70): BF1









#56
 2,4-Dinitrotoluene
 Concen: 6.244 ng
 RT: 9.72 min Scan# 1298
 Delta R.T. -0.21 min
 Lab File: BF109876.D
 Acq: 13 Oct 2018 10:59




Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	44.8	67.2#
89	0.0	62.2	93.4#
182	0.0	2.1	3.1#



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.20 min Scan# 1549
 Delta R.T. -0.01 min
 Lab File: BF109876.D
 Acq: 13 Oct 2018 10:59

Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.2	7.2	10.8
80	10.4	7.9	11.9









#66
 4-Bromophenyl-phenylether
 Concen: 2.076 ng
 RT: 10.50 min Scan# 1431
 Delta R.T. -0.25 min
 Lab File: BF109876.D
 Acq: 13 Oct 2018 10:59

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:248 Resp: 5703
 Ion Ratio Lower Upper
 248 100
 250 199.0 79.4 119.2#
 141 586.1 55.9 83.9#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.83 min Scan# 1996
 Delta R.T. -0.01 min
 Lab File: BF109876.D
 Acq: 13 Oct 2018 10:59

Tgt Ion:240 Resp: 185664
 Ion Ratio Lower Upper
 240 100
 120 10.4 8.3 12.5
 236 24.3 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 69.694 ng

RT: 12.78 min Scan# 1818

Delta R.T. -0.01 min

Lab File: BF109876.D

Acq: 13 Oct 2018 10:59

Instrument :

BNA_F

ClientSampleId :


Tot Ion:244 Resp: 668425

Ion Ratio Lower Upper




244 100

212 6.9 5.8 8.8

122 9.7 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.23 min Scan# 2234

Delta R.T. 0.00 min

Lab File: BF109876.D

Acq: 13 Oct 2018 10:59


Tgt Ion:264 Resp: 139725

Ion Ratio Lower Upper

264 100

260 24.3 18.7 28.1

265 21.6 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

