

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF101218\
 Data File : BF109830.D
 Acq On : 12 Oct 2018 13:39
 Operator : JU/SJ
 Sample : PB113751BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB113751BL

Quant Time: Oct 12 14:08:05 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 08 16:02:11 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.69	152	88108	20.00	ng	0.00
21) Naphthalene-d8	7.97	136	378985	20.00	ng	0.00
38) Acenaphthene-d10	9.72	164	190081	20.00	ng	0.00
63) Phenanthrene-d10	11.20	188	403362	20.00	ng	0.00
75) Chrysene-d12	13.83	240	324453	20.00	ng	0.00
86) Perylene-d12	15.23	264	266385	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	584834	117.82	ng	0.00
7) Phenol-d6	6.35	99	829691	125.12	ng	-0.01
23) Nitrobenzene-d5	7.26	82	546309	79.46	ng	-0.01
41) 2,4,6-Tribromophenol	10.51	330	247987	119.73	ng	0.00
44) 2-Fluorobiphenyl	9.05	172	1049152	76.02	ng	0.00
78) Terphenyl-d14	12.79	244	1094076	65.28	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF101218\
Data File : BF109830.D
Acq On : 12 Oct 2018 13:39
Operator : JU/SJ
Sample : PB113751BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB113751BL

Quant Time: Oct 12 14:08:05 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 08 16:02:11 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.69 min Scan# 783
Delta R.T. -0.01 min
Lab File: BF109830.D
Acq: 12 Oct 2018 13:39

Instrument :
BNA_F
ClientSampleId :
PB113751BL

Tot Ion:152 Resp: 88108
Ion Ratio Lower Upper
152 100
150 154.7 122.7 184.1
115 63.3 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 117.821 ng
RT: 5.32 min Scan# 550
Delta R.T. 0.00 min
Lab File: BF109830.D
Acq: 12 Oct 2018 13:39

Tgt Ion:112 Resp: 584834
Ion Ratio Lower Upper
112 100
64 59.6 44.1 66.1
63 32.1 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 125.123 ng

RT: 6.35 min Scan# 724

Delta R.T. -0.01 min

Lab File: BF109830.D

Acq: 12 Oct 2018 13:39

Instrument :

BNA_F

ClientSampleId :

PB113751BL


Tot Ion: 99 Resp: 829691

Ion Ratio Lower Upper




99 100

42 19.3 15.8 23.6

71 35.9 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.97 min Scan# 1001

Delta R.T. -0.01 min

Lab File: BF109830.D

Acq: 12 Oct 2018 13:39

Tgt Ion: 136 Resp: 378985


Ion Ratio Lower Upper

136 100



137 11.5 8.8 13.2


54 6.9 5.4 8.2

68 5.2 4.2 6.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 79.461 ng
 RT: 7.26 min Scan# 879
 Delta R.T. -0.01 min
 Lab File: BF109830.D
 Acq: 12 Oct 2018 13:39




Instrument :
 BNA_F
 ClientSampleId :
 PB113751BL


Tot Ion	82	Resp	546309
Ion Ratio	Lower	Upper	
82	100		
128	42.2	34.2	51.2
54	48.2	38.6	58.0



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.72 min Scan# 1298
 Delta R.T. -0.01 min
 Lab File: BF109830.D
 Acq: 12 Oct 2018 13:39

Tgt Ion	164	Resp	190081
Ion Ratio	Lower	Upper	
164	100		
162	104.5	83.0	124.6
160	47.8	37.0	55.6






#41
 2,4,6-Tribromophenol
 Concen: 119.735 ng
 RT: 10.51 min Scan# 1432
 Delta R.T. -0.01 min
 Lab File: BF109830.D
 Acq: 12 Oct 2018 13:39

Instrument :
 BNA_F
 ClientSampleId :
 PB113751BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.6	77.1	115.7
141	34.7	27.0	40.4






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 76.017 ng
 RT: 9.05 min Scan# 1184
 Delta R.T. -0.01 min
 Lab File: BF109830.D
 Acq: 12 Oct 2018 13:39

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.6	28.6	43.0
170	24.1	19.7	29.5






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.20 min Scan# 1550
Delta R.T. 0.00 min
Lab File: BF109830.D
Acq: 12 Oct 2018 13:39




Instrument :
BNA_F
ClientSampleId :
PB113751BL


Tot Ion:188 Resp: 403362
Ion Ratio Lower Upper
188 100
94 7.6 7.2 10.8
80 8.8 7.9 11.9



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.83 min Scan# 1996
Delta R.T. -0.01 min
Lab File: BF109830.D
Acq: 12 Oct 2018 13:39

Tgt Ion:240 Resp: 324453
Ion Ratio Lower Upper
240 100
120 10.9 8.3 12.5
236 24.7 21.2 31.8









#78
 Terphenyl-d14
 Concen: 65.278 ng
 RT: 12.79 min Scan# 1819
 Delta R.T. 0.00 min
 Lab File: BF109830.D
 Acq: 12 Oct 2018 13:39

Instrument :
 BNA_F
 ClientSampleId :
 PB113751BL

Tot Ion:244 Resp: 1094076

Ion	Ratio	Lower	Upper
244	100		
212	7.1	5.8	8.8
122	10.3	8.7	13.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.23 min Scan# 2234
 Delta R.T. 0.00 min
 Lab File: BF109830.D
 Acq: 12 Oct 2018 13:39

Tgt Ion:264 Resp: 266385

Ion	Ratio	Lower	Upper
264	100		
260	23.0	18.7	28.1
265	21.2	16.7	25.1

