

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF101218\
 Data File : BF109860.D
 Acq On : 13 Oct 2018 3:44
 Operator : JU/SJ
 Sample : J5444-03
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 101018-SIDI-F-D-S

Quant Time: Oct 13 04:13:49 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 08 16:02:11 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.69	152	99260	20.00	ng	0.00
21) Naphthalene-d8	7.97	136	376709	20.00	ng	0.00
38) Acenaphthene-d10	9.72	164	161828	20.00	ng	0.00
63) Phenanthrene-d10	11.20	188	238399	20.00	ng	0.00
75) Chrysene-d12	13.83	240	203306	20.00	ng	0.00
86) Perylene-d12	15.23	264	153448	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	225723	40.37	ng	0.00
7) Phenol-d6	6.34	99	197792	26.48	ng	-0.02
23) Nitrobenzene-d5	7.26	82	754683	110.43	ng	0.00
41) 2,4,6-Tribromophenol	10.51	330	133066	75.46	ng	0.00
44) 2-Fluorobiphenyl	9.05	172	1248477	106.25	ng	0.00
78) Terphenyl-d14	12.78	244	867971	82.65	ng	0.00
Target Compounds						
10) Phenol	6.36	94	17478	2.040	ng	85
49) Dimethylphthalate	9.45	163	36811	3.102	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF101218\
Data File : BF109860.D
Acq On : 13 Oct 2018 3:44
Operator : JU/SJ
Sample : J5444-03
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
101018-SIDI-F-D-S

Quant Time: Oct 13 04:13:49 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 08 16:02:11 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.69 min Scan# 783
Delta R.T. -0.01 min
Lab File: BF109860.D
Acq: 13 Oct 2018 3:44

Instrument :
BNA_F
ClientSampleId :
101018-SIDI-F-D-S

Tot Ion:152 Resp: 99260
Ion Ratio Lower Upper
152 100
150 160.3 122.7 184.1
115 63.0 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 40.365 ng
RT: 5.32 min Scan# 549
Delta R.T. -0.01 min
Lab File: BF109860.D
Acq: 13 Oct 2018 3:44

Tgt Ion:112 Resp: 225723
Ion Ratio Lower Upper
112 100
64 54.1 44.1 66.1
63 29.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 26.477 ng

RT: 6.34 min Scan# 723

Delta R.T. -0.02 min

Lab File: BF109860.D

Acq: 13 Oct 2018 3:44

Instrument :

BNA_F

ClientSampleId :

101018-SIDI-F-D-S


Tot Ion: 99 Resp: 197792

Ion Ratio Lower Upper




99 100

42 18.2 15.8 23.6

71 35.6 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 2.040 ng

RT: 6.36 min Scan# 726

Delta R.T. -0.01 min

Lab File: BF109860.D

Acq: 13 Oct 2018 3:44


Tgt Ion: 94 Resp: 17478

Ion Ratio Lower Upper



94 100


65 33.4 25.3 65.3

66 63.6 54.5 94.5



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.97 min Scan# 1001
Delta R.T. -0.01 min
Lab File: BF109860.D
Acq: 13 Oct 2018 3:44




Instrument :
BNA_F
ClientSampleId :
101018-SIDI-F-D-S


Tot Ion:136	Resp:	376709
Ion	Ratio	Lower Upper
136	100	
137	10.5	8.8 13.2
54	6.5	5.4 8.2
68	5.2	4.2 6.2



#23
Nitrobenzene-d5
Concen: 110.432 ng
RT: 7.26 min Scan# 880
Delta R.T. -0.01 min
Lab File: BF109860.D
Acq: 13 Oct 2018 3:44

Tgt Ion: 82	Resp:	754683
Ion	Ratio	Lower Upper
82	100	
128	42.7	34.2 51.2
54	48.2	38.6 58.0





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.72 min Scan# 1298

Delta R.T. -0.01 min

Lab File: BF109860.D

Acq: 13 Oct 2018 3:44

Instrument :

BNA_F

ClientSampleId :

101018-SIDI-F-D-S


Tot Ion:164 Resp: 161828

Ion Ratio Lower Upper

164 100

162 103.0 83.0 124.6




160 46.4 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 75.465 ng

RT: 10.51 min Scan# 1432

Delta R.T. -0.01 min

Lab File: BF109860.D

Acq: 13 Oct 2018 3:44


Tgt Ion:330 Resp: 133066

Ion Ratio Lower Upper

330 100

332 96.8 77.1 115.7



141 35.2 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 106.253 ng
RT: 9.05 min Scan# 1184
Delta R.T. -0.01 min
Lab File: BF109860.D
Acq: 13 Oct 2018 3:44

Instrument :
BNA_F
ClientSampleId :
101018-SIDI-F-D-S

Tot Ion:172 Resp: 1248477
Ion Ratio Lower Upper
172 100
171 36.1 28.6 43.0
170 24.3 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#49
Dimethylphthalate
Concen: 3.102 ng
RT: 9.45 min Scan# 1251
Delta R.T. -0.02 min
Lab File: BF109860.D
Acq: 13 Oct 2018 3:44

Tgt Ion:163 Resp: 36811
Ion Ratio Lower Upper
163 100
194 4.0 3.2 4.8
164 10.6 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.20 min Scan# 1549
Delta R.T. -0.01 min
Lab File: BF109860.D
Acq: 13 Oct 2018 3:44




Instrument :
BNA_F
ClientSampleId :
101018-SIDI-F-D-S


Tot Ion:188 Resp: 238399
Ion Ratio Lower Upper
188 100
94 9.2 7.2 10.8
80 10.4 7.9 11.9



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.83 min Scan# 1996
Delta R.T. -0.01 min
Lab File: BF109860.D
Acq: 13 Oct 2018 3:44

Tgt Ion:240 Resp: 203306
Ion Ratio Lower Upper
240 100
120 10.6 8.3 12.5
236 25.0 21.2 31.8





#78

Terphenyl-d14

Concen: 82.646 ng

RT: 12.78 min Scan# 1818

Delta R.T. -0.01 min

Lab File: BF109860.D

Acq: 13 Oct 2018 3:44

Instrument :

BNA_F

ClientSampleId :

101018-SIDI-F-D-S


Tot Ion:244 Resp: 867971

Ion Ratio Lower Upper

244 100

212 7.4 5.8 8.8




122 11.3 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.23 min Scan# 2234

Delta R.T. -0.00 min

Lab File: BF109860.D

Acq: 13 Oct 2018 3:44


Tgt Ion:264 Resp: 153448

Ion Ratio Lower Upper

264 100

260 23.9 18.7 28.1

265 20.0 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

