

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF101317\
 Data File : BF099443.D
 Acq On : 13 Oct 2017 16:57
 Operator : SJ/JU
 Sample : I5775-01 5X
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Oct 13 17:37:42 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 11 16:25:21 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	104985	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	427714	20.00	ng	0.00
38) Acenaphthene-d10	9.89	164	182343	20.00	ng	0.00
63) Phenanthrene-d10	11.37	188	275379	20.00	ng	0.00
75) Chrysene-d12	14.02	240	202886	20.00	ng	0.00
86) Perylene-d12	15.49	264	205295	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	70829	10.74	ng	0.00
7) Phenol-d6	6.48	99	86024	10.57	ng	0.00
23) Nitrobenzene-d5	7.41	82	49561	7.43	ng	-0.01
41) 2,4,6-Tribromophenol	10.68	330	13249	8.88	ng	0.00
44) 2-Fluorobiphenyl	9.20	172	103222	9.45	ng	0.00
78) Terphenyl-d14	12.96	244	64648	7.25	ng	0.00
Target Compounds						
50) 2,6-Dinitrotoluene	9.89	165	26307	8.780	ng	Qvalue # 25


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF101317\
Data File : BF099443.D
Acq On : 13 Oct 2017 16:57
Operator : SJ/JU
Sample : I5775-01 5X
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Oct 13 17:37:42 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 11 16:25:21 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 810
Delta R.T. 0.00 min
Lab File: BF099443.D
Acq: 13 Oct 2017 16:57

Instrument :
BNA_F
ClientSampled :




Tot Ion:152 Resp: 104985
Ion Ratio Lower Upper
152 100
150 156.7 124.6 186.8
115 60.5 50.1 75.1



#5

2-Fluorophenol
Concen: 10.740 ng
RT: 5.47 min Scan# 575
Delta R.T. 0.00 min
Lab File: BF099443.D
Acq: 13 Oct 2017 16:57

Tgt Ion:112 Resp: 70829
Ion Ratio Lower Upper
112 100
64 55.0 47.9 71.9
63 26.9 23.7 35.5





#7

Phenol-d6

Concen: 10.574 ng

RT: 6.48 min Scan# 747

Delta R.T. -0.01 min

Lab File: BF099443.D

Acq: 13 Oct 2017 16:57

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 86024

Ion Ratio Lower Upper

99 100

42 16.3 14.5 21.7




71 29.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1028

Delta R.T. 0.00 min

Lab File: BF099443.D

Acq: 13 Oct 2017 16:57

Tgt Ion: 136 Resp: 427714


Ion Ratio Lower Upper

136 100

137 10.8 8.9 13.3

54 7.5 6.6 9.8

68 6.0 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 7.431 ng
 RT: 7.41 min Scan# 905
 Delta R.T. -0.01 min
 Lab File: BF099443.D
 Acq: 13 Oct 2017 16:57




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	82	Resp	49561
Ion Ratio	100	Lower	Upper
128	41.9	36.1	54.1
54	49.0	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.89 min Scan# 1326
 Delta R.T. -0.01 min
 Lab File: BF099443.D
 Acq: 13 Oct 2017 16:57

Tgt Ion	164	Resp	182343
Ion Ratio	100	Lower	Upper
162	103.4	86.1	129.1
160	45.6	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 8.880 ng
 RT: 10.68 min Scan# 1461
 Delta R.T. 0.00 min
 Lab File: BF099443.D
 Acq: 13 Oct 2017 16:57

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:330 Resp: 13249
 Ion Ratio Lower Upper
 330 100
 332 102.3 77.0 115.6
 141 41.3 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 9.450 ng
 RT: 9.20 min Scan# 1210
 Delta R.T. -0.01 min
 Lab File: BF099443.D
 Acq: 13 Oct 2017 16:57

Tgt Ion:172 Resp: 103222
 Ion Ratio Lower Upper
 172 100
 171 34.6 29.7 44.5
 170 22.1 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
 2,6-Dinitrotoluene
 Concen: 8.780 ng
 RT: 9.89 min Scan# 1326
 Delta R.T. 0.21 min
 Lab File: BF099443.D
 Acq: 13 Oct 2017 16:57

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:165 Resp: 26307
 Ion Ratio Lower Upper
 165 100
 63 1.3 44.7 67.1#
 89 1.1 44.0 66.0#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0






#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.37 min Scan# 1579
 Delta R.T. 0.00 min
 Lab File: BF099443.D
 Acq: 13 Oct 2017 16:57

Tgt Ion:188 Resp: 275379
 Ion Ratio Lower Upper
 188 100
 94 11.4 8.5 12.7
 80 12.2 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.02 min Scan# 2028

Delta R.T. 0.00 min

Lab File: BF099443.D

Acq: 13 Oct 2017 16:57

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 202886

Ion Ratio Lower Upper




240 100

120 16.2 9.5 14.3#

236 26.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 7.247 ng

RT: 12.96 min Scan# 1848

Delta R.T. 0.00 min

Lab File: BF099443.D

Acq: 13 Oct 2017 16:57


Tgt Ion:244 Resp: 64648

Ion Ratio Lower Upper



244 100


212 7.7 5.4 8.0

122 16.0 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.49 min Scan# 2279
Delta R.T. 0.01 min
Lab File: BF099443.D
Acq: 13 Oct 2017 16:57

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.2	28.8
265	21.0	17.5	26.3

