

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF101317\
 Data File : BF099450.D
 Acq On : 13 Oct 2017 20:12
 Operator : SJ/JU
 Sample : I5819-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 3902-PP1

Quant Time: Oct 13 23:32:17 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 11 16:25:21 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	91381	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	353342	20.00	ng	0.00
38) Acenaphthene-d10	9.89	164	138186	20.00	ng	0.00
63) Phenanthrene-d10	11.37	188	198430	20.00	ng	0.00
75) Chrysene-d12	14.02	240	161158	20.00	ng	0.00
86) Perylene-d12	15.49	264	181420	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	417798	72.78	ng	0.00
7) Phenol-d6	6.48	99	300553	42.44	ng	0.00
23) Nitrobenzene-d5	7.42	82	614435	111.52	ng	0.00
41) 2,4,6-Tribromophenol	10.68	330	157443	139.24	ng	0.00
44) 2-Fluorobiphenyl	9.21	172	1054994	127.45	ng	0.00
78) Terphenyl-d14	12.96	244	672072	94.84	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF101317\
Data File : BF099450.D
Acq On : 13 Oct 2017 20:12
Operator : SJ/JU
Sample : I5819-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
3902-PP1

Quant Time: Oct 13 23:32:17 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 11 16:25:21 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.85 min Scan# 810

Delta R.T. 0.00 min

Lab File: BF099450.D

Acq: 13 Oct 2017 20:12

Instrument :

BNA_F

ClientSampleId :

3902-PP1


Tgt Ion:152 Resp: 91381

Ion Ratio Lower Upper

152 100

150 157.6 124.6 186.8




115 62.6 50.1 75.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 72.78 ng

RT: 5.47 min Scan# 576

Delta R.T. 0.01 min

Lab File: BF099450.D

Acq: 13 Oct 2017 20:12


Tgt Ion:112 Resp: 417798

Ion Ratio Lower Upper

112 100

64 56.0 47.9 71.9



63 26.9 23.7 35.5




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 42.44 ng

RT: 6.48 min Scan# 747

Delta R.T. -0.01 min

Lab File: BF099450.D

Acq: 13 Oct 2017 20:12

Instrument :

BNA_F

ClientSampleId :

3902-PP1


Tgt Ion: 99 Resp: 300553

Ion Ratio Lower Upper

99 100

42 16.4 14.5 21.7




71 31.4 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.13 min Scan# 1028

Delta R.T. 0.00 min

Lab File: BF099450.D

Acq: 13 Oct 2017 20:12

Tgt Ion: 136 Resp: 353342


Ion Ratio Lower Upper

136 100

137 10.5 8.9 13.3

54 7.2 6.6 9.8

68 5.9 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 111.52 ng
 RT: 7.42 min Scan# 907
 Delta R.T. 0.00 min
 Lab File: BF099450.D
 Acq: 13 Oct 2017 20:12

Instrument :
 BNA_F
 ClientSampled :
 3902-PP1

Tgt Ion: 82 Resp: 614435
 Ion Ratio Lower Upper
 82 100
 128 48.8 36.1 54.1
 54 45.7 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.89 min Scan# 1326
 Delta R.T. -0.01 min
 Lab File: BF099450.D
 Acq: 13 Oct 2017 20:12

Tgt Ion: 164 Resp: 138186
 Ion Ratio Lower Upper
 164 100
 162 104.5 86.1 129.1
 160 45.3 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 139.24 ng
 RT: 10.68 min Scan# 1461
 Delta R.T. 0.00 min
 Lab File: BF099450.D
 Acq: 13 Oct 2017 20:12




Instrument :
 BNA_F
 ClientSampleId :
 3902-PP1


Tgt Ion:330 Resp: 157443
 Ion Ratio Lower Upper
 330 100
 332 97.1 77.0 115.6
 141 38.5 29.9 44.9



#44
 2-Fluorobiphenyl
 Concen: 127.45 ng
 RT: 9.21 min Scan# 1211
 Delta R.T. 0.00 min
 Lab File: BF099450.D
 Acq: 13 Oct 2017 20:12

Tgt Ion:172 Resp: 1054994
 Ion Ratio Lower Upper
 172 100
 171 36.4 29.7 44.5
 170 24.5 19.6 29.4









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.37 min Scan# 1579
Delta R.T. 0.00 min
Lab File: BF099450.D
Acq: 13 Oct 2017 20:12

Instrument :
BNA_F
ClientSampleId :
3902-PP1

Tgt Ion:188 Resp: 198430
Ion Ratio Lower Upper
188 100
94 10.8 8.5 12.7
80 11.7 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.02 min Scan# 2028
Delta R.T. 0.00 min
Lab File: BF099450.D
Acq: 13 Oct 2017 20:12

Tgt Ion:240 Resp: 161158
Ion Ratio Lower Upper
240 100
120 14.9 9.5 14.3#
236 27.8 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 94.84 ng

RT: 12.96 min Scan# 1848

Delta R.T. 0.00 min

Lab File: BF099450.D

Acq: 13 Oct 2017 20:12

Instrument :

BNA_F

ClientSampleId :

3902-PP1


Tgt Ion:244 Resp: 672072

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0




122 14.9 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.49 min Scan# 2278

Delta R.T. 0.01 min

Lab File: BF099450.D

Acq: 13 Oct 2017 20:12


Tgt Ion:264 Resp: 181420

Ion Ratio Lower Upper

264 100

260 22.9 19.2 28.8

265 20.1 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

