

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101320\
 Data File : BF121947.D
 Acq On : 13 Oct 2020 19:50
 Operator : JU/CG
 Sample : L4369-04 2X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 HD-2

Quant Time: Oct 14 02:07:42 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 12 16:22:33 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.745	152	110644	20.00	ng	0.00
21) Naphthalene-d8	8.028	136	417567	20.00	ng	0.00
39) Acenaphthene-d10	9.775	164	203949	20.00	ng	-0.01
64) Phenanthrene-d10	11.263	188	355041	20.00	ng	-0.01
76) Chrysene-d12	13.904	240	318612	20.00	ng	-0.01
86) Perylene-d12	15.339	264	306491	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.363	112	263912	35.20	ng	0.00
7) Phenol-d6	6.387	99	327203	33.91	ng	-0.01
23) Nitrobenzene-d5	7.304	82	216600	26.60	ng	-0.02
42) 2,4,6-Tribromophenol	10.569	330	79078	31.34	ng	-0.01
45) 2-Fluorobiphenyl	9.098	172	369943	26.69	ng	-0.01
79) Terphenyl-d14	12.845	244	326451	19.53	ng	-0.02
Target Compounds						
50) Dimethylphthalate	9.498	163	37430	2.51	ng	Qvalue 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101320\
Data File : BF121947.D
Acq On : 13 Oct 2020 19:50
Operator : JU/CG
Sample : L4369-04 2X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
HD-2

Quant Time: Oct 14 02:07:42 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 12 16:22:33 2020
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.745 min Scan# 792
Delta R.T. 0.000 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50




Instrument :
BNA_F
ClientSampleId :
HD-2

Tgt Ion:152 Resp: 110644
Ion Ratio Lower Upper
152 100
150 156.8 125.3 187.9
115 60.3 51.9 77.9



#5
2-Fluorophenol
Concen: 35.20 ng
RT: 5.363 min Scan# 557
Delta R.T. -0.000 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50

Tgt Ion:112 Resp: 263912
Ion Ratio Lower Upper
112 100
64 59.9 50.4 75.6
63 30.6 25.8 38.6








#7
Phenol-d6
Concen: 33.91 ng
RT: 6.387 min Scan# 731
Delta R.T. -0.012 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50




Instrument :
BNA_F
ClientSampled :
HD-2


Tgt Ion: 99 Resp: 327203
Ion Ratio Lower Upper
99 100
42 19.2 15.9 23.9
71 33.0 27.1 40.7



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.028 min Scan# 1010
Delta R.T. -0.006 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50

Tgt Ion: 136 Resp: 417567
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 8.7 7.1 10.7
68 6.3 5.0 7.4









#23
Nitrobenzene-d5
Concen: 26.60 ng
RT: 7.304 min Scan# 887
Delta R.T. -0.018 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50




Instrument :
BNA_F
ClientSampleId :
HD-2

Tgt Ion: 82 Resp: 216600
Ion Ratio Lower Upper
82 100
128 40.8 35.0 52.4
54 55.0 43.9 65.9



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.775 min Scan# 1307
Delta R.T. -0.011 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50

Tgt Ion: 164 Resp: 203949
Ion Ratio Lower Upper
164 100
162 101.2 83.2 124.8
160 45.2 37.5 56.3








#42
2,4,6-Tribromophenol
Concen: 31.34 ng
RT: 10.569 min Scan# 1442
Delta R.T. -0.012 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50




Instrument :
BNA_F
ClientSampleID :
HD-2

Tgt Ion: 330 Resp: 79078
Ion Ratio Lower Upper
330 100
332 97.8 77.3 115.9
141 31.2 22.3 33.5



#45
2-Fluorobiphenyl
Concen: 26.69 ng
RT: 9.098 min Scan# 1192
Delta R.T. -0.012 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50

Tgt Ion: 172 Resp: 369943
Ion Ratio Lower Upper
172 100
171 34.7 29.1 43.7
170 23.7 19.8 29.6









#50
Dimethylphthalate
Concen: 2.51 ng
RT: 9.498 min Scan# 1260
Delta R.T. -0.018 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50




Instrument :
BNA_F
ClientSampled :
HD-2


Tgt Ion:163 Resp: 37430
Ion Ratio Lower Upper
163 100
194 4.3 3.3 4.9
164 10.3 8.2 12.4



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.263 min Scan# 1560
Delta R.T. -0.012 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50

Tgt Ion:188 Resp: 355041
Ion Ratio Lower Upper
188 100
94 10.5 8.3 12.5
80 11.5 9.1 13.7









#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.904 min Scan# 2009
Delta R.T. -0.012 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50




Instrument :
BNA_F
ClientSampleId :
HD-2


Tgt Ion:240 Resp: 318612
Ion Ratio Lower Upper
240 100
120 11.6 9.2 13.8
236 26.5 20.9 31.3



#79
Terphenyl-d14
Concen: 19.53 ng
RT: 12.845 min Scan# 1829
Delta R.T. -0.018 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50

Tgt Ion:244 Resp: 326451
Ion Ratio Lower Upper
244 100
212 6.5 5.4 8.2
122 10.6 8.1 12.1





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.339 min Scan# 2253
Delta R.T. -0.012 min
Lab File: BF121947.D
Acq: 13 Oct 2020 19:50

Instrument :
BNA_F
ClientSampleId :
HD-2

Tgt Ion:264	Resp:	306491
Ion	Ratio	Lower Upper
264	100	
260	23.4	18.7 28.1
265	21.4	17.3 25.9

