

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101416\
 Data File : BF090590.D
 Acq On : 15 Oct 2016 6:41
 Operator : UM/SJ
 Sample : H5193-01
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FK-BPM-01-A5-A6-A5A-A6A

Quant Time: Oct 17 00:53:12 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF101316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 14 12:44:45 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.92	152	192123	20.00	ng	0.00
21) Naphthalene-d8	8.20	136	849458	20.00	ng	-0.01
38) Acenaphthene-d10	9.96	164	445162	20.00	ng	-0.01
63) Phenanthrene-d10	11.45	188	625353	20.00	ng	-0.01
75) Chrysene-d12	14.09	240	353418	20.00	ng	-0.01
86) Perylene-d12	15.55	264	325547	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.53	112	824991	78.72	ng	0.00
7) Phenol-d6	6.54	99	1073859	68.96	ng	-0.01
23) Nitrobenzene-d5	7.48	82	711592	46.53	ng	-0.01
41) 2,4,6-Tribromophenol	10.75	330	180210	45.41	ng	-0.01
44) 2-Fluorobiphenyl	9.29	172	1129536	41.81	ng	0.00
78) Terphenyl-d14	13.03	244	834219	54.96	ng	-0.01
Target Compounds						Qvalue
49) Dimethylphthalate	9.67	163	260477	9.02	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101416\
Data File : BF090590.D
Acq On : 15 Oct 2016 6:41
Operator : UM/SJ
Sample : H5193-01
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FK-BPM-01-A5-A6-A5A-A6A

Quant Time: Oct 17 00:53:12 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF101316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 14 12:44:45 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.92 min Scan# 401

Delta R.T. -0.00 min

Lab File: BF090590.D

Acq: 15 Oct 2016 6:41

Instrument :

BNA_F

ClientSampleId :

FK-BPM-01-A5-A6-A5A-A6A


Tot Ion:152 Resp: 192123

Ion Ratio Lower Upper

152 100

150 155.5 127.2 190.8




115 62.7 58.6 88.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 78.72 ng

RT: 5.53 min Scan# 279

Delta R.T. 0.00 min

Lab File: BF090590.D

Acq: 15 Oct 2016 6:41


Tgt Ion:112 Resp: 824991

Ion Ratio Lower Upper

112 100

64 57.8 52.6 78.8



63 28.4 26.0 39.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 68.96 ng

RT: 6.54 min Scan# 368

Delta R.T. -0.01 min

Lab File: BF090590.D

Acq: 15 Oct 2016 6:41

Instrument :

BNA_F

ClientSampleId :

FK-BPM-01-A5-A6-A5A-A6A





Tot Ion: 99 Resp: 1073859

Ion Ratio Lower Upper

99 100

42 19.2 14.7 22.1

71 35.6 27.6 41.4



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.20 min Scan# 513

Delta R.T. -0.01 min

Lab File: BF090590.D

Acq: 15 Oct 2016 6:41

Tgt Ion: 136 Resp: 849458




Ion Ratio Lower Upper


136 100

137 11.5 8.8 13.2

54 12.1 6.8 10.2#

68 9.8 6.0 9.0#









#23
 Nitrobenzene-d5
 Concen: 46.53 ng
 RT: 7.48 min Scan# 450
 Delta R.T. -0.01 min
 Lab File: BF090590.D
 Acq: 15 Oct 2016 6:41




Instrument :
 BNA_F
 ClientSampleId :
 FK-BPM-01-A5-A6-A5A-A6A


Tot Ion: 82 Resp: 711592
 Ion Ratio Lower Upper
 82 100
 128 39.7 34.3 51.5
 54 48.8 37.0 55.6



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.96 min Scan# 667
 Delta R.T. -0.01 min
 Lab File: BF090590.D
 Acq: 15 Oct 2016 6:41

Tgt Ion:164 Resp: 445162
 Ion Ratio Lower Upper
 164 100
 162 105.6 82.2 123.4
 160 47.5 36.6 55.0









#41
 2,4,6-Tribromophenol
 Concen: 45.41 ng
 RT: 10.75 min Scan# 736
 Delta R.T. -0.01 min
 Lab File: BF090590.D
 Acq: 15 Oct 2016 6:41




Instrument :
 BNA_F
 ClientSampleId :
 FK-BPM-01-A5-A6-A5A-A6A

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.7	76.2	114.2
141	47.3	31.4	47.2#



#44
 2-Fluorobiphenyl
 Concen: 41.81 ng
 RT: 9.29 min Scan# 608
 Delta R.T. -0.00 min
 Lab File: BF090590.D
 Acq: 15 Oct 2016 6:41

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.8	30.1	45.1
170	24.2	20.6	30.8









#49
Dimethylphthalate
Concen: 9.02 ng
RT: 9.67 min Scan# 642
Delta R.T. -0.01 min
Lab File: BF090590.D
Acq: 15 Oct 2016 6:41

Instrument :
BNA_F
ClientSampleId :
FK-BPM-01-A5-A6-A5A-A6A

Tot Ion:163 Resp: 260477
Ion Ratio Lower Upper
163 100
194 3.1 2.3 3.5
164 9.8 8.6 13.0




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.45 min Scan# 797
Delta R.T. -0.01 min
Lab File: BF090590.D
Acq: 15 Oct 2016 6:41

Tgt Ion:188 Resp: 625353
Ion Ratio Lower Upper
188 100
94 13.4 7.7 11.5#
80 15.4 8.6 12.8#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.09 min Scan# 1028

Delta R.T. -0.01 min

Lab File: BF090590.D

Acq: 15 Oct 2016 6:41

Instrument :

BNA_F

ClientSampleId :

FK-BPM-01-A5-A6-A5A-A6A


Tot Ion:240 Resp: 353418

Ion Ratio Lower Upper

240 100

120 17.9 9.8 14.8#




236 27.2 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 54.96 ng

RT: 13.03 min Scan# 936

Delta R.T. -0.01 min

Lab File: BF090590.D

Acq: 15 Oct 2016 6:41


Tgt Ion:244 Resp: 834219

Ion Ratio Lower Upper

244 100

212 7.1 5.0 7.4



122 13.6 5.6 8.4#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.55 min Scan# 1156
 Delta R.T. -0.01 min
 Lab File: BF090590.D
 Acq: 15 Oct 2016 6:41

Instrument :
 BNA_F
 ClientSampleId :
 FK-BPM-01-A5-A6-A5A-A6A

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.6	19.3	28.9
265	21.7	16.7	25.1

