

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF101417\
 Data File : BF099473.D
 Acq On : 14 Oct 2017 13:31
 Operator : SJ/JU
 Sample : I5819-14
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 3919-FB

Quant Time: Oct 14 23:45:35 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Oct 14 23:44:03 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	98285	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	401715	20.00	ng	0.00
38) Acenaphthene-d10	9.89	164	183250	20.00	ng	0.00
63) Phenanthrene-d10	11.37	188	316609	20.00	ng	0.00
75) Chrysene-d12	14.02	240	205375	20.00	ng	0.00
86) Perylene-d12	15.49	264	158272	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	423236	68.55	ng	0.00
7) Phenol-d6	6.49	99	324609	42.62	ng	0.00
23) Nitrobenzene-d5	7.42	82	639607	102.11	ng	0.00
41) 2,4,6-Tribromophenol	10.68	330	213443	142.34	ng	0.00
44) 2-Fluorobiphenyl	9.21	172	1161039	105.77	ng	0.00
78) Terphenyl-d14	12.96	244	991346	109.78	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF101417\
Data File : BF099473.D
Acq On : 14 Oct 2017 13:31
Operator : SJ/JU
Sample : I5819-14
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
3919-FB

Quant Time: Oct 14 23:45:35 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Oct 14 23:44:03 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.85 min Scan# 810
Delta R.T. -0.01 min
Lab File: BF099473.D
Acq: 14 Oct 2017 13:31

Instrument :
BNA_F
ClientSampled :
3919-FB

Tgt Ion:152 Resp: 98285
Ion Ratio Lower Upper
152 100
150 161.0 124.6 186.8
115 61.7 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 68.55 ng
RT: 5.48 min Scan# 577
Delta R.T. 0.01 min
Lab File: BF099473.D
Acq: 14 Oct 2017 13:31

Tgt Ion:112 Resp: 423236
Ion Ratio Lower Upper
112 100
64 52.7 47.9 71.9
63 25.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 42.62 ng

RT: 6.49 min Scan# 748

Delta R.T. -0.01 min

Lab File: BF099473.D

Acq: 14 Oct 2017 13:31

Instrument :

BNA_F

ClientSampleId :

3919-FB


Tgt Ion: 99 Resp: 324609

Ion Ratio Lower Upper




99 100

42 15.7 14.5 21.7

71 29.3 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.13 min Scan# 1028

Delta R.T. -0.01 min

Lab File: BF099473.D

Acq: 14 Oct 2017 13:31

Tgt Ion: 136 Resp: 401715


Ion Ratio Lower Upper

136 100



137 10.8 8.9 13.3


54 7.0 6.6 9.8

68 5.5 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 102.11 ng
 RT: 7.42 min Scan# 907
 Delta R.T. 0.00 min
 Lab File: BF099473.D
 Acq: 14 Oct 2017 13:31

Instrument :
 BNA_F
 ClientSampleId :
 3919-FB

Tgt Ion	Ratio	Lower	Upper
82	100		
128	50.0	36.1	54.1
54	45.8	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.89 min Scan# 1326
 Delta R.T. -0.01 min
 Lab File: BF099473.D
 Acq: 14 Oct 2017 13:31

Tgt Ion	Ratio	Lower	Upper
164	100		
162	103.3	86.1	129.1
160	46.0	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 142.34 ng
 RT: 10.68 min Scan# 1461
 Delta R.T. -0.01 min
 Lab File: BF099473.D
 Acq: 14 Oct 2017 13:31




Instrument :
 BNA_F
 ClientSampleId :
 3919-FB


Tgt Ion:330 Resp: 213443
 Ion Ratio Lower Upper
 330 100
 332 94.3 77.0 115.6
 141 38.1 29.9 44.9



#44
 2-Fluorobiphenyl
 Concen: 105.77 ng
 RT: 9.21 min Scan# 1211
 Delta R.T. 0.00 min
 Lab File: BF099473.D
 Acq: 14 Oct 2017 13:31

Tgt Ion:172 Resp: 1161039
 Ion Ratio Lower Upper
 172 100
 171 35.9 29.7 44.5
 170 23.8 19.6 29.4









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.37 min Scan# 1579
Delta R.T. -0.01 min
Lab File: BF099473.D
Acq: 14 Oct 2017 13:31




Instrument :
BNA_F
ClientSampleId :
3919-FB


Tgt Ion:188 Resp: 316609
Ion Ratio Lower Upper
188 100
94 11.2 8.5 12.7
80 12.7 9.2 13.8



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.02 min Scan# 2029
Delta R.T. -0.01 min
Lab File: BF099473.D
Acq: 14 Oct 2017 13:31

Tgt Ion:240 Resp: 205375
Ion Ratio Lower Upper
240 100
120 12.6 9.5 14.3
236 25.5 20.7 31.1









#78
 Terphenyl-d14
 Concen: 109.78 ng
 RT: 12.96 min Scan# 1849
 Delta R.T. 0.00 min
 Lab File: BF099473.D
 Acq: 14 Oct 2017 13:31

Instrument :
 BNA_F
 ClientSampleId :
 3919-FB

Tgt Ion:244 Resp: 991346
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.4 8.0
 122 13.9 11.0 16.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.49 min Scan# 2279
 Delta R.T. 0.00 min
 Lab File: BF099473.D
 Acq: 14 Oct 2017 13:31

Tgt Ion:264 Resp: 158272
 Ion Ratio Lower Upper
 264 100
 260 23.0 19.2 28.8
 265 21.5 17.5 26.3

