

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101420\
 Data File : BF121967.D
 Acq On : 14 Oct 2020 20:10
 Operator : JU/CG
 Sample : L4380-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 A-CONTAINMENT

Quant Time: Oct 15 01:23:37 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 12 16:22:33 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.739	152	111235	20.00	ng	0.00
21) Naphthalene-d8	8.028	136	426346	20.00	ng	0.00
39) Acenaphthene-d10	9.775	164	212606	20.00	ng	-0.01
64) Phenanthrene-d10	11.263	188	399381	20.00	ng	-0.01
76) Chrysene-d12	13.898	240	287873	20.00	ng	-0.02
86) Perylene-d12	15.339	264	223827	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.363	112	543659	72.13	ng	0.00
7) Phenol-d6	6.387	99	762021	78.54	ng	-0.01
23) Nitrobenzene-d5	7.310	82	544348	65.48	ng	-0.01
42) 2,4,6-Tribromophenol	10.569	330	128044	48.69	ng	-0.01
45) 2-Fluorobiphenyl	9.098	172	949348	65.70	ng	-0.01
79) Terphenyl-d14	12.845	244	959417	63.51	ng	-0.02
Target Compounds						
50) Dimethylphthalate	9.498	163	124378	8.00	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101420\
Data File : BF121967.D
Acq On : 14 Oct 2020 20:10
Operator : JU/CG
Sample : L4380-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
A-CONTAINMENT

Quant Time: Oct 15 01:23:37 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 12 16:22:33 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.739 min Scan# 791
Delta R.T. -0.006 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10




Instrument :
BNA_F
ClientSampleId :
A-CONTAINMENT


Tgt Ion:152 Resp: 111235
Ion Ratio Lower Upper
152 100
150 153.7 125.3 187.9
115 63.8 51.9 77.9



#5
2-Fluorophenol
Concen: 72.13 ng
RT: 5.363 min Scan# 557
Delta R.T. 0.000 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10

Tgt Ion:112 Resp: 543659
Ion Ratio Lower Upper
112 100
64 64.4 50.4 75.6
63 32.9 25.8 38.6









#7
Phenol-d6
Concen: 78.54 ng
RT: 6.387 min Scan# 731
Delta R.T. -0.012 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10




Instrument :
BNA_F
ClientSampleId :
A-CONTAINMENT


Tgt Ion: 99 Resp: 762021
Ion Ratio Lower Upper
99 100
42 20.0 15.9 23.9
71 34.9 27.1 40.7



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.028 min Scan# 1010
Delta R.T. -0.006 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10

Tgt Ion: 136 Resp: 426346
Ion Ratio Lower Upper
136 100
137 10.6 8.6 13.0
54 8.5 7.1 10.7
68 5.9 5.0 7.4









#23
Nitrobenzene-d5
Concen: 65.48 ng
RT: 7.310 min Scan# 888
Delta R.T. -0.012 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10




Instrument :
BNA_F
ClientSampleId :
A-CONTAINMENT


Tgt Ion: 82 Resp: 544348
Ion Ratio Lower Upper
82 100
128 43.2 35.0 52.4
54 53.4 43.9 65.9



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.775 min Scan# 1307
Delta R.T. -0.011 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10

Tgt Ion:164 Resp: 212606
Ion Ratio Lower Upper
164 100
162 102.7 83.2 124.8
160 46.3 37.5 56.3









#42
2,4,6-Tribromophenol
Concen: 48.69 ng
RT: 10.569 min Scan# 1442
Delta R.T. -0.012 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10




Instrument :
BNA_F
ClientSampleId :
A-CONTAINMENT


Tgt Ion:330 Resp: 128044
Ion Ratio Lower Upper
330 100
332 95.9 77.3 115.9
141 30.5 22.3 33.5



#45
2-Fluorobiphenyl
Concen: 65.70 ng
RT: 9.098 min Scan# 1192
Delta R.T. -0.012 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10

Tgt Ion:172 Resp: 949348
Ion Ratio Lower Upper
172 100
171 35.8 29.1 43.7
170 24.4 19.8 29.6









#50
Dimethylphthalate
Concen: 8.00 ng
RT: 9.498 min Scan# 1260
Delta R.T. -0.018 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10




Instrument :
BNA_F
ClientSampleId :
A-CONTAINMENT


Tgt Ion:163 Resp: 124378
Ion Ratio Lower Upper
163 100
194 3.7 3.3 4.9
164 9.9 8.2 12.4



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.263 min Scan# 1560
Delta R.T. -0.012 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10

Tgt Ion:188 Resp: 399381
Ion Ratio Lower Upper
188 100
94 10.1 8.3 12.5
80 10.4 9.1 13.7









#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.898 min Scan# 2008
Delta R.T. -0.018 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10




Instrument :
BNA_F
ClientSampleId :
A-CONTAINMENT


Tgt Ion:240 Resp: 287873
Ion Ratio Lower Upper
240 100
120 12.7 9.2 13.8
236 25.7 20.9 31.3



#79
Terphenyl-d14
Concen: 63.51 ng
RT: 12.845 min Scan# 1829
Delta R.T. -0.018 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10

Tgt Ion:244 Resp: 959417
Ion Ratio Lower Upper
244 100
212 6.9 5.4 8.2
122 11.2 8.1 12.1





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.339 min Scan# 2253
Delta R.T. -0.012 min
Lab File: BF121967.D
Acq: 14 Oct 2020 20:10

Instrument :
BNA_F
ClientSampleId :
A-CONTAINMENT

Tgt Ion:264 Resp: 223827

Ion	Ratio	Lower	Upper
264	100		
260	23.6	18.7	28.1
265	21.5	17.3	25.9

