

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101420\
 Data File : BF121976.D
 Acq On : 15 Oct 2020 3:24
 Operator : JU/CG
 Sample : L4388-02
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BG-2

Quant Time: Oct 15 04:57:58 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 12 16:22:33 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.739	152	108219	20.00	ng	0.00
21) Naphthalene-d8	8.028	136	417375	20.00	ng	0.00
39) Acenaphthene-d10	9.774	164	207175	20.00	ng	-0.01
64) Phenanthrene-d10	11.263	188	355707	20.00	ng	-0.01
76) Chrysene-d12	13.904	240	232793	20.00	ng	-0.01
86) Perylene-d12	15.339	264	239928	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.363	112	587167	80.08	ng	0.00
7) Phenol-d6	6.386	99	763704	80.91	ng	-0.01
23) Nitrobenzene-d5	7.310	82	541703	66.56	ng	-0.01
42) 2,4,6-Tribromophenol	10.569	330	189446	73.92	ng	-0.01
45) 2-Fluorobiphenyl	9.098	172	899519	63.88	ng	-0.01
79) Terphenyl-d14	12.845	244	649846	53.20	ng	-0.02
Target Compounds						
50) Dimethylphthalate	9.498	163	174861	11.54	ng	Qvalue 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101420\
Data File : BF121976.D
Acq On : 15 Oct 2020 3:24
Operator : JU/CG
Sample : L4388-02
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BG-2

Quant Time: Oct 15 04:57:58 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 12 16:22:33 2020
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.739 min Scan# 791
Delta R.T. -0.006 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24




Instrument :
BNA_F
ClientSampleId :
BG-2

Tgt Ion:152 Resp: 108219
Ion Ratio Lower Upper
152 100
150 157.5 125.3 187.9
115 64.4 51.9 77.9



#5
2-Fluorophenol
Concen: 80.08 ng
RT: 5.363 min Scan# 557
Delta R.T. -0.000 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24

Tgt Ion:112 Resp: 587167
Ion Ratio Lower Upper
112 100
64 66.7 50.4 75.6
63 34.1 25.8 38.6








#7
Phenol-d6
Concen: 80.91 ng
RT: 6.386 min Scan# 731
Delta R.T. -0.012 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24




Instrument :
BNA_F
ClientSampleId :
BG-2


Tgt Ion: 99 Resp: 763704
Ion Ratio Lower Upper
99 100
42 20.6 15.9 23.9
71 34.5 27.1 40.7



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.028 min Scan# 1010
Delta R.T. -0.006 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24

Tgt Ion: 136 Resp: 417375
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 8.6 7.1 10.7
68 6.2 5.0 7.4









#23
Nitrobenzene-d5
Concen: 66.56 ng
RT: 7.310 min Scan# 888
Delta R.T. -0.012 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24




Instrument :
BNA_F
ClientSampleId :
BG-2

Tgt Ion: 82 Resp: 541703
Ion Ratio Lower Upper
82 100
128 43.5 35.0 52.4
54 53.4 43.9 65.9



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.774 min Scan# 1307
Delta R.T. -0.012 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24

Tgt Ion: 164 Resp: 207175
Ion Ratio Lower Upper
164 100
162 100.4 83.2 124.8
160 45.5 37.5 56.3








#42
2,4,6-Tribromophenol
Concen: 73.92 ng
RT: 10.569 min Scan# 1442
Delta R.T. -0.012 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24




Instrument :
BNA_F
ClientSampleId :
BG-2

Tgt Ion:330 Resp: 189446
Ion Ratio Lower Upper
330 100
332 96.2 77.3 115.9
141 30.3 22.3 33.5



#45
2-Fluorobiphenyl
Concen: 63.88 ng
RT: 9.098 min Scan# 1192
Delta R.T. -0.012 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24

Tgt Ion:172 Resp: 899519
Ion Ratio Lower Upper
172 100
171 35.7 29.1 43.7
170 23.8 19.8 29.6








#50
Dimethylphthalate
Concen: 11.54 ng
RT: 9.498 min Scan# 1260
Delta R.T. -0.018 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24




Instrument :
BNA_F
ClientSampled :
BG-2


Tgt Ion:163 Resp: 174861
Ion Ratio Lower Upper
163 100
194 4.1 3.3 4.9
164 10.2 8.2 12.4



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.263 min Scan# 1560
Delta R.T. -0.012 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24

Tgt Ion:188 Resp: 355707
Ion Ratio Lower Upper
188 100
94 9.7 8.3 12.5
80 10.5 9.1 13.7









#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.904 min Scan# 2009
Delta R.T. -0.012 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24




Instrument :
BNA_F
ClientSampled :
BG-2


Tgt Ion:240 Resp: 232793
Ion Ratio Lower Upper
240 100
120 10.1 9.2 13.8
236 25.3 20.9 31.3



#79
Terphenyl-d14
Concen: 53.20 ng
RT: 12.845 min Scan# 1829
Delta R.T. -0.018 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24


Tgt Ion:244 Resp: 649846
Ion Ratio Lower Upper
244 100
212 7.0 5.4 8.2
122 11.2 8.1 12.1





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.339 min Scan# 2253
Delta R.T. -0.012 min
Lab File: BF121976.D
Acq: 15 Oct 2020 3:24

Instrument :
BNA_F
ClientSampleId :
BG-2



Tgt Ion:264 Resp: 239928

Ion	Ratio	Lower	Upper
264	100		
260	23.6	18.7	28.1
265	20.6	17.3	25.9

