

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF101517\
 Data File : BF099522.D
 Acq On : 15 Oct 2017 19:14
 Operator : SJ/JU
 Sample : I5816-01 5X
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OR-01-101117

Quant Time: Oct 16 02:40:48 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 11 16:25:21 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	88079	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	321669	20.00	ng	0.00
38) Acenaphthene-d10	9.88	164	114902	20.00	ng	-0.01
63) Phenanthrene-d10	11.37	188	176486	20.00	ng	0.00
75) Chrysene-d12	14.02	240	190619	20.00	ng	0.00
86) Perylene-d12	15.49	264	173327	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	132819	24.01	ng	0.00
7) Phenol-d6	6.47	99	158144	23.17	ng	-0.01
23) Nitrobenzene-d5	7.40	82	82706	16.49	ng	-0.02
41) 2,4,6-Tribromophenol	10.67	330	18841	20.04	ng	-0.01
44) 2-Fluorobiphenyl	9.20	172	154977	22.52	ng	-0.01
78) Terphenyl-d14	12.95	244	117469	14.01	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.59	163	21911	2.527	ng	Qvalue # 99
74) Fluoranthene	12.59	202	22798	2.383	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA F\DATA\BF101517\
Data File : BF099522.D
Acq On : 15 Oct 2017 19:14
Operator : SJ/JU
Sample : I5816-01 5X
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OR-01-101117

Quant Time: Oct 16 02:40:48 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 11 16:25:21 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 809
Delta R.T. -0.01 min
Lab File: BF099522.D
Acq: 15 Oct 2017 19:14

Instrument :
BNA_F
ClientSampleId :
OR-01-101117

Tot Ion:152 Resp: 88079
Ion Ratio Lower Upper
152 100
150 149.5 124.6 186.8
115 56.3 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 24.005 ng
RT: 5.46 min Scan# 574
Delta R.T. -0.01 min
Lab File: BF099522.D
Acq: 15 Oct 2017 19:14

Tgt Ion:112 Resp: 132819
Ion Ratio Lower Upper
112 100
64 53.9 47.9 71.9
63 25.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 23.170 ng

RT: 6.47 min Scan# 746

Delta R.T. -0.01 min

Lab File: BF099522.D

Acq: 15 Oct 2017 19:14

Instrument :

BNA_F

ClientSampleId :

OR-01-101117


Tot Ion: 99 Resp: 158144

Ion Ratio Lower Upper

99 100

42 15.9 14.5 21.7




71 30.4 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1027

Delta R.T. -0.01 min

Lab File: BF099522.D

Acq: 15 Oct 2017 19:14

Tgt Ion: 136 Resp: 321669


Ion Ratio Lower Upper

136 100

137 10.5 8.9 13.3

54 6.2 6.6 9.8#

68 5.2 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 16.489 ng

RT: 7.40 min Scan# 904

Delta R.T. -0.02 min

Lab File: BF099522.D

Acq: 15 Oct 2017 19:14

Instrument :

BNA_F

ClientSampleId :

OR-01-101117


Tot Ion: 82 Resp: 82706

Ion Ratio Lower Upper

82 100

128 46.3 36.1 54.1




54 49.5 41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): BF0

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.88 min Scan# 1325

Delta R.T. -0.01 min

Lab File: BF099522.D

Acq: 15 Oct 2017 19:14


Tgt Ion: 164 Resp: 114902

Ion Ratio Lower Upper

164 100

162 106.2 86.1 129.1



160 45.6 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 20.039 ng
 RT: 10.67 min Scan# 1459
 Delta R.T. -0.01 min
 Lab File: BF099522.D
 Acq: 15 Oct 2017 19:14

Instrument :
 BNA_F
 ClientSampleId :
 OR-01-101117

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.4	77.0	115.6
141	43.0	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 22.517 ng
 RT: 9.20 min Scan# 1209
 Delta R.T. -0.01 min
 Lab File: BF099522.D
 Acq: 15 Oct 2017 19:14

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.3	29.7	44.5
170	22.2	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.527 ng

RT: 9.59 min Scan# 1276

Delta R.T. -0.02 min

Lab File: BF099522.D

Acq: 15 Oct 2017 19:14

Instrument :

BNA_F

ClientSampleId :

OR-01-101117


Tot Ion:163 Resp: 21911

Ion Ratio Lower Upper

163 100

194 4.4 2.7 4.1#



164 10.1 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.37 min Scan# 1578

Delta R.T. -0.01 min

Lab File: BF099522.D

Acq: 15 Oct 2017 19:14


Tgt Ion:188 Resp: 176486

Ion Ratio Lower Upper

188 100

94 10.7 8.5 12.7



80 10.7 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#74
Fluoranthene
Concen: 2.383 ng
RT: 12.59 min Scan# 1785
Delta R.T. -0.00 min
Lab File: BF099522.D
Acq: 15 Oct 2017 19:14




Instrument :
BNA_F
ClientSampleId :
OR-01-101117


Tot Ion:202 Resp: 22798
Ion Ratio Lower Upper
202 100
101 13.0 0.0 34.1
203 16.4 0.0 38.1



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2028
Delta R.T. -0.00 min
Lab File: BF099522.D
Acq: 15 Oct 2017 19:14

Tgt Ion:240 Resp: 190619
Ion Ratio Lower Upper
240 100
120 12.7 9.5 14.3
236 25.6 20.7 31.1





#78

Terphenyl-d14

Concen: 14.015 ng

RT: 12.95 min Scan# 1847

Delta R.T. -0.01 min

Lab File: BF099522.D

Acq: 15 Oct 2017 19:14

Instrument :

BNA_F

ClientSampleId :

OR-01-101117


Tot Ion:244 Resp: 117469

Ion Ratio Lower Upper

244 100

212 6.7 5.4 8.0




122 11.5 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.49 min Scan# 2278

Delta R.T. 0.01 min

Lab File: BF099522.D

Acq: 15 Oct 2017 19:14


Tgt Ion:264 Resp: 173327

Ion Ratio Lower Upper

264 100

260 24.0 19.2 28.8

265 21.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

