

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101520\
 Data File : BF122003.D
 Acq On : 15 Oct 2020 21:22
 Operator : JU/CG
 Sample : L4227-01 2X
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BU-01-101420

Manual Integrations
 APPROVED

mohammad
 10/16/2020 12:48:11 PM

Quant Time: Oct 16 01:09:23 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 15 12:55:05 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.740	152	108836	20.00	ng	0.00
21) Naphthalene-d8	8.028	136	425568	20.00	ng	0.00
39) Acenaphthene-d10	9.775	164	206473	20.00	ng	0.00
64) Phenanthrene-d10	11.263	188	324504	20.00	ng	0.00
76) Chrysene-d12	13.904	240	257321	20.00	ng	0.00
86) Perylene-d12	15.339	264	246312	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.363	112	327821	44.46	ng	0.00
7) Phenol-d6	6.387	99	425191	44.79	ng	0.00
23) Nitrobenzene-d5	7.310	82	279297	33.66	ng	0.00
42) 2,4,6-Tribromophenol	10.569	330	80292	31.44	ng	0.00
45) 2-Fluorobiphenyl	9.098	172	446647	31.83	ng	0.00
79) Terphenyl-d14	12.845	244	299774	22.20	ng	0.00
Target Compounds						Qvalue
50) Dimethylphthalate	9.498	163	84915	5.62	ng	98
71) Phenanthrene	11.286	178	67773	3.81	ng	99
75) Fluoranthene	12.474	202	136054	7.13	ng	98
78) Pyrene	12.704	202	232189	11.84	ng	100
81) Benzo(a)anthracene	13.892	228	141934	8.42	ng	100
83) Chrysene	13.927	228	148060	8.94	ng	99
87) Indeno(1,2,3-cd)pyrene	16.751	276	54816	3.43	ng	98
88) Benzo(b)fluoranthene	14.927	252	145281m	8.73	ng	
89) Benzo(k)fluoranthene	14.951	252	46977m	2.97	ng	
90) Benzo(a)pyrene	15.280	252	127181	8.84	ng	99
92) Benzo(g,h,i)perylene	17.180	276	58519	4.44	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101520\
Data File : BF122003.D
Acq On : 15 Oct 2020 21:22
Operator : JU/CG
Sample : L4227-01 2X
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BU-01-101420

Manual Integrations
APPROVED


mohammad
10/16/2020 12:48:11 PM

Quant Time: Oct 16 01:09:23 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 15 12:55:05 2020
Response via : Initial Calibration







#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.740 min Scan# 791
Delta R.T. -0.005 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22




Tgt Ion:152 Resp: 108836
Ion Ratio Lower Upper
152 100
150 161.0 125.3 187.9
115 64.7 51.9 77.9




Instrument :
BNA_F
ClientSampleId :
BU-01-101420

Manual Integrations
APPROVED



mohammad
10/16/2020 12:48:11 PM



#5
2-Fluorophenol
Concen: 44.46 ng
RT: 5.363 min Scan# 557
Delta R.T. 0.000 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22



Tgt Ion:112 Resp: 327821
Ion Ratio Lower Upper
112 100
64 61.7 50.4 75.6
63 31.4 25.8 38.6









#7
Phenol-d6
Concen: 44.79 ng
RT: 6.387 min Scan# 731
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22

Tgt Ion: 99 Resp: 425191
Ion Ratio Lower Upper
99 100
42 18.7 15.9 23.9
71 32.8 27.1 40.7

Instrument :
BNA_F
ClientSampleId :
BU-01-101420




Manual Integrations
APPROVED

mohammad
10/16/2020 12:48:11 PM



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.028 min Scan# 1010
Delta R.T. 0.000 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22

Tgt Ion: 136 Resp: 425568
Ion Ratio Lower Upper
136 100
137 10.6 8.6 13.0
54 8.6 7.1 10.7
68 6.4 5.0 7.4









#23
Nitrobenzene-d5
Concen: 33.66 ng
RT: 7.310 min Scan# 888
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22

Tgt Ion: 82 Resp: 279297
Ion Ratio Lower Upper
82 100
128 44.0 35.0 52.4
54 52.4 43.9 65.9

Instrument :
BNA_F
ClientSampleId :
BU-01-101420




Manual Integrations
APPROVED

mohammad
10/16/2020 12:48:11 PM




#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.775 min Scan# 1307
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22

Tgt Ion:164 Resp: 206473
Ion Ratio Lower Upper
164 100
162 102.9 83.2 124.8
160 46.8 37.5 56.3









#42
2,4,6-Tribromophenol
Concen: 31.44 ng
RT: 10.569 min Scan# 1442
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22





Tgt Ion: 330 Resp: 80292
Ion Ratio Lower Upper
330 100
332 97.8 77.3 115.9
141 33.7 22.3 33.5#



#45
2-Fluorobiphenyl
Concen: 31.83 ng
RT: 9.098 min Scan# 1192
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22



Tgt Ion: 172 Resp: 446647
Ion Ratio Lower Upper
172 100
171 35.5 29.1 43.7
170 23.1 19.8 29.6



Instrument :
BNA_F
ClientSampleId :
BU-01-101420

Manual Integrations
APPROVED

mohammad
10/16/2020 12:48:11 PM







#50
Dimethylphthalate
Concen: 5.62 ng
RT: 9.498 min Scan# 1260
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22

Tgt Ion:163	Resp:	84915
Ion Ratio	Lower	Upper
163	100	
194	3.8	3.3 4.9
164	9.4	8.2 12.4

Instrument :
BNA_F
ClientSampleId :
BU-01-101420




Manual Integrations
APPROVED


mohammad
10/16/2020 12:48:11 PM



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.263 min Scan# 1560
Delta R.T. 0.000 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22

Tgt Ion:188	Resp:	324504
Ion Ratio	Lower	Upper
188	100	
94	10.3	8.3 12.5
80	10.4	9.1 13.7









#71
Phenanthrene
Concen: 3.81 ng
RT: 11.286 min Scan# 1564
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22

Tgt Ion:178 Resp: 67773
Ion Ratio Lower Upper
178 100
176 19.4 15.9 23.9
179 15.8 12.2 18.4

Instrument :
BNA_F
ClientSampleId :
BU-01-101420




Manual Integrations
APPROVED


mohammad
10/16/2020 12:48:11 PM



#75
Fluoranthene
Concen: 7.13 ng
RT: 12.474 min Scan# 1766
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22


Tgt Ion:202 Resp: 136054
Ion Ratio Lower Upper
202 100
101 12.0 0.0 33.4
203 17.7 0.0 37.9





#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.904 min Scan# 2009
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22




Instrument :
BNA_F
ClientSampleId :
BU-01-101420




Tgt Ion:240 Resp: 257321
Ion Ratio Lower Upper
240 100
120 11.0 9.2 13.8
236 26.1 20.9 31.3

Manual Integrations
APPROVED



mohammad
10/16/2020 12:48:11 PM




#78
Pyrene
Concen: 11.84 ng
RT: 12.704 min Scan# 1805
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22




Tgt Ion:202 Resp: 232189
Ion Ratio Lower Upper
202 100
200 21.5 17.4 26.2
203 18.1 14.6 21.8





#79
Terphenyl-d14
Concen: 22.20 ng
RT: 12.845 min Scan# 1829
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22




Instrument :
BNA_F
ClientSampleId :
BU-01-101420




Tgt Ion:244 Resp: 299774
Ion Ratio Lower Upper
244 100
212 6.7 5.4 8.2
122 10.2 8.1 12.1

Manual Integrations
APPROVED



mohammad
10/16/2020 12:48:11 PM




#81
Benzo(a)anthracene
Concen: 8.42 ng
RT: 13.892 min Scan# 2007
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22




Tgt Ion:228 Resp: 141934
Ion Ratio Lower Upper
228 100
226 27.9 22.3 33.5
229 20.4 16.2 24.4









#83
Chrysene
Concen: 8.94 ng
RT: 13.927 min Scan# 2013
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22





Tgt Ion:228 Resp: 148060
Ion Ratio Lower Upper
228 100
226 30.4 24.6 37.0
229 20.5 15.9 23.9



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.339 min Scan# 2253
Delta R.T. 0.000 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22




Tgt Ion:264 Resp: 246312
Ion Ratio Lower Upper
264 100
260 23.4 18.7 28.1
265 22.9 17.3 25.9



Instrument :
BNA_F
ClientSampleId :
BU-01-101420

Manual Integrations
APPROVED

mohammad
10/16/2020 12:48:11 PM







#87
Indeno(1,2,3-cd)pyrene
Concen: 3.43 ng
RT: 16.751 min Scan# 2493
Delta R.T. -0.012 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22

Tgt Ion: 276 Resp: 54816
Ion Ratio Lower Upper
276 100
138 23.2 19.9 29.9
277 25.5 20.4 30.6

Instrument :
BNA_F
ClientSampleId :
BU-01-101420




Manual Integrations
APPROVED


mohammad
10/16/2020 12:48:11 PM



#88
Benzo(b)fluoranthene
Concen: 8.73 ng m
RT: 14.927 min Scan# 2183
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22


Tgt Ion: 252 Resp: 145281
Ion Ratio Lower Upper
252 100
253 22.2 18.2 27.2
125 12.1 8.0 12.0#





#89
Benzo(k)fluoranthene
Concen: 2.97 ng m
RT: 14.951 min Scan# 2187
Delta R.T. -0.012 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22




Instrument :
BNA_F
ClientSampleId :
BU-01-101420




Tgt Ion:252 Resp: 46977
Ion Ratio Lower Upper
252 100
253 23.7 17.8 26.6
125 13.0 7.7 11.5#

Manual Integrations
APPROVED



mohammad
10/16/2020 12:48:11 PM




#90
Benzo(a)pyrene
Concen: 8.84 ng
RT: 15.280 min Scan# 2243
Delta R.T. -0.006 min
Lab File: BF122003.D
Acq: 15 Oct 2020 21:22




Tgt Ion:252 Resp: 127181
Ion Ratio Lower Upper
252 100
253 22.5 17.3 25.9
125 11.0 8.6 13.0







#92
 Benzo(g,h,i)perylene
 Concen: 4.44 ng
 RT: 17.180 min Scan# 2566
 Delta R.T. -0.006 min
 Lab File: BF122003.D
 Acq: 15 Oct 2020 21:22



Tgt Ion:	276	Resp:	58519
Ion Ratio	Lower	Upper	
276	100		
277	26.1	19.4	29.2
138	22.3	17.8	26.6



Instrument :
 BNA_F
 ClientSampleId :
 BU-01-101420

Manual Integrations
 APPROVED

mohammad
 10/16/2020 12:48:11 PM