

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101717\
 Data File : BF099601.D
 Acq On : 18 Oct 2017 00:31
 Operator : SJ/JU
 Sample : I5869-10
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-09-10-11-17

Quant Time: Oct 18 02:59:53 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 17 17:32:20 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.83	152	103126	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	427695	20.00	ng	0.00
38) Acenaphthene-d10	9.86	164	187523	20.00	ng	0.00
63) Phenanthrene-d10	11.35	188	287667	20.00	ng	0.00
75) Chrysene-d12	13.99	240	179085	20.00	ng	-0.01
86) Perylene-d12	15.45	264	192332	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	334520	51.64	ng	0.01
7) Phenol-d6	6.47	99	239343	29.95	ng	0.00
23) Nitrobenzene-d5	7.39	82	546517	81.95	ng	0.00
41) 2,4,6-Tribromophenol	10.66	330	143408	93.46	ng	0.00
44) 2-Fluorobiphenyl	9.18	172	1021286	90.92	ng	0.00
78) Terphenyl-d14	12.93	244	631347	80.17	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101717\
Data File : BF099601.D
Acq On : 18 Oct 2017 00:31
Operator : SJ/JU
Sample : I5869-10
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-09-10-11-17

Quant Time: Oct 18 02:59:53 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 17 17:32:20 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.83 min Scan# 806
 Delta R.T. -0.00 min
 Lab File: BF099601.D
 Acq: 18 Oct 2017 00:31

Instrument :
 BNA_F
 ClientSampleId :
 MW-09-10-11-17

Tot Ion:152 Resp: 103126
 Ion Ratio Lower Upper
 152 100
 150 158.6 124.6 186.8
 115 58.0 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 51.638 ng
 RT: 5.46 min Scan# 573
 Delta R.T. 0.01 min
 Lab File: BF099601.D
 Acq: 18 Oct 2017 00:31

Tgt Ion:112 Resp: 334520
 Ion Ratio Lower Upper
 112 100
 64 52.2 47.9 71.9
 63 24.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 29.949 ng

RT: 6.47 min Scan# 745

Delta R.T. -0.00 min

Lab File: BF099601.D

Acq: 18 Oct 2017 00:31

Instrument :

BNA_F

ClientSampleId :

MW-09-10-11-17


Tot Ion: 99 Resp: 239343

Ion Ratio Lower Upper

99 100

42 14.6 14.5 21.7




71 29.1 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.10 min Scan# 1023

Delta R.T. -0.01 min

Lab File: BF099601.D

Acq: 18 Oct 2017 00:31

Tgt Ion: 136 Resp: 427695


Ion Ratio Lower Upper

136 100

137 11.1 8.9 13.3

54 7.0 6.6 9.8

68 6.3 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 81.947 ng
 RT: 7.39 min Scan# 902
 Delta R.T. -0.01 min
 Lab File: BF099601.D
 Acq: 18 Oct 2017 00:31




Instrument :
 BNA_F
 ClientSampleId :
 MW-09-10-11-17


Tot Ion	82	Resp	546517
Ion Ratio	Lower	Upper	
82	100		
128	47.3	36.1	54.1
54	45.5	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.86 min Scan# 1322
 Delta R.T. -0.00 min
 Lab File: BF099601.D
 Acq: 18 Oct 2017 00:31

Tgt Ion	164	Resp	187523
Ion Ratio	Lower	Upper	
164	100		
162	104.5	86.1	129.1
160	46.7	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 93.459 ng
 RT: 10.66 min Scan# 1457
 Delta R.T. -0.00 min
 Lab File: BF099601.D
 Acq: 18 Oct 2017 00:31




Instrument :
 BNA_F
 ClientSampleId :
 MW-09-10-11-17


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.3	77.0	115.6
141	37.5	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 90.920 ng
 RT: 9.18 min Scan# 1206
 Delta R.T. -0.01 min
 Lab File: BF099601.D
 Acq: 18 Oct 2017 00:31

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.7	44.5
170	23.9	19.6	29.4









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.35 min Scan# 1575
Delta R.T. -0.00 min
Lab File: BF099601.D
Acq: 18 Oct 2017 00:31




Instrument :
BNA_F
ClientSampleId :
MW-09-10-11-17


Tot Ion:188 Resp: 287667
Ion Ratio Lower Upper
188 100
94 10.2 8.5 12.7
80 10.5 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.99 min Scan# 2023
Delta R.T. -0.01 min
Lab File: BF099601.D
Acq: 18 Oct 2017 00:31

Tgt Ion:240 Resp: 179085
Ion Ratio Lower Upper
240 100
120 15.9 9.5 14.3#
236 25.3 20.7 31.1





#78

Terphenyl-d14

Concen: 80.175 ng

RT: 12.93 min Scan# 1844

Delta R.T. -0.00 min

Lab File: BF099601.D

Acq: 18 Oct 2017 00:31

Instrument :

BNA_F

ClientSampleId :

MW-09-10-11-17


Tot Ion:244 Resp: 631347

Ion Ratio Lower Upper

244 100

212 6.8 5.4 8.0




122 11.8 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.45 min Scan# 2272

Delta R.T. -0.00 min

Lab File: BF099601.D

Acq: 18 Oct 2017 00:31


Tgt Ion:264 Resp: 192332

Ion Ratio Lower Upper

264 100

260 23.3 19.2 28.8

265 21.1 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

