

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF101818\
 Data File : BF109979.D
 Acq On : 19 Oct 2018 00:35
 Operator : JU/SJ
 Sample : J5570-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TS-06

Quant Time: Oct 19 05:32:35 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF101518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 16 14:58:24 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	222461	20.00	ng	0.00
21) Naphthalene-d8	8.26	136	885132	20.00	ng	-0.01
39) Acenaphthene-d10	10.02	164	414847	20.00	ng	-0.01
64) Phenanthrene-d10	11.51	188	714545	20.00	ng	0.00
76) Chrysene-d12	14.15	240	428265	20.00	ng	-0.01
87) Perylene-d12	15.68	264	428345	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	1279624	91.18	ng	0.00
7) Phenol-d6	6.60	99	1633021	93.71	ng	0.00
23) Nitrobenzene-d5	7.54	82	1029034	78.32	ng	-0.01
42) 2,4,6-Tribromophenol	10.81	330	364473	101.48	ng	0.00
45) 2-Fluorobiphenyl	9.33	172	1573373	60.52	ng	0.00
79) Terphenyl-d14	13.09	244	1183352	58.02	ng	-0.01
Target Compounds						
10) Phenol	6.61	94	186800	9.928	ng	Qvalue # 60
50) Dimethylphthalate	9.72	163	275952	9.394	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF101818\
Data File : BF109979.D
Acq On : 19 Oct 2018 00:35
Operator : JU/SJ
Sample : J5570-01
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TS-06

Quant Time: Oct 19 05:32:35 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF101518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 16 14:58:24 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.97 min Scan# 831
Delta R.T. -0.01 min
Lab File: BF109979.D
Acq: 19 Oct 2018 00:35

Instrument :
BNA_F
ClientSampled :
TS-06

Tot Ion:152 Resp: 222461
Ion Ratio Lower Upper
152 100
150 154.7 122.7 184.1
115 62.2 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 91.179 ng
RT: 5.60 min Scan# 598
Delta R.T. 0.01 min
Lab File: BF109979.D
Acq: 19 Oct 2018 00:35

Tgt Ion:112 Resp: 1279624
Ion Ratio Lower Upper
112 100
64 60.0 44.1 66.1
63 31.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 93.708 ng

RT: 6.60 min Scan# 767

Delta R.T. -0.01 min

Lab File: BF109979.D

Acq: 19 Oct 2018 00:35

Instrument :

BNA_F

ClientSampleId :

TS-06


Tot Ion: 99 Resp: 1633021

Ion Ratio Lower Upper




99 100

42 19.5 15.8 23.6

71 35.2 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 9.928 ng

RT: 6.61 min Scan# 769

Delta R.T. -0.01 min

Lab File: BF109979.D

Acq: 19 Oct 2018 00:35


Tgt Ion: 94 Resp: 186800

Ion Ratio Lower Upper



94 100


65 27.1 25.3 65.3

66 34.7 54.5 94.5#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.26 min Scan# 1049
Delta R.T. -0.01 min
Lab File: BF109979.D
Acq: 19 Oct 2018 00:35

Instrument :
BNA_F
ClientSampleId :
TS-06

Tot Ion:136	Resp:	885132
Ion Ratio	Lower	Upper
136	100	
137	11.1	8.8 13.2
54	8.5	5.4 8.2#
68	6.0	4.2 6.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 78.316 ng
RT: 7.54 min Scan# 927
Delta R.T. -0.01 min
Lab File: BF109979.D
Acq: 19 Oct 2018 00:35

Tgt Ion: 82	Resp:	1029034
Ion Ratio	Lower	Upper
82	100	
128	47.2	34.2 51.2
54	52.3	38.6 58.0



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.02 min Scan# 1348

Delta R.T. -0.01 min

Lab File: BF109979.D

Acq: 19 Oct 2018 00:35

Instrument :

BNA_F

ClientSampleId :

TS-06


Tot Ion:164 Resp: 414847

Ion Ratio Lower Upper

164 100

162 102.0 83.0 124.6




160 45.5 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 101.478 ng

RT: 10.81 min Scan# 1483

Delta R.T. -0.01 min

Lab File: BF109979.D

Acq: 19 Oct 2018 00:35


Tgt Ion:330 Resp: 364473

Ion Ratio Lower Upper

330 100

332 96.2 77.1 115.7



141 37.2 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 60.518 ng
RT: 9.33 min Scan# 1232
Delta R.T. -0.01 min
Lab File: BF109979.D
Acq: 19 Oct 2018 00:35

Instrument :
BNA_F
ClientSampleId :
TS-06

Tot Ion:172 Resp: 1573373
Ion Ratio Lower Upper
172 100
171 36.1 28.6 43.0
170 24.4 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 9.394 ng
RT: 9.72 min Scan# 1298
Delta R.T. -0.02 min
Lab File: BF109979.D
Acq: 19 Oct 2018 00:35

Tgt Ion:163 Resp: 275952
Ion Ratio Lower Upper
163 100
194 3.8 3.2 4.8
164 10.5 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.51 min Scan# 1602
Delta R.T. -0.01 min
Lab File: BF109979.D
Acq: 19 Oct 2018 00:35




Instrument :
BNA_F
ClientSampled :
TS-06


Tot Ion:188 Resp: 714545
Ion Ratio Lower Upper
188 100
94 9.7 7.2 10.8
80 10.3 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.15 min Scan# 2051
Delta R.T. -0.01 min
Lab File: BF109979.D
Acq: 19 Oct 2018 00:35

Tgt Ion:240 Resp: 428265
Ion Ratio Lower Upper
240 100
120 13.1 8.3 12.5#
236 25.7 21.2 31.8









#79
 Terphenyl-d14
 Concen: 58.024 ng
 RT: 13.09 min Scan# 1871
 Delta R.T. -0.01 min
 Lab File: BF109979.D
 Acq: 19 Oct 2018 00:35

Instrument :
 BNA_F
 ClientSampleId :
 TS-06

Tot Ion:244 Resp: 1183352
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.8 8.8
 122 13.0 8.7 13.1



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.68 min Scan# 2311
 Delta R.T. -0.01 min
 Lab File: BF109979.D
 Acq: 19 Oct 2018 00:35

Tgt Ion:264 Resp: 428345
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.7 28.1
 265 21.7 16.7 25.1

