

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101822\
 Data File : BF130695.D
 Acq On : 18 Oct 2022 12:54
 Operator : CG\JU
 Sample : PB148386BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB148386BL

Quant Time: Oct 18 13:35:39 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 18 03:15:54 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.575	152	113004	20.000	ng	0.00
21) Naphthalene-d8	7.857	136	446157	20.000	ng	0.00
39) Acenaphthene-d10	9.604	164	234401	20.000	ng	0.00
64) Phenanthrene-d10	11.086	188	401010	20.000	ng	0.00
76) Chrysene-d12	13.715	240	295654	20.000	ng	0.00
86) Perylene-d12	15.092	264	233454	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.187	112	790900	126.158	ng	0.02
7) Phenol-d6	6.228	99	995027	126.240	ng	0.00
23) Nitrobenzene-d5	7.145	82	618686	75.701	ng	0.00
42) 2,4,6-Tribromophenol	10.398	330	276438	120.526	ng	0.00
45) 2-Fluorobiphenyl	8.933	172	1172135	75.746	ng	0.00
79) Terphenyl-d14	12.674	244	1294185	72.652	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101822\
Data File : BF130695.D
Acq On : 18 Oct 2022 12:54
Operator : CG\JU
Sample : PB148386BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB148386BL

Quant Time: Oct 18 13:35:39 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 18 03:15:54 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.575 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF130695.D
Acq: 18 Oct 2022 12:54




Instrument :
BNA_F
ClientSampleId :
PB148386BL


Tgt Ion:152 Resp: 113004
Ion Ratio Lower Upper
152 100
150 150.9 123.8 185.6
115 62.0 52.2 78.4



#5
2-Fluorophenol
Concen: 126.158 ng
RT: 5.187 min Scan# 561
Delta R.T. 0.018 min
Lab File: BF130695.D
Acq: 18 Oct 2022 12:54

Tgt Ion:112 Resp: 790900
Ion Ratio Lower Upper
112 100
64 54.8 43.5 65.3
63 29.2 22.6 34.0









#7
Phenol-d6
Concen: 126.240 ng
RT: 6.228 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF130695.D
Acq: 18 Oct 2022 12:54




Instrument :
BNA_F
ClientSampleId :
PB148386BL


Tgt Ion: 99 Resp: 995027
Ion Ratio Lower Upper
99 100
42 17.5 14.0 21.0
71 36.3 28.8 43.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.857 min Scan# 1015
Delta R.T. -0.000 min
Lab File: BF130695.D
Acq: 18 Oct 2022 12:54

Tgt Ion: 136 Resp: 446157
Ion Ratio Lower Upper
136 100
137 11.2 8.4 12.6
54 6.9 5.5 8.3
68 4.8 4.0 6.0









#23
Nitrobenzene-d5
Concen: 75.701 ng
RT: 7.145 min Scan# 894
Delta R.T. -0.006 min
Lab File: BF130695.D
Acq: 18 Oct 2022 12:54




Instrument :
BNA_F
ClientSampleId :
PB148386BL


Tgt Ion: 82 Resp: 618686
Ion Ratio Lower Upper
82 100
128 45.0 35.8 53.6
54 49.5 39.3 58.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.604 min Scan# 1312
Delta R.T. -0.006 min
Lab File: BF130695.D
Acq: 18 Oct 2022 12:54

Tgt Ion:164 Resp: 234401
Ion Ratio Lower Upper
164 100
162 104.2 81.0 121.4
160 45.1 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 120.526 ng
RT: 10.398 min Scan# 1415
Delta R.T. -0.000 min
Lab File: BF130695.D
Acq: 18 Oct 2022 12:54




Instrument :
BNA_F
ClientSampleId :
PB148386BL


Tgt Ion: 330 Resp: 276438
Ion Ratio Lower Upper
330 100
332 103.8 84.2 126.4
141 32.4 26.8 40.2



#45
2-Fluorobiphenyl
Concen: 75.746 ng
RT: 8.933 min Scan# 1198
Delta R.T. -0.006 min
Lab File: BF130695.D
Acq: 18 Oct 2022 12:54

Tgt Ion: 172 Resp: 1172135
Ion Ratio Lower Upper
172 100
171 35.0 27.8 41.8
170 23.5 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.086 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF130695.D
Acq: 18 Oct 2022 12:54




Instrument :
BNA_F
ClientSampleId :
PB148386BL


Tgt Ion:188 Resp: 401010
Ion Ratio Lower Upper
188 100
94 9.2 7.4 11.2
80 9.6 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.715 min Scan# 2011
Delta R.T. -0.006 min
Lab File: BF130695.D
Acq: 18 Oct 2022 12:54


Tgt Ion:240 Resp: 295654
Ion Ratio Lower Upper
240 100
120 11.7 8.6 13.0
236 25.3 20.2 30.4








#79
 Terphenyl-d14
 Concen: 72.652 ng
 RT: 12.674 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF130695.D
 Acq: 18 Oct 2022 12:54

Instrument :
 BNA_F
 ClientSampleId :
 PB148386BL



Tgt Ion:244 Resp: 1294185
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.4 8.0
 122 9.9 7.5 11.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.092 min Scan# 2245
 Delta R.T. 0.006 min
 Lab File: BF130695.D
 Acq: 18 Oct 2022 12:54

Tgt Ion:264 Resp: 233454
 Ion Ratio Lower Upper
 264 100
 260 23.8 19.1 28.7
 265 21.4 16.4 24.6

