

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101822\
 Data File : BF130706.D
 Acq On : 18 Oct 2022 19:24
 Operator : CG\JU
 Sample : N5172-01MSD
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BU-02-101722MSD

Quant Time: Oct 19 02:41:14 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 18 03:15:54 2022
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By : Christian Giraldo 10/19/2022
 Supervised By : Jagrut Upadhyay 10/19/2022

10/19/2022
 Supervised By : Jagrut
 Upadhyay

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.575	152	58754	20.000	ng	0.00
21) Naphthalene-d8	7.863	136	199277	20.000	ng	0.00
39) Acenaphthene-d10	9.610	164	98229	20.000	ng	0.00
64) Phenanthrene-d10	11.098	188	174895	20.000	ng	0.01
76) Chrysene-d12	13.745	240	135681	20.000	ng	0.02
86) Perylene-d12	15.115	264	102838	20.000	ng	# 0.03

System Monitoring Compounds						
5) 2-Fluorophenol	5.187	112	404792	124.188	ng	0.02
7) Phenol-d6	6.239	99	452499	110.417	ng	0.01
23) Nitrobenzene-d5	7.151	82	276810	75.830	ng	0.00
42) 2,4,6-Tribromophenol	10.404	330	125353	130.418	ng	0.00
45) 2-Fluorobiphenyl	8.939	172	472912	72.926	ng	0.00
79) Terphenyl-d14	12.686	244	604377	73.931	ng	0.01

Target Compounds						Qvalue
2) 1,4-Dioxane	2.175	88	72608	36.820	ng	98
3) Pyridine	2.834	79	163406	46.325	ng	97
4) n-Nitrosodimethylamine	2.799	42	85626	51.520	ng	92
6) Aniline	6.245	93	168927	34.430	ng	# 62
8) 2-Chlorophenol	6.369	128	179249	46.763	ng	95
9) Benzaldehyde	6.128	77	82781	32.151	ng	98
10) Phenol	6.251	94	210710	44.437	ng	82
11) bis(2-Chloroethyl)ether	6.322	93	163675	47.520	ng	97
12) 1,3-Dichlorobenzene	6.516	146	197343	47.020	ng	98
13) 1,4-Dichlorobenzene	6.592	146	202751	47.619	ng	98
14) 1,2-Dichlorobenzene	6.745	146	184400	46.503	ng	97
15) Benzyl Alcohol	6.739	79	137514	46.738	ng	95
16) 2,2'-oxybis(1-Chloropr...	6.863	45	191634	43.245	ng	# 47
17) 2-Methylphenol	6.857	107	133947	43.929	ng	94
18) Hexachloroethane	7.081	117	67375	41.828	ng	96
19) n-Nitroso-di-n-propyla...	7.004	70	114753	43.401	ng	96
20) 3+4-Methylphenols	7.016	107	173274	42.409	ng	# 79
22) Acetophenone	6.998	105	241741	50.569	ng	94
24) Nitrobenzene	7.169	77	166017	45.223	ng	99
25) Isophorone	7.410	82	294642	48.497	ng	100
26) 2-Nitrophenol	7.486	139	83296	46.268	ng	96
27) 2,4-Dimethylphenol	7.539	122	142430	56.764	ng	96
28) bis(2-Chloroethoxy)met...	7.628	93	179086	50.907	ng	99
29) 2,4-Dichlorophenol	7.739	162	122550	43.654	ng	97
30) 1,2,4-Trichlorobenzene	7.804	180	137744	45.513	ng	99
31) Naphthalene	7.886	128	1845429	178.899	ng	99
32) Benzoic acid	7.681	122	73146	46.080	ng	90
33) 4-Chloroaniline	7.945	127	111649	27.941	ng	99
34) Hexachlorobutadiene	7.998	225	90413	48.132	ng	98
35) Caprolactam	8.322	113	38795	45.931	ng	95
36) 4-Chloro-3-methylphenol	8.445	107	124836	40.995	ng	97
37) 2-Methylnaphthalene	8.575	142	903513	139.183	ng	99
38) 1-Methylnaphthalene	8.675	142	724806	115.015	ng	99
40) 1,2,4,5-Tetrachloroben...	8.739	216	126940	47.631	ng	99
41) Hexachlorocyclopentadiene	8.722	237	3278	12.778	ng	99
43) 2,4,6-Trichlorophenol	8.863	196	82075	45.866	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101822\
 Data File : BF130706.D
 Acq On : 18 Oct 2022 19:24
 Operator : CG\JU
 Sample : N5172-01MSD
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BU-02-101722MSD

Quant Time: Oct 19 02:41:14 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 18 03:15:54 2022
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By : Christian Giraldo 10/19/2022
 Supervised By : Jagrut Upadhyay 10/19/2022

10/19/2022
 Supervised By : Jagrut
 Upadhyay

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
44) 2,4,5-Trichlorophenol	8.910	196	85849	43.625	ng	100	
46) 1,1'-Biphenyl	9.039	154	466842	65.579	ng	98	
47) 2-Chloronaphthalene	9.063	162	256462	44.080	ng	100	
48) 2-Nitroaniline	9.169	65	80740	46.100	ng	89	
49) Acenaphthylene	9.475	152	622299	71.384	ng	100	
50) Dimethylphthalate	9.345	163	301371	44.321	ng	97	
51) 2,6-Dinitrotoluene	9.416	165	63763	42.749	ng	87	
52) Acenaphthene	9.645	154	435850	82.521	ng	99	
53) 3-Nitroaniline	9.580	138	61409	37.559	ng	96	
54) 2,4-Dinitrophenol	9.716	184	7895	14.715	ng	#	1
55) Dibenzofuran	9.822	168	906280	112.636	ng	96	
56) 4-Nitrophenol	9.775	139	82939	92.002	ng	98	
57) 2,4-Dinitrotoluene	9.828	165	91378	47.668	ng	#	78
58) Fluorene	10.169	166	1238554	187.235	ng	98	
59) 2,3,4,6-Tetrachlorophenol	9.945	232	67756	43.188	ng	#	76
60) Diethylphthalate	10.045	149	289573	42.682	ng	99	
61) 4-Chlorophenyl-phenyle...	10.157	204	132154	44.189	ng	94	
62) 4-Nitroaniline	10.198	138	65177	41.753	ng	96	
63) Azobenzene	10.310	77	258708	40.487	ng	#	71
65) 4,6-Dinitro-2-methylph...	10.245	198	8923	8.164	ng	#	67
66) n-Nitrosodiphenylamine	10.275	169	255864m	43.980	ng		
67) 4-Bromophenyl-phenylether	10.639	248	88964	44.956	ng	98	
68) Hexachlorobenzene	10.710	284	105017	46.945	ng	98	
69) Atrazine	10.822	200	84694	53.462	ng	95	
70) Pentachlorophenol	10.922	266	85903	98.666	ng	97	
71) Phenanthrene	11.145	178	5058467	522.040	ng	97	
72) Anthracene	11.180	178	1438921	152.050	ng	99	
73) Carbazole	11.339	167	865520	102.496	ng	99	
74) Di-n-butylphthalate	11.669	149	496324	48.521	ng	99	
75) Fluoranthene	12.333	202	4282299	459.826	ng	94	
77) Benzidine	12.457	184	158779	46.298	ng	99	
78) Pyrene	12.563	202	4035564	344.764	ng	96	
80) Butylbenzylphthalate	13.163	149	235494	52.320	ng	98	
81) Benzo(a)anthracene	13.733	228	1894377	207.209	ng	96	
82) 3,3'-Dichlorobenzidine	13.698	252	113092	42.807	ng	99	
83) Chrysene	13.774	228	1545764	178.327	ng	96	
84) Bis(2-ethylhexyl)phtha...	13.721	149	335056	61.403	ng	100	
85) Di-n-octyl phthalate	14.327	149	479409	57.367	ng	97	
87) Indeno(1,2,3-cd)pyrene	16.433	276	726855	94.433	ng	#	94
88) Benzo(b)fluoranthene	14.745	252	1406018m	215.915	ng		
89) Benzo(k)fluoranthene	14.768	252	716595m	108.074	ng		
90) Benzo(a)pyrene	15.074	252	1121340	206.899	ng	97	
91) Dibenzo(a,h)anthracene	16.433	278	364997	57.851	ng	97	
92) Benzo(g,h,i)perylene	16.821	276	676769	115.169	ng	98	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101822\
 Data File : BF130706.D
 Acq On : 18 Oct 2022 19:24
 Operator : CG\JU
 Sample : N5172-01MSD
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BU-02-101722MSD


Quant Time: Oct 19 02:41:14 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 18 03:15:54 2022
 Response via : Initial Calibration


Manual Integrations APPROVED

Reviewed By :Christian Giraldo 10/19/2022
 Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022
 Supervised By :Jagrut
 Upadhyay


10/19/2022





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.575 min Scan# 765
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:152 Resp: 58754
Ion Ratio Lower Upper
152 100
150 158.0 123.8 185.6
115 64.2 52.2 78.4

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#2
1,4-Dioxane
Concen: 36.820 ng
RT: 2.175 min Scan# 49
Delta R.T. 0.041 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion: 88 Resp: 72608
Ion Ratio Lower Upper
88 100
58 71.8 58.8 88.2
43 29.1 22.2 33.4





#3
Pyridine
Concen: 46.325 ng
RT: 2.834 min Scan# 10
Delta R.T. 0.047 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion: 79 Resp: 163400
Ion Ratio Lower Upper
79 100
52 70.6 54.8 82.2
51 36.5 27.4 41.2

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#4
n-Nitrosodimethylamine
Concen: 51.520 ng
RT: 2.799 min Scan# 155
Delta R.T. 0.041 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion: 42 Resp: 85626
Ion Ratio Lower Upper
42 100
74 122.6 106.2 159.2
44 6.0 5.0 7.4





#5
2-Fluorophenol
Concen: 124.188 ng
RT: 5.187 min Scan# 501
Delta R.T. 0.018 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD





Tgt Ion:112 Resp: 404792
Ion Ratio Lower Upper
112 100
64 57.0 43.5 65.3
63 30.6 22.6 34.0

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#6
Aniline
Concen: 34.430 ng
RT: 6.245 min Scan# 741
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion: 93 Resp: 168927
Ion Ratio Lower Upper
93 100
66 89.4 47.4 71.0#
65 52.1 26.6 40.0#





#7
Phenol-d6
Concen: 110.417 ng
RT: 6.239 min Scan# 706
Delta R.T. 0.012 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion: 99 Resp: 452499
Ion Ratio Lower Upper
99 100
42 16.6 14.0 21.0
71 35.4 28.8 43.2

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#8
2-Chlorophenol
Concen: 46.763 ng
RT: 6.369 min Scan# 762
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion:128 Resp: 179249
Ion Ratio Lower Upper
128 100
130 32.8 12.4 52.4
64 40.9 25.9 65.9





#9
Benzaldehyde
Concen: 32.151 ng
RT: 6.128 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD





Tgt Ion: 77 Resp: 8278
Ion Ratio Lower Upper
77 100
105 102.5 83.0 123.0
106 95.1 77.8 117.8

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#10
Phenol
Concen: 44.437 ng
RT: 6.251 min Scan# 742
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion: 94 Resp: 210710
Ion Ratio Lower Upper
94 100
65 33.0 21.2 61.2
66 50.5 46.9 86.9





#11
bis(2-Chloroethyl)ether
Concen: 47.520 ng
RT: 6.322 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD





Tgt Ion: 93 Resp: 16367
Ion Ratio Lower Upper
93 100
63 72.1 56.1 96.1
95 32.2 12.4 52.4

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#12
1,3-Dichlorobenzene
Concen: 47.020 ng
RT: 6.516 min Scan# 787
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion:146 Resp: 197343
Ion Ratio Lower Upper
146 100
148 65.6 51.3 76.9
75 29.5 25.2 37.8





#13

1,4-Dichlorobenzene

Concen: 47.619 ng

RT: 6.592 min Scan# 80

Delta R.T. -0.000 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD

Tgt Ion:146 Resp: 20275

Ion Ratio Lower Upper

146 100

148 63.6 50.1 75.1

111 43.1 35.9 53.9

Manual Integrations

APPROVED





Reviewed By :Christian Giraldo 10/19/2022

Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022

Supervised By :Jagrut
Upadhyay

10/19/2022



#14

1,2-Dichlorobenzene

Concen: 46.503 ng

RT: 6.745 min Scan# 826

Delta R.T. -0.000 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24




Tgt Ion:146 Resp: 184400


Ion Ratio Lower Upper

146 100

148 65.5 50.5 75.7


111 44.6 37.2 55.8





#15
Benzyl Alcohol
Concen: 46.738 ng
RT: 6.739 min Scan# 81
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion: 79 Resp: 137514
Ion Ratio Lower Upper
79 100
108 81.0 59.7 89.5
77 62.8 51.8 77.6

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#16
2,2'-oxybis(1-Chloropropane)
Concen: 43.245 ng
RT: 6.863 min Scan# 846
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion: 45 Resp: 191634
Ion Ratio Lower Upper
45 100
77 40.8 0.0 38.7#
79 38.5 0.0 34.6#





#17
2-Methylphenol
Concen: 43.929 ng
RT: 6.857 min Scan# 84
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD





Tgt Ion:107 Resp: 13394
Ion Ratio Lower Upper
107 100
108 112.8 92.2 138.2
77 60.2 42.7 64.1
79 58.9 40.6 60.8

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#18
Hexachloroethane
Concen: 41.828 ng
RT: 7.081 min Scan# 883
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion:117 Resp: 67375
Ion Ratio Lower Upper
117 100
119 95.5 77.6 116.4
201 89.5 77.0 115.6





#19

n-Nitroso-di-n-propylamine

Concen: 43.401 ng

RT: 7.004 min Scan# 81

Delta R.T. -0.000 min

Lab File: BF130706.D


Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD



Tgt Ion: 70 Resp: 11475

Ion Ratio Lower Upper

70 100

42 52.6 44.3 66.5

101 10.9 7.9 11.9

130 24.8 18.1 27.1

Manual Integrations

APPROVED




Reviewed By :Christian Giraldo 10/19/2022

Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022

Supervised By :Jagrut Upadhyay

10/19/2022



#20

3+4-Methylphenols

Concen: 42.409 ng

RT: 7.016 min Scan# 872

Delta R.T. 0.012 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24

Tgt Ion:107 Resp: 173274




Ion Ratio Lower Upper


107 100

108 89.1 69.7 109.7

77 34.3 59.7 99.7#

79 30.6 9.5 49.5






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.863 min Scan# 1016
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD



Tgt Ion:136 Resp: 19927
Ion Ratio Lower Upper
136 100
137 11.1 8.4 12.6
54 6.8 5.5 8.3
68 5.1 4.0 6.0



Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022




Supervised By :Jagrut
Upadhyay


10/19/2022



#22
Acetophenone
Concen: 50.569 ng
RT: 6.998 min Scan# 869
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion:105 Resp: 241741
Ion Ratio Lower Upper
105 100
71 5.8 4.2 6.4
51 24.6 24.3 36.5
120 22.7 17.4 26.2





#23
Nitrobenzene-d5
Concen: 75.830 ng
RT: 7.151 min Scan# 895
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD

Tgt Ion: 82 Resp: 276810
Ion Ratio Lower Upper
82 100
128 45.6 35.8 53.6
54 48.1 39.3 58.9





Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022




Supervised By :Jagrut
Upadhyay


10/19/2022



#24
Nitrobenzene
Concen: 45.223 ng
RT: 7.169 min Scan# 898
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion: 77 Resp: 166017
Ion Ratio Lower Upper
77 100
123 47.6 37.5 56.3
65 14.0 11.0 16.4





#25
Isophorone
Concen: 48.497 ng
RT: 7.410 min Scan# 910
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD

Tgt Ion: 82 Resp: 29464
Ion Ratio Lower Upper
82 100
95 7.6 6.1 9.1
138 18.4 14.9 22.3





Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022




Supervised By :Jagrut
Upadhyay


10/19/2022



#26
2-Nitrophenol
Concen: 46.268 ng
RT: 7.486 min Scan# 952
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion:139 Resp: 83296
Ion Ratio Lower Upper
139 100
109 31.1 23.9 35.9
65 46.5 34.9 52.3





#27

2,4-Dimethylphenol

Concen: 56.764 ng

RT: 7.539 min Scan# 90

Delta R.T. 0.006 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD

Tgt Ion:122 Resp: 142430
 Ion Ratio Lower Upper
 122 100
 107 113.4 94.9 142.3
 121 57.7 47.1 70.7

Manual Integrations





APPROVED

Reviewed By :Christian Giraldo 10/19/2022
 Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022

Supervised By :Jagrut
 Upadhyay

10/19/2022



#28

bis(2-Chloroethoxy)methane

Concen: 50.907 ng




RT: 7.628 min Scan# 976


Delta R.T. 0.006 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24

Tgt Ion: 93 Resp: 179086
 Ion Ratio Lower Upper
 93 100
 95 33.5 26.4 39.6
 123 11.7 9.1 13.7





#29

2,4-Dichlorophenol

Concen: 43.654 ng

RT: 7.739 min Scan# 961

Delta R.T. 0.012 min

Lab File: BF130706.D


Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD



Tgt Ion:162 Resp: 122550



Ion	Ratio	Lower	Upper
162	100		
164	65.2	42.8	82.8
98	36.3	18.6	58.6

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022
Supervised By :Jagrut
Upadhyay

10/19/2022



#30

1,2,4-Trichlorobenzene

Concen: 45.513 ng

RT: 7.804 min Scan# 1006




Delta R.T. -0.000 min


Lab File: BF130706.D

Acq: 18 Oct 2022 19:24

Tgt Ion:180 Resp: 137744


Ion	Ratio	Lower	Upper
180	100		
182	95.9	78.0	117.0
145	33.1	26.7	40.1





#31
Naphthalene
Concen: 178.899 ng
RT: 7.886 min Scan# 1020
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:128 Resp: 1845429
Ion Ratio Lower Upper
128 100
129 11.5 9.0 13.4
127 13.3 10.3 15.5

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#32
Benzoic acid
Concen: 46.080 ng
RT: 7.681 min Scan# 985
Delta R.T. -0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion:122 Resp: 73146
Ion Ratio Lower Upper
122 100
105 108.4 104.8 144.8
77 83.8 68.2 108.2





#33

4-Chloroaniline

Concen: 27.941 ng

RT: 7.945 min Scan# 1030

Delta R.T. 0.006 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD

Tgt Ion:127 Resp: 111649

Ion Ratio Lower Upper

127 100

129 32.1 25.7 38.5

65 30.8 24.7 37.1

92 18.5 15.8 23.8

Manual Integrations

APPROVED





Reviewed By :Christian Giraldo 10/19/2022

Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022

Supervised By :Jagrut Upadhyay

10/19/2022



#34

Hexachlorobutadiene

Concen: 48.132 ng

RT: 7.998 min Scan# 1039

Delta R.T. -0.000 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24




Tgt Ion:225 Resp: 90413


Ion Ratio Lower Upper

225 100

223 61.3 51.5 77.3


227 63.3 50.4 75.6





#35
 Caprolactam
 Concen: 45.931 ng
 RT: 8.322 min Scan# 1109
 Delta R.T. -0.006 min
 Lab File: BF130706.D
 Acq: 18 Oct 2022 19:24

Instrument :
 BNA_F
 ClientSampleId :
 BU-02-101722MSD






Tgt Ion:113 Resp: 38795
 Ion Ratio Lower Upper
 113 100
 55 144.7 134.3 174.3
 56 118.1 101.0 141.0

Manual Integrations
 APPROVED

Reviewed By :Christian Giraldo 10/19/2022
 Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
 Supervised By :Jagrut
 Upadhyay


10/19/2022



#36
 4-Chloro-3-methylphenol
 Concen: 40.995 ng
 RT: 8.445 min Scan# 1115
 Delta R.T. 0.012 min
 Lab File: BF130706.D
 Acq: 18 Oct 2022 19:24

Tgt Ion:107 Resp: 124836
 Ion Ratio Lower Upper
 107 100
 144 25.3 21.9 32.9
 142 78.5 64.6 96.8





#37

2-Methylnaphthalene

Concen: 139.183 ng

RT: 8.575 min Scan# 1105

Delta R.T. 0.006 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD

Tgt Ion:142 Resp: 90351

Ion Ratio Lower Upper

142 100



141 87.4 70.7 106.1

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 10/19/2022



Supervised By :Jagrut Upadhyay 10/19/2022



10/19/2022

Supervised By :Jagrut Upadhyay

10/19/2022



#38

1-Methylnaphthalene

Concen: 115.015 ng

RT: 8.675 min Scan# 1154

Delta R.T. 0.006 min

Lab File: BF130706.D




Acq: 18 Oct 2022 19:24


Tgt Ion:142 Resp: 724806

Ion Ratio Lower Upper

142 100

141 91.9 72.6 108.8






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.610 min Scan# 1165
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD






Tgt Ion:164 Resp: 98229
Ion Ratio Lower Upper
164 100
162 98.6 81.0 121.4
160 43.0 34.5 51.7

Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022
Supervised By :Jagrut
Upadhyay



10/19/2022




#40
1,2,4,5-Tetrachlorobenzene
Concen: 47.631 ng
RT: 8.739 min Scan# 1165
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24




Tgt Ion:216 Resp: 126940
Ion Ratio Lower Upper
216 100
214 77.7 62.1 93.1
179 22.9 18.6 27.8
108 18.4 15.9 23.9





#41
Hexachlorocyclopentadiene
Concen: 12.778 ng
RT: 8.722 min Scan# 1162
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion: 237 Resp: 3278
Ion Ratio Lower Upper
237 100
235 61.8 42.2 82.2
272 15.1 0.0 32.6

Manual Integrations
APPROVED


Reviewed By : Christian Giraldo 10/19/2022
Supervised By : Jagrut Upadhyay 10/19/2022

10/19/2022
Supervised By : Jagrut
Upadhyay



10/19/2022




#42
2,4,6-Tribromophenol
Concen: 130.418 ng
RT: 10.404 min Scan# 1448
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24




Tgt Ion: 330 Resp: 125353
Ion Ratio Lower Upper
330 100
332 104.8 84.2 126.4
141 34.2 26.8 40.2





#43
2,4,6-Trichlorophenol
Concen: 45.866 ng
RT: 8.863 min Scan# 1153
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD





Tgt Ion:196 Resp: 8207
Ion Ratio Lower Upper
196 100
198 95.6 76.6 115.0
200 29.6 25.0 37.6

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#44
2,4,5-Trichlorophenol
Concen: 43.625 ng
RT: 8.910 min Scan# 1194
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion:196 Resp: 85849
Ion Ratio Lower Upper
196 100
198 95.4 76.6 114.8
97 55.7 44.3 66.5
132 30.7 24.6 36.8






#45
2-Fluorobiphenyl
Concen: 72.926 ng
RT: 8.939 min Scan# 1167
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD






Tgt Ion:172 Resp: 472912
Ion Ratio Lower Upper
172 100
171 35.2 27.8 41.8
170 23.0 18.6 27.8

Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022
Supervised By :Jagrut
Upadhyay



10/19/2022




#46
1,1'-Biphenyl
Concen: 65.579 ng
RT: 9.039 min Scan# 1216
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24




Tgt Ion:154 Resp: 466842
Ion Ratio Lower Upper
154 100
153 41.3 20.0 60.0
76 10.3 0.0 30.8





#47
2-Chloronaphthalene
Concen: 44.080 ng
RT: 9.063 min Scan# 1188
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:162 Resp: 256462
Ion Ratio Lower Upper
162 100
127 40.5 32.6 49.0
164 32.7 26.3 39.5

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#48
2-Nitroaniline
Concen: 46.100 ng
RT: 9.169 min Scan# 1238
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion: 65 Resp: 80740
Ion Ratio Lower Upper
65 100
92 68.8 57.4 86.0
138 103.2 96.7 145.1





#49

Acenaphthylene

Concen: 71.384 ng

RT: 9.475 min Scan# 1290

Delta R.T. 0.006 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD

Tgt Ion:152 Resp: 622295
 Ion Ratio Lower Upper
 152 100
 151 20.2 16.2 24.2
 153 14.0 10.8 16.2

Manual Integrations

APPROVED





Reviewed By :Christian Giraldo 10/19/2022

Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022

Supervised By :Jagrut
Upadhyay

10/19/2022



#50

Dimethylphthalate

Concen: 44.321 ng




RT: 9.345 min Scan# 1268


Delta R.T. -0.000 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24

Tgt Ion:163 Resp: 301371
 Ion Ratio Lower Upper
 163 100
 194 4.1 3.0 4.6
 164 9.4 8.5 12.7





#51
2,6-Dinitrotoluene
Concen: 42.749 ng
RT: 9.416 min Scan# 1319
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD

Tgt Ion:165 Resp: 6376
Ion Ratio Lower Upper
165 100
63 46.0 45.3 67.9
89 48.6 45.6 68.4





Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022




Supervised By :Jagrut
Upadhyay


10/19/2022



#52
Acenaphthene
Concen: 82.521 ng
RT: 9.645 min Scan# 1319
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion:154 Resp: 435850
Ion Ratio Lower Upper
154 100
153 112.4 89.6 134.4
152 53.6 42.4 63.6





#53
3-Nitroaniline
Concen: 37.559 ng
RT: 9.580 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD





Tgt Ion:138 Resp: 61409
Ion Ratio Lower Upper
138 100
108 12.2 8.4 12.6
92 114.7 88.2 132.4

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#54
2,4-Dinitrophenol
Concen: 14.715 ng
RT: 9.716 min Scan# 1331
Delta R.T. 0.018 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion:184 Resp: 7895
Ion Ratio Lower Upper
184 100
63 116.4 45.5 68.3#
154 186.7 55.1 82.7#





#55
Dibenzenofuran
Concen: 112.636 ng
RT: 9.822 min Scan# 1316
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:168 Resp: 906280
Ion Ratio Lower Upper
168 100
139 38.3 33.0 49.4
169 13.3 10.9 16.3

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#56
4-Nitrophenol
Concen: 92.002 ng
RT: 9.775 min Scan# 1341
Delta R.T. 0.018 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion:139 Resp: 82939
Ion Ratio Lower Upper
139 100
109 79.8 57.4 97.4
65 93.2 71.3 111.3





#57

2,4-Dinitrotoluene

Concen: 47.668 ng

RT: 9.828 min Scan# 1407

Delta R.T. 0.012 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD

Tgt Ion:165 Resp: 91378

Ion Ratio Lower Upper

165 100

63 44.9 50.6 76.0

89 66.9 68.6 102.8

182 3.2 2.0 3.0

Manual Integrations

APPROVED





Reviewed By :Christian Giraldo 10/19/2022

Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022

Supervised By :Jagrut Upadhyay

10/19/2022



#58

Fluorene

Concen: 187.235 ng

RT: 10.169 min Scan# 1408

Delta R.T. 0.012 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24




Tgt Ion:166 Resp: 1238554


Ion Ratio Lower Upper

166 100

165 96.1 78.2 117.4


167 14.1 10.8 16.2





#59
2,3,4,6-Tetrachlorophenol
Concen: 43.188 ng
RT: 9.945 min Scan# 1337
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD





Tgt Ion:232 Resp: 67750
Ion Ratio Lower Upper
232 100
131 49.2 41.4 62.0
130 3.3 2.1 3.1
166 0.0 26.0 39.0

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#60
Diethylphthalate
Concen: 42.682 ng
RT: 10.045 min Scan# 1387
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion:149 Resp: 289573
Ion Ratio Lower Upper
149 100
177 21.2 16.7 25.1
150 12.6 10.5 15.7





#61
4-Chlorophenyl-phenylether
Concen: 44.189 ng
RT: 10.157 min Scan# 1406
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:204 Resp: 132154
Ion Ratio Lower Upper
204 100
206 32.5 26.1 39.1
141 60.6 54.6 81.8

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#62
4-Nitroaniline
Concen: 41.753 ng
RT: 10.198 min Scan# 1413
Delta R.T. 0.006 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion:138 Resp: 65177
Ion Ratio Lower Upper
138 100
92 48.5 31.1 71.1
108 79.0 62.1 102.1





#63
Azobenzene
Concen: 40.487 ng
RT: 10.310 min Scan# 1400
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion: 77 Resp: 258708
Ion Ratio Lower Upper
77 100
182 63.0 3.8 43.8
105 21.6 0.3 40.3
51 32.5 9.4 49.4

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.098 min Scan# 1566
Delta R.T. 0.012 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion:188 Resp: 174895
Ion Ratio Lower Upper
188 100
94 8.6 7.4 11.2
80 9.0 8.0 12.0





#65
4,6-Dinitro-2-methylphenol
Concen: 8.164 ng
RT: 10.245 min Scan# 1421
Delta R.T. 0.023 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:198 Resp: 892
Ion Ratio Lower Upper
198 100
51 67.1 18.7 58.7
105 54.7 22.0 62.0

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#66
n-Nitrosodiphenylamine
Concen: 43.980 ng m
RT: 10.275 min Scan# 1426
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion:169 Resp: 255864
Ion Ratio Lower Upper
169 100
168 66.1 52.2 78.4
167 37.2 28.3 42.5





#67
4-Bromophenyl-phenylether
Concen: 44.956 ng
RT: 10.639 min Scan# 1456
Delta R.T. -0.000 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:248 Resp: 88964
Ion Ratio Lower Upper
248 100
250 95.7 78.7 118.1
141 77.9 61.6 92.4

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#68
Hexachlorobenzene
Concen: 46.945 ng
RT: 10.710 min Scan# 1500
Delta R.T. 0.012 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion:284 Resp: 105017
Ion Ratio Lower Upper
284 100
142 35.3 28.6 42.8
249 29.9 25.2 37.8





#69
 Atrazine
 Concen: 53.462 ng
 RT: 10.822 min Scan# 1519
 Delta R.T. 0.018 min
 Lab File: BF130706.D
 Acq: 18 Oct 2022 19:24

Instrument :
 BNA_F
 ClientSampleId :
 BU-02-101722MSD






Tgt Ion:200 Resp: 84694
 Ion Ratio Lower Upper
 200 100
 173 25.4 7.1 47.1
 215 48.4 24.9 64.9

Manual Integrations
 APPROVED

Reviewed By :Christian Giraldo 10/19/2022
 Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
 Supervised By :Jagrut
 Upadhyay


10/19/2022



#70
 Pentachlorophenol
 Concen: 98.666 ng
 RT: 10.922 min Scan# 1536
 Delta R.T. 0.018 min
 Lab File: BF130706.D
 Acq: 18 Oct 2022 19:24


Tgt Ion:266 Resp: 85903
 Ion Ratio Lower Upper
 266 100
 268 62.0 50.8 76.2
 264 63.0 47.5 71.3





#71
Phenanthrene
Concen: 522.040 ng
RT: 11.145 min Scan# 1537
Delta R.T. 0.035 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:178 Resp: 505846
Ion Ratio Lower Upper
178 100
176 21.0 15.7 23.5
179 17.0 12.2 18.4

Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022
Supervised By :Jagrut
Upadhyay



10/19/2022




#72
Anthracene
Concen: 152.050 ng
RT: 11.180 min Scan# 1580
Delta R.T. 0.018 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24




Tgt Ion:178 Resp: 1438921
Ion Ratio Lower Upper
178 100
176 18.8 15.0 22.4
179 16.3 12.5 18.7





#73
 Carbazole
 Concen: 102.496 ng
 RT: 11.339 min Scan# 1663
 Delta R.T. 0.012 min
 Lab File: BF130706.D
 Acq: 18 Oct 2022 19:24

Instrument :
 BNA_F
 ClientSampleId :
 BU-02-101722MSD





Tgt Ion:167 Resp: 865520
 Ion Ratio Lower Upper
 167 100
 166 21.7 17.3 25.9
 139 13.9 10.7 16.1

Manual Integrations
 APPROVED

Reviewed By :Christian Giraldo 10/19/2022
 Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
 Supervised By :Jagrut
 Upadhyay


10/19/2022



#74
 Di-n-butylphthalate
 Concen: 48.521 ng
 RT: 11.669 min Scan# 1663
 Delta R.T. 0.012 min
 Lab File: BF130706.D
 Acq: 18 Oct 2022 19:24


Tgt Ion:149 Resp: 496324
 Ion Ratio Lower Upper
 149 100
 150 9.6 7.5 11.3
 104 4.8 4.2 6.2





#75
Fluoranthene
Concen: 459.826 ng
RT: 12.333 min Scan# 11
Delta R.T. 0.035 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:202 Resp: 4282299
Ion Ratio Lower Upper
202 100
101 12.1 0.0 29.1
203 19.1 0.0 37.3

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.745 min Scan# 2016
Delta R.T. 0.023 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion:240 Resp: 135681
Ion Ratio Lower Upper
240 100
120 10.5 8.6 13.0
236 25.4 20.2 30.4





#77
Benzidine
Concen: 46.298 ng
RT: 12.457 min Scan# 1815
Delta R.T. 0.029 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:184 Resp: 158779
Ion Ratio Lower Upper
184 100
185 14.8 12.0 18.0
183 12.1 9.0 13.4

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#78
Pyrene
Concen: 344.764 ng
RT: 12.563 min Scan# 1815
Delta R.T. 0.041 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion:202 Resp: 4035564
Ion Ratio Lower Upper
202 100
200 22.1 16.7 25.1
203 19.7 14.0 21.0






#79
 Terphenyl-d14
 Concen: 73.931 ng
 RT: 12.686 min Scan# 11
 Delta R.T. 0.012 min
 Lab File: BF130706.D
 Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD



Tgt Ion:244 Resp: 60437
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.4 8.0
 122 10.6 7.5 11.3

Manual Integrations




APPROVED

Reviewed By :Christian Giraldo 10/19/2022
 Supervised By :Jagrut Upadhyay 10/19/2022


10/19/2022

Supervised By :Jagrut
 Upadhyay



10/19/2022




#80
 Butylbenzylphthalate
 Concen: 52.320 ng
 RT: 13.163 min Scan# 1917
 Delta R.T. 0.012 min
 Lab File: BF130706.D
 Acq: 18 Oct 2022 19:24




Tgt Ion:149 Resp: 235494
 Ion Ratio Lower Upper
 149 100
 91 66.3 53.8 80.8
 206 20.8 15.8 23.6





#81
Benzo(a)anthracene
Concen: 207.209 ng
RT: 13.733 min Scan# 2008
Delta R.T. 0.023 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:228 Resp: 189437
Ion Ratio Lower Upper
228 100
226 29.1 21.4 32.2
229 21.6 15.8 23.8

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#82
3,3'-Dichlorobenzidine
Concen: 42.807 ng
RT: 13.698 min Scan# 2008
Delta R.T. 0.018 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion:252 Resp: 113092
Ion Ratio Lower Upper
252 100
254 63.0 50.9 76.3
126 12.4 10.2 15.4





#83

Chrysene

Concen: 178.327 ng

RT: 13.774 min Scan# 2012

Delta R.T. 0.029 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD

Tgt Ion:228 Resp: 154576

Ion Ratio Lower Upper

228 100

226 30.8 23.9 35.9

229 22.9 15.9 23.9

Manual Integrations

APPROVED





Reviewed By :Christian Giraldo 10/19/2022

Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022

Supervised By :Jagrut Upadhyay

10/19/2022



#84

Bis(2-ethylhexyl)phthalate

Concen: 61.403 ng

RT: 13.721 min Scan# 2012

Delta R.T. 0.012 min

Lab File: BF130706.D

Acq: 18 Oct 2022 19:24




Tgt Ion:149 Resp: 335056


Ion Ratio Lower Upper

149 100

167 27.4 21.9 32.9

279 5.2 3.8 5.6






#85
Di-n-octyl phthalate
Concen: 57.367 ng
RT: 14.327 min Scan# 2115
Delta R.T. 0.012 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD



Tgt Ion:149 Resp: 479409
Ion Ratio Lower Upper
149 100
167 1.5 1.2 1.8
43 7.8 7.2 10.8




Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022




Supervised By :Jagrut
Upadhyay


10/19/2022



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.115 min Scan# 2249
Delta R.T. 0.029 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion:264 Resp: 102838
Ion Ratio Lower Upper
264 100
260 23.7 19.1 28.7
265 30.5 16.4 24.6





#87
Indeno(1,2,3-cd)pyrene
Concen: 94.433 ng
RT: 16.433 min Scan# 2432
Delta R.T. 0.053 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :

BNA_F

ClientSampleId :

BU-02-101722MSD





Tgt Ion:276 Resp: 72685
Ion Ratio Lower Upper
276 100
138 17.7 18.0 27.0
277 23.7 20.0 30.0

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#88
Benzo(b)fluoranthene
Concen: 215.915 ng m
RT: 14.745 min Scan# 2186
Delta R.T. 0.029 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion:252 Resp: 1406018
Ion Ratio Lower Upper
252 100
253 23.7 17.4 26.2
125 10.3 7.4 11.0





#89
Benzo(k)fluoranthene
Concen: 108.074 ng m
RT: 14.768 min Scan# 2153
Delta R.T. 0.029 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:252 Resp: 71659
Ion Ratio Lower Upper
252 100
253 23.0 17.0 25.4
125 9.7 7.2 10.8

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022




10/19/2022
Supervised By :Jagrut
Upadhyay


10/19/2022



#90
Benzo(a)pyrene
Concen: 206.899 ng
RT: 15.074 min Scan# 2242
Delta R.T. 0.035 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24


Tgt Ion:252 Resp: 1121340
Ion Ratio Lower Upper
252 100
253 23.5 17.0 25.6
125 10.2 8.4 12.6





#91
Dibenzo(a,h)anthracene
Concen: 57.851 ng
RT: 16.433 min Scan# 2434
Delta R.T. 0.041 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Instrument :
BNA_F
ClientSampleId :
BU-02-101722MSD






Tgt Ion:278 Resp: 36499
Ion Ratio Lower Upper
278 100
139 14.4 11.1 16.7
279 25.9 19.0 28.4

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 10/19/2022
Supervised By :Jagrut Upadhyay 10/19/2022

10/19/2022
Supervised By :Jagrut
Upadhyay

10/19/2022



#92
Benzo(g,h,i)perylene
Concen: 115.169 ng
RT: 16.821 min Scan# 2539
Delta R.T. 0.053 min
Lab File: BF130706.D
Acq: 18 Oct 2022 19:24

Tgt Ion:276 Resp: 676769
Ion Ratio Lower Upper
276 100
277 24.2 18.9 28.3
138 18.9 15.9 23.9

