

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101916\
 Data File : BF090663.D
 Acq On : 19 Oct 2016 22:23
 Operator : UM/SJ
 Sample : H5317-07
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 101816-07

Quant Time: Oct 20 02:13:54 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF101316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 19 15:13:23 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	205380	20.00	ng	0.00
21) Naphthalene-d8	8.18	136	860342	20.00	ng	0.00
38) Acenaphthene-d10	9.93	164	448611	20.00	ng	-0.01
63) Phenanthrene-d10	11.41	188	659634	20.00	ng	-0.01
75) Chrysene-d12	14.05	240	429461	20.00	ng	-0.01
86) Perylene-d12	15.50	264	419523	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	1207128	107.75	ng	0.00
7) Phenol-d6	6.52	99	1599511	96.09	ng	-0.01
23) Nitrobenzene-d5	7.45	82	1038908	67.08	ng	-0.01
41) 2,4,6-Tribromophenol	10.71	330	279021	69.76	ng	-0.01
44) 2-Fluorobiphenyl	9.25	172	1762075	64.72	ng	-0.01
78) Terphenyl-d14	13.00	244	1324344	71.80	ng	-0.01
Target Compounds						Qvalue
49) Dimethylphthalate	9.64	163	416412	14.31	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF101916\
Data File : BF090663.D
Acq On : 19 Oct 2016 22:23
Operator : UM/SJ
Sample : H5317-07
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
101816-07

Quant Time: Oct 20 02:13:54 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF101316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 19 15:13:23 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.89 min Scan# 398

Delta R.T. -0.00 min

Lab File: BF090663.D

Acq: 19 Oct 2016 22:23

Instrument :

BNA_F

ClientSampleId :

101816-07


Tot Ion:152 Resp: 205380

Ion Ratio Lower Upper

152 100

150 156.6 127.2 190.8




115 67.0 58.6 88.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 107.75 ng

RT: 5.49 min Scan# 276

Delta R.T. -0.00 min

Lab File: BF090663.D

Acq: 19 Oct 2016 22:23


Tgt Ion:112 Resp: 1207128

Ion Ratio Lower Upper

112 100

64 71.1 52.6 78.8



63 35.6 26.0 39.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 96.09 ng

RT: 6.52 min Scan# 366

Delta R.T. -0.01 min

Lab File: BF090663.D

Acq: 19 Oct 2016 22:23

Instrument :

BNA_F

ClientSampleId :

101816-07





Tot Ion: 99 Resp: 1599511

Ion Ratio Lower Upper

99 100

42 18.9 14.7 22.1

71 35.4 27.6 41.4



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.18 min Scan# 511

Delta R.T. -0.00 min

Lab File: BF090663.D

Acq: 19 Oct 2016 22:23

Tgt Ion: 136 Resp: 860342




Ion Ratio Lower Upper


136 100

137 10.8 8.8 13.2

54 7.0 6.8 10.2

68 5.9 6.0 9.0#









#23
 Nitrobenzene-d5
 Concen: 67.08 ng
 RT: 7.45 min Scan# 447
 Delta R.T. -0.01 min
 Lab File: BF090663.D
 Acq: 19 Oct 2016 22:23

Instrument :
 BNA_F
 ClientSampleId :
 101816-07

Tot Ion: 82 Resp: 1038908




Ion	Ratio	Lower	Upper
82	100		
128	34.7	34.3	51.5
54	52.2	37.0	55.6




#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.93 min Scan# 664
 Delta R.T. -0.01 min
 Lab File: BF090663.D
 Acq: 19 Oct 2016 22:23

Tgt Ion:164 Resp: 448611

Ion	Ratio	Lower	Upper
164	100		
162	106.1	82.2	123.4
160	48.1	36.6	55.0









#41
 2,4,6-Tribromophenol
 Concen: 69.76 ng
 RT: 10.71 min Scan# 733
 Delta R.T. -0.01 min
 Lab File: BF090663.D
 Acq: 19 Oct 2016 22:23

Instrument :
 BNA_F
 ClientSampleId :
 101816-07

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.8	76.2	114.2
141	46.2	31.4	47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 64.72 ng
 RT: 9.25 min Scan# 605
 Delta R.T. -0.01 min
 Lab File: BF090663.D
 Acq: 19 Oct 2016 22:23

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.3	30.1	45.1
170	25.6	20.6	30.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 14.31 ng

RT: 9.64 min Scan# 639

Delta R.T. -0.02 min

Lab File: BF090663.D

Acq: 19 Oct 2016 22:23

Instrument :

BNA_F

ClientSampleId :

101816-07


Tot Ion:163 Resp: 416412

Ion Ratio Lower Upper

163 100

194 2.9 2.3 3.5




164 10.8 8.6 13.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.41 min Scan# 794

Delta R.T. -0.01 min

Lab File: BF090663.D

Acq: 19 Oct 2016 22:23


Tgt Ion:188 Resp: 659634

Ion Ratio Lower Upper

188 100

94 15.5 7.7 11.5#



80 18.4 8.6 12.8#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.05 min Scan# 1025

Delta R.T. -0.01 min

Lab File: BF090663.D

Acq: 19 Oct 2016 22:23

Instrument :

BNA_F

ClientSampled :

101816-07


Tot Ion:240 Resp: 429461

Ion Ratio Lower Upper

240 100

120 18.1 9.8 14.8#




236 27.0 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 71.80 ng

RT: 13.00 min Scan# 933

Delta R.T. -0.01 min

Lab File: BF090663.D

Acq: 19 Oct 2016 22:23


Tgt Ion:244 Resp: 1324344

Ion Ratio Lower Upper

244 100

212 7.9 5.0 7.4#



122 15.9 5.6 8.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.50 min Scan# 1152
 Delta R.T. -0.01 min
 Lab File: BF090663.D
 Acq: 19 Oct 2016 22:23

Instrument :
 BNA_F
 ClientSampleId :
 101816-07

Tot Ion	Ratio	Lower	Upper
264	100		
260	25.0	19.3	28.9
265	21.5	16.7	25.1



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

