

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101921\
 Data File : BF125902.D
 Acq On : 19 Oct 2021 16:18
 Operator : JU/CG
 Sample : M4268-03
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SW-RR-03-(SA)

Quant Time: Oct 20 09:27:42 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF100721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 18 12:43:03 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.822	152	136371	20.00	ng	0.00
21) Naphthalene-d8	8.104	136	548488	20.00	ng	# 0.00
39) Acenaphthene-d10	9.857	164	281770	20.00	ng	0.00
64) Phenanthrene-d10	11.339	188	433482	20.00	ng	0.00
76) Chrysene-d12	13.968	240	317347	20.00	ng	0.00
86) Perylene-d12	15.421	264	305261	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.434	112	567932	68.03	ng	0.00
7) Phenol-d6	6.445	99	434011	40.39	ng	-0.01
23) Nitrobenzene-d5	7.387	82	824959	93.49	ng	0.00
42) 2,4,6-Tribromophenol	10.645	330	358317	128.80	ng	0.00
45) 2-Fluorobiphenyl	9.181	172	1557019	95.31	ng	0.00
79) Terphenyl-d14	12.921	244	1274941	61.20	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101921\
Data File : BF125902.D
Acq On : 19 Oct 2021 16:18
Operator : JU/CG
Sample : M4268-03
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SW-RR-03-(SA)

Quant Time: Oct 20 09:27:42 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF100721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 18 12:43:03 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.822 min Scan# 805
Delta R.T. -0.006 min
Lab File: BF125902.D
Acq: 19 Oct 2021 16:18




Instrument :
BNA_F
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion:152 Resp: 136371
Ion Ratio Lower Upper
152 100
150 160.7 117.6 176.4
115 61.7 47.1 70.7



#5
2-Fluorophenol
Concen: 68.03 ng
RT: 5.434 min Scan# 569
Delta R.T. -0.006 min
Lab File: BF125902.D
Acq: 19 Oct 2021 16:18

Tgt Ion:112 Resp: 567932
Ion Ratio Lower Upper
112 100
64 50.3 44.2 66.2
63 24.3 26.2 39.2#









#7
Phenol-d6
Concen: 40.39 ng
RT: 6.445 min Scan# 741
Delta R.T. -0.012 min
Lab File: BF125902.D
Acq: 19 Oct 2021 16:18




Instrument :
BNA_F
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion: 99 Resp: 434011
Ion Ratio Lower Upper
99 100
42 12.6 23.5 35.3#
71 27.4 25.6 38.4



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.104 min Scan# 1023
Delta R.T. -0.006 min
Lab File: BF125902.D
Acq: 19 Oct 2021 16:18

Tgt Ion: 136 Resp: 548488
Ion Ratio Lower Upper
136 100
137 10.6 9.8 14.6
54 6.3 6.4 9.6#
68 5.6 3.3 4.9#





#23

Nitrobenzene-d5

Concen: 93.49 ng

RT: 7.387 min Scan# 901

Delta R.T. -0.006 min

Lab File: BF125902.D

Acq: 19 Oct 2021 16:18

Instrument :

BNA_F

ClientSampleId :

SW-RR-03-(SA)





Tgt Ion: 82 Resp: 824959

Ion Ratio Lower Upper

82 100

128 50.8 40.6 60.8

54 41.6 49.6 74.4#



#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.857 min Scan# 1321

Delta R.T. -0.006 min

Lab File: BF125902.D

Acq: 19 Oct 2021 16:18




Tgt Ion:164 Resp: 281770


Ion Ratio Lower Upper

164 100

162 101.8 81.3 121.9

160 43.9 38.0 57.0









#42
2,4,6-Tribromophenol
Concen: 128.80 ng
RT: 10.645 min Scan# 1455
Delta R.T. 0.000 min
Lab File: BF125902.D
Acq: 19 Oct 2021 16:18




Instrument :
BNA_F
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion:330 Resp: 358317
Ion Ratio Lower Upper
330 100
332 94.4 76.2 114.4
141 30.5 44.6 66.8#



#45
2-Fluorobiphenyl
Concen: 95.31 ng
RT: 9.181 min Scan# 1206
Delta R.T. 0.000 min
Lab File: BF125902.D
Acq: 19 Oct 2021 16:18

Tgt Ion:172 Resp: 1557019
Ion Ratio Lower Upper
172 100
171 36.0 26.5 39.7
170 23.9 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.339 min Scan# 1573
Delta R.T. 0.000 min
Lab File: BF125902.D
Acq: 19 Oct 2021 16:18




Instrument :
BNA_F
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion:188 Resp: 433482
Ion Ratio Lower Upper
188 100
94 8.9 6.7 10.1
80 9.5 7.5 11.3



#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.968 min Scan# 2020
Delta R.T. -0.006 min
Lab File: BF125902.D
Acq: 19 Oct 2021 16:18


Tgt Ion:240 Resp: 317347
Ion Ratio Lower Upper
240 100
120 14.1 10.8 16.2
236 25.1 21.6 32.4








#79
Terphenyl-d14
Concen: 61.20 ng
RT: 12.921 min Scan# 1842
Delta R.T. 0.000 min
Lab File: BF125902.D
Acq: 19 Oct 2021 16:18


Instrument :
BNA_F
ClientSampleId :
SW-RR-03-(SA)



Tgt Ion:244 Resp: 1274941
Ion Ratio Lower Upper
244 100
212 6.6 5.9 8.9
122 12.6 9.0 13.4



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.421 min Scan# 2267
Delta R.T. 0.000 min
Lab File: BF125902.D
Acq: 19 Oct 2021 16:18



Tgt Ion:264 Resp: 305261
Ion Ratio Lower Upper
264 100
260 24.9 19.6 29.4
265 21.2 17.2 25.8

