

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101921\
 Data File : BF125911.D
 Acq On : 19 Oct 2021 21:06
 Operator : JU/CG
 Sample : M4253-01 10X
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 131

Quant Time: Oct 20 09:30:34 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF100721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 18 12:43:03 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.828	152	155916	20.000	ng	0.00
21) Naphthalene-d8	8.110	136	568612	20.000	ng	# 0.00
39) Acenaphthene-d10	9.863	164	271586	20.000	ng	0.00
64) Phenanthrene-d10	11.345	188	458958	20.000	ng	# 0.00
76) Chrysene-d12	13.980	240	338585	20.000	ng	0.00
86) Perylene-d12	15.445	264	256302	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.440	112	56177	5.886	ng	0.00
7) Phenol-d6	6.457	99	69091	5.623	ng	0.00
23) Nitrobenzene-d5	7.381	82	41043	4.487	ng	-0.01
42) 2,4,6-Tribromophenol	10.645	330	14878	5.549	ng	0.00
45) 2-Fluorobiphenyl	9.181	172	73842	4.690	ng	0.00
79) Terphenyl-d14	12.927	244	77387	3.482	ng	0.00
Target Compounds						
						Qvalue
31) Naphthalene	8.128	128	67796	2.466	ng	# 90
37) 2-Methylnaphthalene	8.822	142	150338	8.443	ng	99
38) 1-Methylnaphthalene	8.916	142	86275	4.993	ng	99
46) 1,1'-Biphenyl	9.281	154	43285	2.168	ng	97
74) Di-n-butylphthalate	11.910	149	59317	2.354	ng	# 91
84) Bis(2-ethylhexyl)phtha...	13.963	149	274915	22.915	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101921\
Data File : BF125911.D
Acq On : 19 Oct 2021 21:06
Operator : JU/CG
Sample : M4253-01 10X
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
131

Quant Time: Oct 20 09:30:34 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF100721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 18 12:43:03 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.828 min Scan# 806
Delta R.T. -0.000 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06




Instrument :
BNA_F
ClientSampled :
131


Tgt Ion:152 Resp: 155916
Ion Ratio Lower Upper
152 100
150 161.8 117.6 176.4
115 56.5 47.1 70.7



#5
2-Fluorophenol
Concen: 5.886 ng
RT: 5.440 min Scan# 570
Delta R.T. 0.000 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06

Tgt Ion:112 Resp: 56177
Ion Ratio Lower Upper
112 100
64 50.4 44.2 66.2
63 26.4 26.2 39.2









#7
Phenol-d6
Concen: 5.623 ng
RT: 6.457 min Scan# 743
Delta R.T. 0.000 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06




Instrument :
BNA_F
ClientSampleId :
131


Tgt Ion: 99 Resp: 69091
Ion Ratio Lower Upper
99 100
42 14.5 23.5 35.3#
71 31.7 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.110 min Scan# 1024
Delta R.T. 0.000 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06

Tgt Ion: 136 Resp: 568612
Ion Ratio Lower Upper
136 100
137 10.9 9.8 14.6
54 6.1 6.4 9.6#
68 6.0 3.3 4.9#





#23

Nitrobenzene-d5

Concen: 4.487 ng

RT: 7.381 min Scan# 900

Delta R.T. -0.012 min

Lab File: BF125911.D

Acq: 19 Oct 2021 21:06





Instrument :

BNA_F

ClientSampled :

131

Tgt Ion:	82	Resp:	41043
Ion	Ratio	Lower	Upper
82	100		
128	41.5	40.6	60.8
54	39.8	49.6	74.4#



#31

Naphthalene

Concen: 2.466 ng




RT: 8.128 min Scan# 1027


Delta R.T. 0.000 min

Lab File: BF125911.D

Acq: 19 Oct 2021 21:06

Tgt Ion:	128	Resp:	67796
Ion	Ratio	Lower	Upper
128	100		
129	17.5	9.4	14.0#
127	15.9	10.9	16.3









#37
2-Methylnaphthalene
Concen: 8.443 ng
RT: 8.822 min Scan# 1145
Delta R.T. 0.000 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06




Instrument :
BNA_F
ClientSampleId :
131


Tgt Ion:142 Resp: 150338
Ion Ratio Lower Upper
142 100
141 88.1 71.2 106.8



#38
1-Methylnaphthalene
Concen: 4.993 ng
RT: 8.916 min Scan# 1161
Delta R.T. 0.000 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06

Tgt Ion:142 Resp: 86275
Ion Ratio Lower Upper
142 100
141 93.8 76.0 114.0









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.863 min Scan# 1322
Delta R.T. 0.000 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06




Instrument :
BNA_F
ClientSampled :
131


Tgt Ion:164 Resp: 271586
Ion Ratio Lower Upper
164 100
162 102.1 81.3 121.9
160 43.8 38.0 57.0



#42
2,4,6-Tribromophenol
Concen: 5.549 ng
RT: 10.645 min Scan# 1455
Delta R.T. 0.000 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06

Tgt Ion:330 Resp: 14878
Ion Ratio Lower Upper
330 100
332 97.8 76.2 114.4
141 92.4 44.6 66.8#









#45
2-Fluorobiphenyl
Concen: 4.690 ng
RT: 9.181 min Scan# 1206
Delta R.T. 0.000 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06




Instrument :
BNA_F
ClientSampleId :
131


Tgt Ion:172 Resp: 73842
Ion Ratio Lower Upper
172 100
171 34.8 26.5 39.7
170 22.4 18.8 28.2



#46
1,1'-Biphenyl
Concen: 2.168 ng
RT: 9.281 min Scan# 1223
Delta R.T. 0.000 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06

Tgt Ion:154 Resp: 43285
Ion Ratio Lower Upper
154 100
153 38.1 20.0 60.0
76 11.7 0.0 30.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.345 min Scan# 1574
Delta R.T. 0.006 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06




Instrument :
BNA_F
ClientSampleId :
131


Tgt Ion:188 Resp: 458958
Ion Ratio Lower Upper
188 100
94 11.7 6.7 10.1#
80 11.6 7.5 11.3#



#74
Di-n-butylphthalate
Concen: 2.354 ng
RT: 11.910 min Scan# 1670
Delta R.T. 0.006 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06

Tgt Ion:149 Resp: 59317
Ion Ratio Lower Upper
149 100
150 13.1 7.4 11.2#
104 7.0 4.1 6.1#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.980 min Scan# 2022
Delta R.T. 0.006 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06




Instrument :
BNA_F
ClientSampleId :
131


Tgt Ion:240 Resp: 338585
Ion Ratio Lower Upper
240 100
120 11.6 10.8 16.2
236 25.3 21.6 32.4



#79
Terphenyl-d14
Concen: 3.482 ng
RT: 12.927 min Scan# 1843
Delta R.T. 0.006 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06

Tgt Ion:244 Resp: 77387
Ion Ratio Lower Upper
244 100
212 7.2 5.9 8.9
122 13.9 9.0 13.4#









#84
Bis(2-ethylhexyl)phthalate
Concen: 22.915 ng
RT: 13.963 min Scan# 2019
Delta R.T. 0.006 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06

Instrument :
BNA_F
ClientSampleId :
131

Tgt Ion:149 Resp: 274915
Ion Ratio Lower Upper
149 100
167 27.4 21.4 32.0
279 3.9 2.6 4.0



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.445 min Scan# 2271
Delta R.T. 0.024 min
Lab File: BF125911.D
Acq: 19 Oct 2021 21:06

Tgt Ion:264 Resp: 256302
Ion Ratio Lower Upper
264 100
260 23.0 19.6 29.4
265 21.3 17.2 25.8

