

Data Path : Z:\HPCHEM1\BNA F\DATA\BF102017\
 Data File : BF099710.D
 Acq On : 20 Oct 2017 19:33
 Operator : SJ/JU
 Sample : PB103469BL
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB103469BL

Quant Time: Oct 22 00:29:01 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 20 13:11:43 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	83257	20.00	ng	-0.01
21) Naphthalene-d8	8.09	136	323706	20.00	ng	-0.01
38) Acenaphthene-d10	9.85	164	128179	20.00	ng	-0.01
63) Phenanthrene-d10	11.33	188	184810	20.00	ng	-0.01
75) Chrysene-d12	13.97	240	155714	20.00	ng	-0.01
86) Perylene-d12	15.44	264	154851	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	558506	106.79	ng	0.00
7) Phenol-d6	6.46	99	650298	100.79	ng	0.00
23) Nitrobenzene-d5	7.38	82	372347	73.77	ng	-0.01
41) 2,4,6-Tribromophenol	10.64	330	100792	96.10	ng	-0.01
44) 2-Fluorobiphenyl	9.17	172	705890	91.94	ng	0.00
78) Terphenyl-d14	12.92	244	451646	65.96	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF102017\
Data File : BF099710.D
Acq On : 20 Oct 2017 19:33
Operator : SJ/JU
Sample : PB103469BL
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB103469BL

Quant Time: Oct 22 00:29:01 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 20 13:11:43 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.81 min Scan# 803
Delta R.T. -0.01 min
Lab File: BF099710.D
Acq: 20 Oct 2017 19:33

Instrument :
BNA_F
ClientSampleId :
PB103469BL

Tot Ion:152 Resp: 83257
Ion Ratio Lower Upper
152 100
150 158.0 124.6 186.8
115 61.2 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 106.788 ng
RT: 5.45 min Scan# 571
Delta R.T. 0.01 min
Lab File: BF099710.D
Acq: 20 Oct 2017 19:33

Tgt Ion:112 Resp: 558506
Ion Ratio Lower Upper
112 100
64 51.1 47.9 71.9
63 24.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 100.793 ng

RT: 6.46 min Scan# 743

Delta R.T. -0.01 min

Lab File: BF099710.D

Acq: 20 Oct 2017 19:33

Instrument :

BNA_F

ClientSampleId :

PB103469BL


Tot Ion: 99 Resp: 650298

Ion Ratio Lower Upper

99 100

42 13.4 14.5 21.7#




71 28.7 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.09 min Scan# 1021

Delta R.T. -0.01 min

Lab File: BF099710.D

Acq: 20 Oct 2017 19:33

Tgt Ion: 136 Resp: 323706


Ion Ratio Lower Upper

136 100

137 11.1 8.9 13.3

54 7.0 6.6 9.8

68 5.9 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 73.767 ng
 RT: 7.38 min Scan# 900
 Delta R.T. -0.01 min
 Lab File: BF099710.D
 Acq: 20 Oct 2017 19:33




Instrument :
 BNA_F
 ClientSampleId :
 PB103469BL


Tot Ion: 82 Resp: 372347
 Ion Ratio Lower Upper
 82 100
 128 50.8 36.1 54.1
 54 43.8 41.4 62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.85 min Scan# 1319
 Delta R.T. -0.01 min
 Lab File: BF099710.D
 Acq: 20 Oct 2017 19:33

Tgt Ion:164 Resp: 128179
 Ion Ratio Lower Upper
 164 100
 162 104.3 86.1 129.1
 160 44.8 38.3 57.5









#41
 2,4,6-Tribromophenol
 Concen: 96.097 ng
 RT: 10.64 min Scan# 1454
 Delta R.T. -0.01 min
 Lab File: BF099710.D
 Acq: 20 Oct 2017 19:33




Instrument :
 BNA_F
 ClientSampleId :
 PB103469BL


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.5	77.0	115.6
141	36.3	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 91.936 ng
 RT: 9.17 min Scan# 1204
 Delta R.T. -0.01 min
 Lab File: BF099710.D
 Acq: 20 Oct 2017 19:33

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.4	29.7	44.5
170	23.9	19.6	29.4









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1572
Delta R.T. -0.01 min
Lab File: BF099710.D
Acq: 20 Oct 2017 19:33

Instrument :
BNA_F
ClientSampleId :
PB103469BL

Tot Ion:188 Resp: 184810
Ion Ratio Lower Upper
188 100
94 10.9 8.5 12.7
80 10.9 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2021
Delta R.T. -0.01 min
Lab File: BF099710.D
Acq: 20 Oct 2017 19:33

Tgt Ion:240 Resp: 155714
Ion Ratio Lower Upper
240 100
120 15.0 9.5 14.3#
236 26.0 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 65.963 ng
 RT: 12.92 min Scan# 1841
 Delta R.T. -0.01 min
 Lab File: BF099710.D
 Acq: 20 Oct 2017 19:33

Instrument :
 BNA_F
 ClientSampleId :
 PB103469BL

Tot Ion:244 Resp: 451646
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.4 8.0
 122 13.2 11.0 16.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.44 min Scan# 2270
 Delta R.T. -0.00 min
 Lab File: BF099710.D
 Acq: 20 Oct 2017 19:33

Tgt Ion:264 Resp: 154851
 Ion Ratio Lower Upper
 264 100
 260 22.6 19.2 28.8
 265 20.3 17.5 26.3

