

Data Path : Z:\HPCHEM1\BNA F\DATA\BF102116\
 Data File : BF090755.D
 Acq On : 22 Oct 2016 11:59
 Operator : UM/SJ
 Sample : H5367-05
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-01S-101916

Quant Time: Oct 24 01:29:50 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 21 17:36:31 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	240457	20.00	ng	-0.01
21) Naphthalene-d8	8.14	136	1010836	20.00	ng	0.00
38) Acenaphthene-d10	9.89	164	503023	20.00	ng	-0.01
63) Phenanthrene-d10	11.38	188	798070	20.00	ng	-0.01
75) Chrysene-d12	14.02	240	486363	20.00	ng	0.00
86) Perylene-d12	15.45	264	369919	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	850278	57.03	ng	0.01
7) Phenol-d6	6.49	99	623877	30.89	ng	-0.01
23) Nitrobenzene-d5	7.42	82	1620489	87.93	ng	0.00
41) 2,4,6-Tribromophenol	10.69	330	656855	164.98	ng	0.00
44) 2-Fluorobiphenyl	9.22	172	2464724	76.06	ng	-0.01
78) Terphenyl-d14	12.97	244	2449278	115.42	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.61	163	193453	6.12	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF102116\
Data File : BF090755.D
Acq On : 22 Oct 2016 11:59
Operator : UM/SJ
Sample : H5367-05
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-01S-101916

Quant Time: Oct 24 01:29:50 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 21 17:36:31 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.85 min Scan# 395
Delta R.T. -0.01 min
Lab File: BF090755.D
Acq: 22 Oct 2016 11:59

Instrument :
BNA_F
ClientSampleId :
MW-01S-101916

Tot Ion:152 Resp: 240457
Ion Ratio Lower Upper
152 100
150 156.7 124.7 187.1
115 69.3 39.0 58.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 57.03 ng
RT: 5.47 min Scan# 274
Delta R.T. 0.01 min
Lab File: BF090755.D
Acq: 22 Oct 2016 11:59

Tgt Ion:112 Resp: 850278
Ion Ratio Lower Upper
112 100
64 52.7 39.7 59.5
63 25.8 17.4 26.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 30.89 ng

RT: 6.49 min Scan# 363

Delta R.T. -0.01 min

Lab File: BF090755.D

Acq: 22 Oct 2016 11:59

Instrument :

BNA_F

ClientSampleId :

MW-01S-101916


Tot Ion: 99 Resp: 623877

Ion Ratio Lower Upper

99 100

42 17.1 13.7 20.5




71 34.1 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.14 min Scan# 508

Delta R.T. 0.00 min

Lab File: BF090755.D

Acq: 22 Oct 2016 11:59

Tgt Ion: 136 Resp: 1010836


Ion Ratio Lower Upper

136 100

137 11.0 9.0 13.6

54 7.1 8.2 12.2#

68 6.4 5.8 8.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 87.93 ng
 RT: 7.42 min Scan# 445
 Delta R.T. 0.00 min
 Lab File: BF090755.D
 Acq: 22 Oct 2016 11:59




Instrument :
 BNA_F
 ClientSampleId :
 MW-01S-101916


Tot Ion: 82 Resp: 1620489
 Ion Ratio Lower Upper
 82 100
 128 45.7 51.0 76.6#
 54 46.2 47.5 71.3#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.89 min Scan# 661
 Delta R.T. -0.01 min
 Lab File: BF090755.D
 Acq: 22 Oct 2016 11:59

Tgt Ion:164 Resp: 503023
 Ion Ratio Lower Upper
 164 100
 162 104.4 75.2 112.8
 160 47.2 31.5 47.3









#41
 2,4,6-Tribromophenol
 Concen: 164.98 ng
 RT: 10.69 min Scan# 731
 Delta R.T. 0.00 min
 Lab File: BF090755.D
 Acq: 22 Oct 2016 11:59




Instrument :
 BNA_F
 ClientSampleId :
 MW-01S-101916


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.4	76.6	114.8
141	30.0	29.7	44.5



#44
 2-Fluorobiphenyl
 Concen: 76.06 ng
 RT: 9.22 min Scan# 602
 Delta R.T. -0.01 min
 Lab File: BF090755.D
 Acq: 22 Oct 2016 11:59

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.9	26.1	39.1
170	26.1	17.4	26.2





#49

Dimethylphthalate

Concen: 6.12 ng

RT: 9.61 min Scan# 636

Delta R.T. -0.02 min

Lab File: BF090755.D

Acq: 22 Oct 2016 11:59

Instrument :

BNA_F

ClientSampleId :

MW-01S-101916


Tot Ion:163 Resp: 193453

Ion Ratio Lower Upper

163 100

194 2.8 4.4 6.6#




164 10.5 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.38 min Scan# 791

Delta R.T. -0.01 min

Lab File: BF090755.D

Acq: 22 Oct 2016 11:59


Tgt Ion:188 Resp: 798070

Ion Ratio Lower Upper

188 100

94 12.4 11.1 16.7



80 13.9 11.0 16.4




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.02 min Scan# 1022

Delta R.T. 0.00 min

Lab File: BF090755.D

Acq: 22 Oct 2016 11:59

Instrument :

BNA_F

ClientSampleId :

MW-01S-101916


Tot Ion:240 Resp: 486363

Ion Ratio Lower Upper

240 100

120 11.7 16.2 24.2#




236 27.1 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 115.42 ng

RT: 12.97 min Scan# 930

Delta R.T. 0.00 min

Lab File: BF090755.D

Acq: 22 Oct 2016 11:59


Tgt Ion:244 Resp: 2449278

Ion Ratio Lower Upper

244 100

212 7.8 4.3 6.5#



122 14.4 17.4 26.2#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.45 min Scan# 1147
Delta R.T. -0.01 min
Lab File: BF090755.D
Acq: 22 Oct 2016 11:59

Instrument :
BNA_F
ClientSampleId :
MW-01S-101916

Tot Ion:264 Resp: 369919

Ion	Ratio	Lower	Upper
264	100		
260	24.9	16.7	25.1
265	22.2	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

