

Data Path : Z:\HPCHEM1\BNA F\DATA\BF102116\
 Data File : BF090762.D
 Acq On : 22 Oct 2016 15:10
 Operator : UM/SJ
 Sample : H5367-12
 Misc :
 ALS Vial : 45 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Oct 24 01:54:18 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 21 17:36:31 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	248302	20.00	ng	-0.01
21) Naphthalene-d8	8.14	136	1019999	20.00	ng	0.00
38) Acenaphthene-d10	9.89	164	518906	20.00	ng	-0.01
63) Phenanthrene-d10	11.38	188	844447	20.00	ng	-0.01
75) Chrysene-d12	14.02	240	527901	20.00	ng	0.00
86) Perylene-d12	15.45	264	379883	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	980355	63.67	ng	0.01
7) Phenol-d6	6.49	99	835256	40.05	ng	-0.01
23) Nitrobenzene-d5	7.42	82	1474752	79.30	ng	0.00
41) 2,4,6-Tribromophenol	10.69	330	674644	164.26	ng	0.00
44) 2-Fluorobiphenyl	9.22	172	2398273	71.75	ng	-0.01
78) Terphenyl-d14	12.97	244	2375716	103.14	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.61	163	108937	3.34	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF102116\
Data File : BF090762.D
Acq On : 22 Oct 2016 15:10
Operator : UM/SJ
Sample : H5367-12
Misc :
ALS Vial : 45 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Oct 24 01:54:18 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 21 17:36:31 2016
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.85 min Scan# 395
Delta R.T. -0.01 min
Lab File: BF090762.D
Acq: 22 Oct 2016 15:10

Instrument :
BNA_F
ClientSampleId :




Tot Ion:152 Resp: 248302
Ion Ratio Lower Upper
152 100
150 156.0 124.7 187.1
115 66.9 39.0 58.4#




#5

2-Fluorophenol
Concen: 63.67 ng
RT: 5.47 min Scan# 274
Delta R.T. 0.01 min
Lab File: BF090762.D
Acq: 22 Oct 2016 15:10

Tgt Ion:112 Resp: 980355
Ion Ratio Lower Upper
112 100
64 59.1 39.7 59.5
63 28.9 17.4 26.0#





#7

Phenol-d6

Concen: 40.05 ng

RT: 6.49 min Scan# 363

Delta R.T. -0.01 min

Lab File: BF090762.D

Acq: 22 Oct 2016 15:10

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 835256

Ion Ratio Lower Upper

99 100

42 16.1 13.7 20.5




71 33.0 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.14 min Scan# 508

Delta R.T. -0.00 min

Lab File: BF090762.D

Acq: 22 Oct 2016 15:10

Tgt Ion: 136 Resp: 1019999


Ion Ratio Lower Upper

136 100

137 11.0 9.0 13.6

54 6.0 8.2 12.2#

68 5.7 5.8 8.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 79.30 ng
 RT: 7.42 min Scan# 445
 Delta R.T. -0.00 min
 Lab File: BF090762.D
 Acq: 22 Oct 2016 15:10




Instrument :
 BNA_F
 ClientSampled :


Tot Ion: 82 Resp: 1474752
 Ion Ratio Lower Upper
 82 100
 128 48.1 51.0 76.6#
 54 43.5 47.5 71.3#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.89 min Scan# 661
 Delta R.T. -0.01 min
 Lab File: BF090762.D
 Acq: 22 Oct 2016 15:10

Tgt Ion:164 Resp: 518906
 Ion Ratio Lower Upper
 164 100
 162 104.7 75.2 112.8
 160 47.4 31.5 47.3#









#41
 2,4,6-Tribromophenol
 Concen: 164.26 ng
 RT: 10.69 min Scan# 731
 Delta R.T. 0.00 min
 Lab File: BF090762.D
 Acq: 22 Oct 2016 15:10

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.0	76.6	114.8
141	27.9	29.7	44.5#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 71.75 ng
 RT: 9.22 min Scan# 602
 Delta R.T. -0.01 min
 Lab File: BF090762.D
 Acq: 22 Oct 2016 15:10

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.7	26.1	39.1
170	25.6	17.4	26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 3.34 ng
RT: 9.61 min Scan# 636
Delta R.T. -0.02 min
Lab File: BF090762.D
Acq: 22 Oct 2016 15:10

Instrument :
BNA_F
ClientSampleId :

Tot Ion:163 Resp: 108937
Ion Ratio Lower Upper
163 100
194 3.0 4.4 6.6#
164 10.4 8.3 12.5




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.38 min Scan# 791
Delta R.T. -0.01 min
Lab File: BF090762.D
Acq: 22 Oct 2016 15:10

Tgt Ion:188 Resp: 844447
Ion Ratio Lower Upper
188 100
94 11.3 11.1 16.7
80 12.2 11.0 16.4



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.02 min Scan# 1022

Delta R.T. -0.00 min

Lab File: BF090762.D

Acq: 22 Oct 2016 15:10

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 527901

Ion Ratio Lower Upper




240 100

120 10.6 16.2 24.2#

236 26.1 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 103.14 ng

RT: 12.97 min Scan# 930

Delta R.T. 0.00 min

Lab File: BF090762.D

Acq: 22 Oct 2016 15:10


Tgt Ion:244 Resp: 2375716

Ion Ratio Lower Upper



244 100


212 7.4 4.3 6.5#

122 13.2 17.4 26.2#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.45 min Scan# 1147
Delta R.T. -0.01 min
Lab File: BF090762.D
Acq: 22 Oct 2016 15:10

Instrument :
BNA_F
ClientSampleId :

Tot Ion:264 Resp: 379883

Ion	Ratio	Lower	Upper
264	100		
260	24.1	16.7	25.1
265	21.2	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

