

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102124\
 Data File : BF139901.D
 Acq On : 21 Oct 2024 14:18
 Operator : RC/JU
 Sample : P4396-01RE
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WASTE-WATER-FRAC-TANKRE

Quant Time: Oct 21 14:49:11 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 18 15:07:50 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.887	152	180088	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	699613	20.000	ng	0.00
39) Acenaphthene-d10	9.928	164	370461	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	581447	20.000	ng	0.00
76) Chrysene-d12	14.051	240	321399	20.000	ng	0.00
86) Perylene-d12	15.527	264	395365	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	709509	61.677	ng	0.00
7) Phenol-d6	6.498	99	565187	37.934	ng	-0.01
23) Nitrobenzene-d5	7.451	82	1222845	96.874	ng	0.00
42) 2,4,6-Tribromophenol	10.716	330	451355	130.255	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	1948693	86.935	ng	0.00
79) Terphenyl-d14	12.998	244	1505753	76.341	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102124\
Data File : BF139901.D
Acq On : 21 Oct 2024 14:18
Operator : RC/JU
Sample : P4396-01RE
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WASTE-WATER-FRAC-TANKRE

Quant Time: Oct 21 14:49:11 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 18 15:07:50 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.887 min Scan# 816
Delta R.T. -0.005 min
Lab File: BF139901.D
Acq: 21 Oct 2024 14:18




Instrument :
BNA_F
ClientSampleId :
WASTE-WATER-FRAC-TANKRE


Tgt Ion:152 Resp: 180088
Ion Ratio Lower Upper
152 100
150 157.6 130.2 195.2
115 63.6 51.4 77.2



#5
2-Fluorophenol
Concen: 61.677 ng
RT: 5.498 min Scan# 579
Delta R.T. 0.000 min
Lab File: BF139901.D
Acq: 21 Oct 2024 14:18


Tgt Ion:112 Resp: 709509
Ion Ratio Lower Upper
112 100
64 66.0 53.0 79.6
63 33.5 27.0 40.4








#7
Phenol-d6
Concen: 37.934 ng
RT: 6.498 min Scan# 749
Delta R.T. -0.012 min
Lab File: BF139901.D
Acq: 21 Oct 2024 14:18

Instrument :
BNA_F
ClientSampleId :
WASTE-WATER-FRAC-TANKRE







Tgt Ion: 99 Resp: 565187
Ion Ratio Lower Upper
99 100
42 20.4 16.7 25.1
71 33.2 27.7 41.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1033
Delta R.T. -0.006 min
Lab File: BF139901.D
Acq: 21 Oct 2024 14:18

Tgt Ion: 136 Resp: 699613
Ion Ratio Lower Upper
136 100
137 10.8 8.6 12.8
54 10.1 8.4 12.6
68 6.6 5.1 7.7









#23
Nitrobenzene-d5
Concen: 96.874 ng
RT: 7.451 min Scan# 911
Delta R.T. 0.000 min
Lab File: BF139901.D
Acq: 21 Oct 2024 14:18




Instrument :
BNA_F
ClientSampleId :
WASTE-WATER-FRAC-TANKRE


Tgt Ion: 82 Resp: 1222845
Ion Ratio Lower Upper
82 100
128 43.8 33.4 50.0
54 57.7 47.8 71.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.928 min Scan# 1332
Delta R.T. 0.001 min
Lab File: BF139901.D
Acq: 21 Oct 2024 14:18

Tgt Ion:164 Resp: 370461
Ion Ratio Lower Upper
164 100
162 99.1 81.0 121.4
160 43.9 35.4 53.0





#42

2,4,6-Tribromophenol

Concen: 130.255 ng

RT: 10.716 min Scan# 1466

Delta R.T. 0.000 min

Lab File: BF139901.D


Acq: 21 Oct 2024 14:18

Instrument :

BNA_F

ClientSampleId :

WASTE-WATER-FRAC-TANKRE






Tgt Ion:330 Resp: 451355

Ion Ratio Lower Upper

330 100

332 96.2 78.1 117.1

141 29.9 26.6 39.8



#45

2-Fluorobiphenyl

Concen: 86.935 ng

RT: 9.245 min Scan# 1216

Delta R.T. -0.006 min

Lab File: BF139901.D

Acq: 21 Oct 2024 14:18




Tgt Ion:172 Resp: 1948693


Ion Ratio Lower Upper

172 100

171 36.0 28.6 43.0

170 23.8 19.1 28.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.410 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF139901.D

Acq: 21 Oct 2024 14:18

Instrument :

BNA_F

ClientSampleId :

WASTE-WATER-FRAC-TANKRE





Tgt Ion:188 Resp: 581447

Ion Ratio Lower Upper

188 100

94 10.0 7.9 11.9

80 11.1 9.0 13.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.051 min Scan# 2033

Delta R.T. 0.000 min

Lab File: BF139901.D

Acq: 21 Oct 2024 14:18




Tgt Ion:240 Resp: 321399


Ion Ratio Lower Upper

240 100

120 10.7 9.4 14.2

236 26.5 20.9 31.3









#79
 Terphenyl-d14
 Concen: 76.341 ng
 RT: 12.998 min Scan# 1854
 Delta R.T. 0.000 min
 Lab File: BF139901.D
 Acq: 21 Oct 2024 14:18

Instrument :
 BNA_F
 ClientSampleId :
 WASTE-WATER-FRAC-TANKRE

Tgt Ion:244 Resp: 1505753
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.7 8.5
 122 10.6 8.6 13.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.527 min Scan# 2284
 Delta R.T. 0.000 min
 Lab File: BF139901.D
 Acq: 21 Oct 2024 14:18

Tgt Ion:264 Resp: 395365
 Ion Ratio Lower Upper
 264 100
 260 24.3 19.4 29.2
 265 21.9 17.4 26.0

