

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102220\
 Data File : BF122090.D
 Acq On : 22 Oct 2020 18:33
 Operator : JU/CG
 Sample : L4436-10
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 37A

Quant Time: Oct 22 19:02:27 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 21 12:04:42 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.728	152	99336	20.00	ng	0.00
21) Naphthalene-d8	8.010	136	395422	20.00	ng	0.00
39) Acenaphthene-d10	9.757	164	197940	20.00	ng	0.00
64) Phenanthrene-d10	11.245	188	338592	20.00	ng	0.00
76) Chrysene-d12	13.886	240	235295	20.00	ng	0.00
86) Perylene-d12	15.321	264	235831	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.351	112	600602	89.24	ng	0.00
7) Phenol-d6	6.381	99	751862	86.78	ng	0.00
23) Nitrobenzene-d5	7.298	82	517740	67.15	ng	0.00
42) 2,4,6-Tribromophenol	10.557	330	192136	78.47	ng	0.00
45) 2-Fluorobiphenyl	9.086	172	801008	59.54	ng	0.00
79) Terphenyl-d14	12.827	244	593514	48.07	ng	0.00
Target Compounds						
					Qvalue	
9) Benzaldehyde	6.381	77	1123	Below Cal	#	3
19) n-Nitroso-di-n-propyla...	7.298	70	68632	13.91	ng	# 79
25) Isophorone	7.298	82	517736	35.51	ng	# 67
50) Dimethylphthalate	9.481	163	125672	8.68	ng	99
57) 2,4-Dinitrotoluene	9.757	165	25173	6.44	ng	# 20
65) 4,6-Dinitro-2-methylph...	10.551	198	299	4.55	ng	# 1
67) 4-Bromophenyl-phenylether	10.551	248	11454	2.93	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102220\
Data File : BF122090.D
Acq On : 22 Oct 2020 18:33
Operator : JU/CG
Sample : L4436-10
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
37A

Quant Time: Oct 22 19:02:27 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 21 12:04:42 2020
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.728 min Scan# 789
Delta R.T. -0.000 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33




Instrument :
BNA_F
ClientSampleId :
37A

Tgt Ion:152 Resp: 99336
Ion Ratio Lower Upper
152 100
150 159.0 125.3 187.9
115 64.4 51.9 77.9



#5
2-Fluorophenol
Concen: 89.24 ng
RT: 5.351 min Scan# 555
Delta R.T. 0.006 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33

Tgt Ion:112 Resp: 600602
Ion Ratio Lower Upper
112 100
64 66.0 50.4 75.6
63 34.3 25.8 38.6









#7
Phenol-d6
Concen: 86.78 ng
RT: 6.381 min Scan# 730
Delta R.T. -0.000 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33




Instrument :
BNA_F
ClientSampleId :
37A

Tgt Ion: 99 Resp: 751862
Ion Ratio Lower Upper
99 100
42 20.7 15.9 23.9
71 35.2 27.1 40.7



#19
n-Nitroso-di-n-propylamine
Concen: 13.91 ng
RT: 7.298 min Scan# 886
Delta R.T. 0.141 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33

Tgt Ion: 70 Resp: 68632
Ion Ratio Lower Upper
70 100
42 51.8 50.2 75.4
101 0.0 7.5 11.3#
130 2.0 15.5 23.3#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.010 min Scan# 1007
Delta R.T. -0.000 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33

Instrument :
BNA_F
ClientSampleId :
37A

Tgt Ion:136 Resp: 395422




Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.6	13.0
54	9.5	7.1	10.7
68	6.7	5.0	7.4




#23
Nitrobenzene-d5
Concen: 67.15 ng
RT: 7.298 min Scan# 886
Delta R.T. -0.006 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33

Tgt Ion: 82 Resp: 517740

Ion	Ratio	Lower	Upper
82	100		
128	42.0	35.0	52.4
54	55.1	43.9	65.9









#25
Isophorone
Concen: 35.51 ng
RT: 7.298 min Scan# 886
Delta R.T. -0.265 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33




Instrument :
BNA_F
ClientSampleId :
37A

Tgt Ion: 82 Resp: 517736
Ion Ratio Lower Upper
82 100
95 0.0 5.4 8.0#
138 0.0 13.4 20.0#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.757 min Scan# 1304
Delta R.T. -0.006 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33

Tgt Ion:164 Resp: 197940
Ion Ratio Lower Upper
164 100
162 102.8 83.2 124.8
160 46.8 37.5 56.3









#42
2,4,6-Tribromophenol
Concen: 78.47 ng
RT: 10.557 min Scan# 1440
Delta R.T. -0.000 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33




Instrument :
BNA_F
ClientSampleId :
37A


Tgt Ion:330 Resp: 192136
Ion Ratio Lower Upper
330 100
332 98.0 77.3 115.9
141 31.1 22.3 33.5



#45
2-Fluorobiphenyl
Concen: 59.54 ng
RT: 9.086 min Scan# 1190
Delta R.T. -0.000 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33

Tgt Ion:172 Resp: 801008
Ion Ratio Lower Upper
172 100
171 35.2 29.1 43.7
170 23.6 19.8 29.6









#50
Dimethylphthalate
Concen: 8.68 ng
RT: 9.481 min Scan# 1257
Delta R.T. -0.012 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33




Instrument :
BNA_F
ClientSampleId :
37A


Tgt Ion:163 Resp: 125672
Ion Ratio Lower Upper
163 100
194 3.6 3.3 4.9
164 10.1 8.2 12.4



#57
2,4-Dinitrotoluene
Concen: 6.44 ng
RT: 9.757 min Scan# 1304
Delta R.T. -0.218 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33


Tgt Ion:165 Resp: 25173
Ion Ratio Lower Upper
165 100
63 1.6 41.3 61.9#
89 1.4 61.8 92.8#
182 0.0 2.1 3.1#








#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.245 min Scan# 1557
Delta R.T. -0.000 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33


Instrument :
BNA_F
ClientSampleId :
37A





Tgt Ion:188 Resp: 338592
Ion Ratio Lower Upper
188 100
94 11.1 8.3 12.5
80 12.1 9.1 13.7




#65
4,6-Dinitro-2-methylphenol
Concen: 4.55 ng
RT: 10.551 min Scan# 1439
Delta R.T. 0.165 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33



Tgt Ion:198 Resp: 299
Ion Ratio Lower Upper
198 100
51 178.7 29.6 69.6#
105 178.5 24.4 64.4#









#67
4-Bromophenyl-phenylether
Concen: 2.93 ng
RT: 10.551 min Scan# 1439
Delta R.T. -0.241 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33




Instrument :
BNA_F
ClientSampled :
37A


Tgt Ion:248 Resp: 11454
Ion Ratio Lower Upper
248 100
250 196.1 77.0 115.6#
141 534.9 53.7 80.5#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.886 min Scan# 2006
Delta R.T. -0.000 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33


Tgt Ion:240 Resp: 235295
Ion Ratio Lower Upper
240 100
120 11.9 9.2 13.8
236 25.8 20.9 31.3








#79
Terphenyl-d14
Concen: 48.07 ng
RT: 12.827 min Scan# 1826
Delta R.T. -0.006 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33


Instrument :
BNA_F
ClientSampled :
37A



Tgt Ion:244 Resp: 593514
Ion Ratio Lower Upper
244 100
212 7.2 5.4 8.2
122 11.7 8.1 12.1



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.321 min Scan# 2250
Delta R.T. 0.006 min
Lab File: BF122090.D
Acq: 22 Oct 2020 18:33



Tgt Ion:264 Resp: 235831
Ion Ratio Lower Upper
264 100
260 24.0 18.7 28.1
265 21.4 17.3 25.9

